



API Reference

AWS AppFabric



API Version 2023-05-19

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS AppFabric: API Reference

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
BatchGetUserAccessTasks	3
Request Syntax	3
URI Request Parameters	3
Request Body	3
Response Syntax	4
Response Elements	4
Errors	5
See Also	5
ConnectAppAuthorization	7
Request Syntax	7
URI Request Parameters	7
Request Body	8
Response Syntax	8
Response Elements	8
Errors	9
See Also	9
CreateAppAuthorization	11
Request Syntax	11
URI Request Parameters	11
Request Body	12
Response Syntax	14
Response Elements	14
Errors	15
See Also	16
CreateAppBundle	17
Request Syntax	17
URI Request Parameters	17
Request Body	17
Response Syntax	18
Response Elements	19
Errors	19
See Also	20

CreateIngestion	21
Request Syntax	21
URI Request Parameters	21
Request Body	21
Response Syntax	23
Response Elements	24
Errors	24
See Also	25
CreateIngestionDestination	26
Request Syntax	26
URI Request Parameters	26
Request Body	27
Response Syntax	28
Response Elements	28
Errors	29
See Also	29
DeleteAppAuthorization	31
Request Syntax	31
URI Request Parameters	31
Request Body	31
Response Syntax	32
Response Elements	32
Errors	32
See Also	33
DeleteAppBundle	34
Request Syntax	34
URI Request Parameters	34
Request Body	34
Response Syntax	34
Response Elements	34
Errors	34
See Also	35
DeleteIngestion	37
Request Syntax	37
URI Request Parameters	37
Request Body	37

Response Syntax	38
Response Elements	38
Errors	38
See Also	39
DeleteIngestionDestination	40
Request Syntax	40
URI Request Parameters	40
Request Body	41
Response Syntax	41
Response Elements	41
Errors	41
See Also	42
GetAppAuthorization	43
Request Syntax	43
URI Request Parameters	43
Request Body	43
Response Syntax	44
Response Elements	44
Errors	44
See Also	45
GetAppBundle	47
Request Syntax	47
URI Request Parameters	47
Request Body	47
Response Syntax	47
Response Elements	48
Errors	48
See Also	49
GetIngestion	50
Request Syntax	50
URI Request Parameters	50
Request Body	50
Response Syntax	51
Response Elements	51
Errors	51
See Also	52

GetIngestionDestination	53
Request Syntax	53
URI Request Parameters	53
Request Body	54
Response Syntax	54
Response Elements	54
Errors	55
See Also	55
ListAppAuthorizations	57
Request Syntax	57
URI Request Parameters	57
Request Body	58
Response Syntax	58
Response Elements	58
Errors	59
See Also	60
ListAppBundles	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	61
Response Elements	62
Errors	62
See Also	63
ListIngestionDestinations	64
Request Syntax	64
URI Request Parameters	64
Request Body	65
Response Syntax	65
Response Elements	65
Errors	66
See Also	67
ListIngestions	68
Request Syntax	68
URI Request Parameters	68
Request Body	69

Response Syntax	69
Response Elements	69
Errors	70
See Also	70
ListTagsForResource	72
Request Syntax	72
URI Request Parameters	72
Request Body	72
Response Syntax	72
Response Elements	73
Errors	73
See Also	74
StartIngestion	75
Request Syntax	75
URI Request Parameters	75
Request Body	75
Response Syntax	76
Response Elements	76
Errors	76
See Also	77
StartUserAccessTasks	78
Request Syntax	78
URI Request Parameters	78
Request Body	78
Response Syntax	79
Response Elements	79
Errors	79
See Also	80
StopIngestion	82
Request Syntax	82
URI Request Parameters	82
Request Body	82
Response Syntax	83
Response Elements	83
Errors	83
See Also	84

TagResource	85
Request Syntax	85
URI Request Parameters	85
Request Body	85
Response Syntax	86
Response Elements	86
Errors	86
See Also	87
UntagResource	88
Request Syntax	88
URI Request Parameters	88
Request Body	88
Response Syntax	88
Response Elements	89
Errors	89
See Also	89
UpdateAppAuthorization	91
Request Syntax	91
URI Request Parameters	91
Request Body	92
Response Syntax	92
Response Elements	93
Errors	93
See Also	94
UpdateIngestionDestination	95
Request Syntax	95
URI Request Parameters	95
Request Body	96
Response Syntax	96
Response Elements	97
Errors	97
See Also	98
Data Types	99
ApiKeyCredential	101
Contents	101
See Also	101

AppAuthorization	102
Contents	102
See Also	104
AppAuthorizationSummary	105
Contents	105
See Also	106
AppBundle	108
Contents	108
See Also	108
AppBundleSummary	109
Contents	109
See Also	109
AuditLogDestinationConfiguration	110
Contents	110
See Also	110
AuditLogProcessingConfiguration	111
Contents	111
See Also	111
AuthRequest	112
Contents	112
See Also	112
Credential	113
Contents	113
See Also	113
Destination	114
Contents	114
See Also	114
DestinationConfiguration	115
Contents	115
See Also	115
FirehoseStream	116
Contents	116
See Also	116
Ingestion	117
Contents	117
See Also	118

IngestionDestination	120
Contents	120
See Also	122
IngestionDestinationSummary	123
Contents	123
See Also	123
IngestionSummary	124
Contents	124
See Also	125
Oauth2Credential	126
Contents	126
See Also	126
ProcessingConfiguration	127
Contents	127
See Also	127
S3Bucket	128
Contents	128
See Also	128
Tag	129
Contents	129
See Also	129
TaskError	130
Contents	130
See Also	130
Tenant	131
Contents	131
See Also	131
UserAccessResultItem	132
Contents	132
See Also	134
UserAccessTaskItem	136
Contents	136
See Also	137
ValidationExceptionField	138
Contents	138
See Also	138

Common Parameters	139
Common Errors	142

Welcome

AWS AppFabric quickly connects software as a service (SaaS) applications across your organization. This allows IT and security teams to easily manage and secure applications using a standard schema, and employees can complete everyday tasks faster using generative artificial intelligence (AI). You can use these APIs to complete AppFabric tasks, such as setting up audit log ingestions or viewing user access. For more information about AppFabric, including the required permissions to use the service, see the [AWS AppFabric Administration Guide](#). For more information about using the AWS Command Line Interface (AWS CLI) to manage your AppFabric resources, see the [AppFabric section of the AWS CLI Reference](#).

This document was last published on July 4, 2024.

Actions

The following actions are supported:

- [BatchGetUserAccessTasks](#)
- [ConnectAppAuthorization](#)
- [CreateAppAuthorization](#)
- [CreateAppBundle](#)
- [CreateIngestion](#)
- [CreateIngestionDestination](#)
- [DeleteAppAuthorization](#)
- [DeleteAppBundle](#)
- [DeleteIngestion](#)
- [DeleteIngestionDestination](#)
- [GetAppAuthorization](#)
- [GetAppBundle](#)
- [GetIngestion](#)
- [GetIngestionDestination](#)
- [ListAppAuthorizations](#)
- [ListAppBundles](#)
- [ListIngestionDestinations](#)
- [ListIngestions](#)
- [ListTagsForResource](#)
- [StartIngestion](#)
- [StartUserAccessTasks](#)
- [StopIngestion](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateAppAuthorization](#)
- [UpdateIngestionDestination](#)

BatchGetUserAccessTasks

Gets user access details in a batch request.

This action polls data from the tasks that are kicked off by the `StartUserAccessTasks` action.

Request Syntax

```
POST /useraccess/batchget HTTP/1.1
Content-type: application/json

{
  "appBundleIdentifier": "string",
  "taskIdList": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$ | ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

taskIdList

The tasks IDs to use for the request.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "userAccessResultsList": [
    {
      "app": "string",
      "email": "string",
      "resultStatus": "string",
      "taskError": {
        "errorCode": "string",
        "errorMessage": "string"
      },
      "taskId": "string",
      "tenantDisplayName": "string",
      "tenantId": "string",
      "userFirstName": "string",
      "userFullName": "string",
      "userId": "string",
      "userLastName": "string",
      "userStatus": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

userAccessResultsList

Contains a list of user access results.

Type: Array of [UserAccessResultItem](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ConnectAppAuthorization

Establishes a connection between AWS AppFabric and an application, which allows AppFabric to call the APIs of the application.

Request Syntax

```
POST /appbundles/appBundleIdentifier/appauthorizations/appAuthorizationIdentifier/
connect HTTP/1.1
Content-type: application/json
```

```
{
  "authRequest": {
    "code": "string",
    "redirectUri": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

appAuthorizationIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app authorization to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle that contains the app authorization to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

[authRequest](#)

Contains OAuth2 authorization information.

This is required if the app authorization for the request is configured with an OAuth2 (oauth2) authorization type.

Type: [AuthRequest](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appAuthorizationSummary": {
    "app": "string",
    "appAuthorizationArn": "string",
    "appBundleArn": "string",
    "status": "string",
    "tenant": {
      "tenantDisplayName": "string",
      "tenantIdentifier": "string"
    },
    "updatedAt": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appAuthorizationSummary](#)

Contains a summary of the app authorization.

Type: [AppAuthorizationSummary](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAppAuthorization

Creates an app authorization within an app bundle, which allows AppFabric to connect to an application.

Request Syntax

```
POST /appbundles/appBundleIdentifier/appauthorizations HTTP/1.1  
Content-type: application/json
```

```
{  
  "app": "string",  
  "authType": "string",  
  "clientToken": "string",  
  "credential": { ... },  
  "tags": [  
    {  
      "key": "string",  
      "value": "string"  
    }  
  ],  
  "tenant": {  
    "tenantDisplayName": "string",  
    "tenantIdentifier": "string"  
  }  
}
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+|^([a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})`

Required: Yes

Request Body

The request accepts the following data in JSON format.

app

The name of the application.

Valid values are:

- SLACK
- ASANA
- JIRA
- M365
- M365AUDITLOGS
- ZOOM
- ZENDESK
- OKTA
- GOOGLE
- DROPBOX
- SMARTSHEET
- CISCO

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

authType

The authorization type for the app authorization.

Type: String

Valid Values: oauth2 | apiKey

Required: Yes

clientToken

Specifies a unique, case-sensitive identifier that you provide to ensure the idempotency of the request. This lets you safely retry the request without accidentally performing the same operation a second time. Passing the same value to a later call to an operation requires that you also pass the same value for all other parameters. We recommend that you use a [UUID type of value](#).

If you don't provide this value, then AWS generates a random one for you.

If you retry the operation with the same `ClientToken`, but with different parameters, the retry fails with an `IdempotentParameterMismatch` error.

Type: String

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

credential

Contains credentials for the application, such as an API key or OAuth2 client ID and secret.

Specify credentials that match the authorization type for your request. For example, if the authorization type for your request is OAuth2 (`oauth2`), then you should provide only the OAuth2 credentials.

Type: [Credential](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

tags

A map of the key-value pairs of the tag or tags to assign to the resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

tenant

Contains information about an application tenant, such as the application display name and identifier.

Type: [Tenant](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "appAuthorization": {
    "app": "string",
    "appAuthorizationArn": "string",
    "appBundleArn": "string",
    "authType": "string",
    "authUrl": "string",
    "createdAt": "string",
    "persona": "string",
    "status": "string",
    "tenant": {
      "tenantDisplayName": "string",
      "tenantIdentifier": "string"
    },
    "updatedAt": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

appAuthorization

Contains information about an app authorization.

Type: [AppAuthorization](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

ConflictException

The request has created a conflict. Check the request parameters and try again.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

The request exceeds a service quota.

HTTP Status Code: 402

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAppBundle

Creates an app bundle to collect data from an application using AppFabric.

Request Syntax

```
POST /appbundles HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "customerManagedKeyIdentifier": "string",
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

Specifies a unique, case-sensitive identifier that you provide to ensure the idempotency of the request. This lets you safely retry the request without accidentally performing the same operation a second time. Passing the same value to a later call to an operation requires that you also pass the same value for all other parameters. We recommend that you use a [UUID type of value](#).

If you don't provide this value, then AWS generates a random one for you.

If you retry the operation with the same ClientToken, but with different parameters, the retry fails with an IdempotentParameterMismatch error.

Type: String

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

customerManagedKeyIdentifier

The Amazon Resource Name (ARN) of the AWS Key Management Service (AWS KMS) key to use to encrypt the application data. If this is not specified, an AWS owned key is used for encryption.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+|^ [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

tags

A map of the key-value pairs of the tag or tags to assign to the resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "appBundle": {
    "arn": "string",
    "customerManagedKeyArn": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

appBundle

Contains information about an app bundle.

Type: [AppBundle](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

ConflictException

The request has created a conflict. Check the request parameters and try again.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ServiceQuotaExceededException

The request exceeds a service quota.

HTTP Status Code: 402

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateIngestion

Creates a data ingestion for an application.

Request Syntax

```
POST /appbundles/appBundleIdentifier/ingestions HTTP/1.1
Content-type: application/json
```

```
{
  "app": "string",
  "clientToken": "string",
  "ingestionType": "string",
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ],
  "tenantId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: .+ \$|^ [a-f0-9]{8} - [a-f0-9]{4} - [a-f0-9]{4} - [a-f0-9]{4} - [a-f0-9]{12}

Required: Yes

Request Body

The request accepts the following data in JSON format.

app

The name of the application.

Valid values are:

- SLACK
- ASANA
- JIRA
- M365
- M365AUDITLOGS
- ZOOM
- ZENDESK
- OKTA
- GOOGLE
- DROPBOX
- SMARTSHEET
- CISCO

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

clientToken

Specifies a unique, case-sensitive identifier that you provide to ensure the idempotency of the request. This lets you safely retry the request without accidentally performing the same operation a second time. Passing the same value to a later call to an operation requires that you also pass the same value for all other parameters. We recommend that you use a [UUID type of value](#).

If you don't provide this value, then AWS generates a random one for you.

If you retry the operation with the same `ClientToken`, but with different parameters, the retry fails with an `IdempotentParameterMismatch` error.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: No

ingestionType

The ingestion type.

Type: String

Valid Values: auditLog

Required: Yes

tags

A map of the key-value pairs of the tag or tags to assign to the resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

tenantId

The ID of the application tenant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "ingestion": {
    "app": "string",
    "appBundleArn": "string",
    "arn": "string",
```

```
"createdAt": "string",  
"ingestionType": "string",  
"state": "string",  
"tenantId": "string",  
"updatedAt": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

ingestion

Contains information about an ingestion.

Type: [Ingestion](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

ConflictException

The request has created a conflict. Check the request parameters and try again.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ServiceQuotaExceededException

The request exceeds a service quota.

HTTP Status Code: 402

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateIngestionDestination

Creates an ingestion destination, which specifies how an application's ingested data is processed by AWS AppFabric and where it's delivered.

Request Syntax

```
POST /appbundles/appBundleIdentifier/ingestions/ingestionIdentifier/
ingestiondestinations HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "destinationConfiguration": { ... },
  "processingConfiguration": { ... },
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$ | ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

ingestionIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

Specifies a unique, case-sensitive identifier that you provide to ensure the idempotency of the request. This lets you safely retry the request without accidentally performing the same operation a second time. Passing the same value to a later call to an operation requires that you also pass the same value for all other parameters. We recommend that you use a [UUID type of value](#).

If you don't provide this value, then AWS generates a random one for you.

If you retry the operation with the same `ClientToken`, but with different parameters, the retry fails with an `IdempotentParameterMismatch` error.

Type: String

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

destinationConfiguration

Contains information about the destination of ingested data.

Type: [DestinationConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

processingConfiguration

Contains information about how ingested data is processed.

Type: [ProcessingConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

tags

A map of the key-value pairs of the tag or tags to assign to the resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "ingestionDestination": {
    "arn": "string",
    "createdAt": "string",
    "destinationConfiguration": { ... },
    "ingestionArn": "string",
    "processingConfiguration": { ... },
    "status": "string",
    "statusReason": "string",
    "updatedAt": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

ingestionDestination

Contains information about an ingestion destination.

Type: [IngestionDestination](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

ConflictException

The request has created a conflict. Check the request parameters and try again.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ServiceQuotaExceededException

The request exceeds a service quota.

HTTP Status Code: 402

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAppAuthorization

Deletes an app authorization. You must delete the associated ingestion before you can delete an app authorization.

Request Syntax

```
DELETE /appbundles/appBundleIdentifier/appauthorizations/appAuthorizationIdentifier
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appAuthorizationIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app authorization to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAppBundle

Deletes an app bundle. You must delete all associated app authorizations before you can delete an app bundle.

Request Syntax

```
DELETE /appbundles/appBundleIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The ID or Amazon Resource Name (ARN) of the app bundle that needs to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$ | ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

ConflictException

The request has created a conflict. Check the request parameters and try again.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteIngestion

Deletes an ingestion. You must stop (disable) the ingestion and you must delete all associated ingestion destinations before you can delete an app ingestion.

Request Syntax

```
DELETE /appbundles/appBundleIdentifier/ingestions/ingestionIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$ | ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

ingestionIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$ | ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteIngestionDestination

Deletes an ingestion destination.

This deletes the association between an ingestion and its destination. It doesn't delete previously ingested data or the storage destination, such as the Amazon S3 bucket where the data is delivered. If the ingestion destination is deleted while the associated ingestion is enabled, the ingestion will fail and is eventually disabled.

Request Syntax

```
DELETE /appbundles/appBundleIdentifier/ingestions/ingestionIdentifier/
ingestiondestinations/ingestionDestinationIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^([a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})`

Required: Yes

ingestionDestinationIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion destination to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^([a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})`

Required: Yes

ingestionIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$ | ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAppAuthorization

Returns information about an app authorization.

Request Syntax

```
GET /appbundles/appBundleIdentifier/appauthorizations/appAuthorizationIdentifier
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[appAuthorizationIdentifier](#)

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app authorization to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$ | ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

[appBundleIdentifier](#)

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$ | ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appAuthorization": {
    "app": "string",
    "appAuthorizationArn": "string",
    "appBundleArn": "string",
    "authType": "string",
    "authUrl": "string",
    "createdAt": "string",
    "persona": "string",
    "status": "string",
    "tenant": {
      "tenantDisplayName": "string",
      "tenantIdentifier": "string"
    },
    "updatedAt": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appAuthorization

Contains information about an app authorization.

Type: [AppAuthorization](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAppBundle

Returns information about an app bundle.

Request Syntax

```
GET /appbundles/appBundleIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+${}^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appBundle": {
    "arn": "string",
    "customerManagedKeyArn": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appBundle

Contains information about an app bundle.

Type: [AppBundle](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetIngestion

Returns information about an ingestion.

Request Syntax

```
GET /appbundles/appBundleIdentifier/ingestions/ingestionIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

ingestionIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ingestion": {
    "app": "string",
    "appBundleArn": "string",
    "arn": "string",
    "createdAt": "string",
    "ingestionType": "string",
    "state": "string",
    "tenantId": "string",
    "updatedAt": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ingestion

Contains information about an ingestion.

Type: [Ingestion](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetIngestionDestination

Returns information about an ingestion destination.

Request Syntax

```
GET /appbundles/appBundleIdentifier/ingestions/ingestionIdentifier/
ingestiondestinations/ingestionDestinationIdentifier HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

ingestionDestinationIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion destination to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

ingestionIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+|^([a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ingestionDestination": {
    "arn": "string",
    "createdAt": "string",
    "destinationConfiguration": { ... },
    "ingestionArn": "string",
    "processingConfiguration": { ... },
    "status": "string",
    "statusReason": "string",
    "updatedAt": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ingestionDestination

Contains information about an ingestion destination.

Type: IngestionDestination object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppAuthorizations

Returns a list of all app authorizations configured for an app bundle.

Request Syntax

```
GET /appbundles/appBundleIdentifier/appauthorizations?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^([a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})`

Required: Yes

maxResults

The maximum number of results that are returned per call. You can use `nextToken` to obtain further pages of results.

This is only an upper limit. The actual number of results returned per call might be fewer than the specified maximum.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

If `nextToken` is returned, there are more results available. The value of `nextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours. Using an expired pagination token will return an *HTTP 400 InvalidToken error*.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appAuthorizationSummaryList": [
    {
      "app": "string",
      "appAuthorizationArn": "string",
      "appBundleArn": "string",
      "status": "string",
      "tenant": {
        "tenantDisplayName": "string",
        "tenantIdentifier": "string"
      },
      "updatedAt": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[appAuthorizationSummaryList](#)

Contains a list of app authorization summaries.

Type: Array of [AppAuthorizationSummary](#) objects

[nextToken](#)

If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the

next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours. Using an expired pagination token will return an *HTTP 400 InvalidToken error*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAppBundles

Returns a list of app bundles.

Request Syntax

```
GET /appbundles?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results that are returned per call. You can use `nextToken` to obtain further pages of results.

This is only an upper limit. The actual number of results returned per call might be fewer than the specified maximum.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

If `nextToken` is returned, there are more results available. The value of `nextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours. Using an expired pagination token will return an *HTTP 400 InvalidToken error*.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```



```
{
  "appBundleSummaryList": [
    {
      "arn": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appBundleSummaryList

Contains a list of app bundle summaries.

Type: Array of [AppBundleSummary](#) objects

nextToken

If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours. Using an expired pagination token will return an *HTTP 400 InvalidToken error*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListIngestionDestinations

Returns a list of all ingestion destinations configured for an ingestion.

Request Syntax

```
GET /appbundles/appBundleIdentifier/ingestions/ingestionIdentifier/
ingestiondestinations?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

ingestionIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

maxResults

The maximum number of results that are returned per call. You can use `nextToken` to obtain further pages of results.

This is only an upper limit. The actual number of results returned per call might be fewer than the specified maximum.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

If `nextToken` is returned, there are more results available. The value of `nextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours. Using an expired pagination token will return an *HTTP 400 InvalidToken error*.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ingestionDestinations": [
    {
      "arn": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ingestionDestinations](#)

Contains a list of ingestion destination summaries.

Type: Array of [IngestionDestinationSummary](#) objects

nextToken

If `nextToken` is returned, there are more results available. The value of `nextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours. Using an expired pagination token will return an *HTTP 400 InvalidToken error*.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListIngestions

Returns a list of all ingestions configured for an app bundle.

Request Syntax

```
GET /appbundles/appBundleIdentifier/ingestions?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$ | ^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

maxResults

The maximum number of results that are returned per call. You can use `nextToken` to obtain further pages of results.

This is only an upper limit. The actual number of results returned per call might be fewer than the specified maximum.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

If `nextToken` is returned, there are more results available. The value of `nextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours. Using an expired pagination token will return an *HTTP 400 InvalidToken error*.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ingestions": [
    {
      "app": "string",
      "arn": "string",
      "state": "string",
      "tenantId": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ingestions](#)

Contains a list of ingestion summaries.

Type: Array of [IngestionSummary](#) objects

[nextToken](#)

If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged. Each pagination token expires after 24 hours. Using an expired pagination token will return an *HTTP 400 InvalidToken error*.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Returns a list of tags for a resource.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource for which you want to retrieve tags.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "tags": [  
    {  
      "key": "string",  
      "value": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

A map of the key-value pairs for the tag or tags assigned to the specified resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartIngestion

Starts (enables) an ingestion, which collects data from an application.

Request Syntax

```
POST /appbundles/appBundleIdentifier/ingestions/ingestionIdentifier/start HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

ingestionIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

ConflictException

The request has created a conflict. Check the request parameters and try again.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartUserAccessTasks

Starts the tasks to search user access status for a specific email address.

The tasks are stopped when the user access status data is found. The tasks are terminated when the API calls to the application time out.

Request Syntax

```
POST /useraccess/start HTTP/1.1
Content-type: application/json

{
  "appBundleIdentifier": "string",
  "email": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: .+\${}^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: Yes

email

The email address of the target user.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 320.

Pattern: `[a-zA-Z0-9. !#$%&'*/+=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)*`

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "userAccessTasksList": [
    {
      "app": "string",
      "error": {
        "errorCode": "string",
        "errorMessage": "string"
      },
      "taskId": "string",
      "tenantId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

userAccessTasksList

Contains a list of user access task information.

Type: Array of [UserAccessTaskItem](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopIngestion

Stops (disables) an ingestion.

Request Syntax

```
POST /appbundles/appBundleIdentifier/ingestions/ingestionIdentifier/stop HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

ingestionIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

ConflictException

The request has created a conflict. Check the request parameters and try again.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Assigns one or more tags (key-value pairs) to the specified resource.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "tags": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource that you want to tag.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

A map of the key-value pairs of the tag or tags to assign to the resource.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes a tag or tags from a resource.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource that you want to untag.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+`

Required: Yes

tagKeys

The keys of the key-value pairs for the tag or tags you want to remove from the specified resource.

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAppAuthorization

Updates an app authorization within an app bundle, which allows AppFabric to connect to an application.

If the app authorization was in a connected state, updating the app authorization will set it back to a PendingConnect state.

Request Syntax

```
PATCH /appbundles/appBundleIdentifier/appauthorizations/appAuthorizationIdentifier
HTTP/1.1
Content-type: application/json

{
  "credential": { ... },
  "tenant": {
    "tenantDisplayName": "string",
    "tenantIdentifier": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

appAuthorizationIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app authorization to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+$|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

credential

Contains credentials for the application, such as an API key or OAuth2 client ID and secret.

Specify credentials that match the authorization type of the app authorization to update. For example, if the authorization type of the app authorization is OAuth2 (oauth2), then you should provide only the OAuth2 credentials.

Type: [Credential](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

tenant

Contains information about an application tenant, such as the application display name and identifier.

Type: [Tenant](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "appAuthorization": {
```

```
"app": "string",
"appAuthorizationArn": "string",
"appBundleArn": "string",
"authType": "string",
"authUrl": "string",
"createdAt": "string",
"persona": "string",
"status": "string",
"tenant": {
  "tenantDisplayName": "string",
  "tenantIdentifier": "string"
},
"updatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appAuthorization

Contains information about an app authorization.

Type: [AppAuthorization](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateIngestionDestination

Updates an ingestion destination, which specifies how an application's ingested data is processed by AWS AppFabric and where it's delivered.

Request Syntax

```
PATCH /appbundles/appBundleIdentifier/ingestions/ingestionIdentifier/
ingestiondestinations/ingestionDestinationIdentifier HTTP/1.1
Content-type: application/json

{
  "destinationConfiguration": { ... }
}
```

URI Request Parameters

The request uses the following URI parameters.

appBundleIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the app bundle to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+|^([a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})`

Required: Yes

ingestionDestinationIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion destination to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+|^([a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})`

Required: Yes

ingestionIdentifier

The Amazon Resource Name (ARN) or Universal Unique Identifier (UUID) of the ingestion to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+|^([a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})`

Required: Yes

Request Body

The request accepts the following data in JSON format.

destinationConfiguration

Contains information about the destination of ingested data.

Type: [DestinationConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ingestionDestination": {
    "arn": "string",
    "createdAt": "string",
    "destinationConfiguration": { ... },
    "ingestionArn": "string",
    "processingConfiguration": { ... },
    "status": "string",
    "statusReason": "string",
    "updatedAt": "string"
  }
}
```

```
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[IngestionDestination](#)

Contains information about an ingestion destination.

Type: [IngestionDestination](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation.

HTTP Status Code: 403

ConflictException

The request has created a conflict. Check the request parameters and try again.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception, or failure with an internal server.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource does not exist.

HTTP Status Code: 404

ServiceQuotaExceededException

The request exceeds a service quota.

HTTP Status Code: 402

ThrottlingException

The request rate exceeds the limit.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AppFabric API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ApiKeyCredential](#)
- [AppAuthorization](#)
- [AppAuthorizationSummary](#)
- [AppBundle](#)
- [AppBundleSummary](#)
- [AuditLogDestinationConfiguration](#)
- [AuditLogProcessingConfiguration](#)
- [AuthRequest](#)
- [Credential](#)
- [Destination](#)
- [DestinationConfiguration](#)
- [FirehoseStream](#)
- [Ingestion](#)
- [IngestionDestination](#)
- [IngestionDestinationSummary](#)
- [IngestionSummary](#)
- [Oauth2Credential](#)
- [ProcessingConfiguration](#)
- [S3Bucket](#)
- [Tag](#)

- [TaskError](#)
- [Tenant](#)
- [UserAccessResultItem](#)
- [UserAccessTaskItem](#)
- [ValidationExceptionField](#)

ApiKeyCredential

Contains API key credential information.

Contents

apiKey

An API key for an application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppAuthorization

Contains information about an app authorization.

Contents

app

The name of the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

appAuthorizationArn

The Amazon Resource Name (ARN) of the app authorization.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: .+

Required: Yes

appBundleArn

The Amazon Resource Name (ARN) of the app bundle for the app authorization.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: .+

Required: Yes

authType

The authorization type.

Type: String

Valid Values: oauth2 | apiKey

Required: Yes

createdAt

The timestamp of when the app authorization was created.

Type: Timestamp

Required: Yes

status

The state of the app authorization.

The following states are possible:

- **PendingConnect**: The initial state of the app authorization. The app authorization is created but not yet connected.
- **Connected**: The app authorization is connected to the application, and is ready to be used.
- **ConnectionValidationFailed**: The app authorization received a validation exception when trying to connect to the application. If the app authorization is in this state, you should verify the configured credentials and try to connect the app authorization again.
- **TokenAutoRotationFailed**: AppFabric failed to refresh the access token. If the app authorization is in this state, you should try to reconnect the app authorization.

Type: String

Valid Values: PendingConnect | Connected | ConnectionValidationFailed | TokenAutoRotationFailed

Required: Yes

tenant

Contains information about an application tenant, such as the application display name and identifier.

Type: [Tenant](#) object

Required: Yes

updatedAt

The timestamp of when the app authorization was last updated.

Type: Timestamp

Required: Yes

authUrl

The application URL for the OAuth flow.

Type: String

Required: No

persona

The user persona of the app authorization.

This field should always be admin.

Type: String

Valid Values: admin | endUser

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppAuthorizationSummary

Contains a summary of an app authorization.

Contents

app

The name of the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

appAuthorizationArn

The Amazon Resource Name (ARN) of the app authorization.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: . +

Required: Yes

appBundleArn

The Amazon Resource Name (ARN) of the app bundle for the app authorization.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: . +

Required: Yes

status

The state of the app authorization.

The following states are possible:

- **PendingConnect**: The initial state of the app authorization. The app authorization is created but not yet connected.
- **Connected**: The app authorization is connected to the application, and is ready to be used.
- **ConnectionValidationFailed**: The app authorization received a validation exception when trying to connect to the application. If the app authorization is in this state, you should verify the configured credentials and try to connect the app authorization again.
- **TokenAutoRotationFailed**: AppFabric failed to refresh the access token. If the app authorization is in this state, you should try to reconnect the app authorization.

Type: String

Valid Values: PendingConnect | Connected | ConnectionValidationFailed | TokenAutoRotationFailed

Required: Yes

tenant

Contains information about an application tenant, such as the application display name and identifier.

Type: [Tenant](#) object

Required: Yes

updatedAt

Timestamp for when the app authorization was last updated.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

AppBundle

Contains information about an app bundle.

Contents

arn

The Amazon Resource Name (ARN) of the app bundle.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: .+

Required: Yes

customerManagedKeyArn

The Amazon Resource Name (ARN) of the AWS Key Management Service (AWS KMS) key used to encrypt the application data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: .+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AppBundleSummary

Contains a summary of an app bundle.

Contents

arn

The Amazon Resource Name (ARN) of the app bundle.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: .+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AuditLogDestinationConfiguration

Contains information about an audit log destination configuration.

Contents

destination

Contains information about an audit log destination.

Type: [Destination](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AuditLogProcessingConfiguration

Contains information about an audit log processing configuration.

Contents

format

The format in which the audit logs need to be formatted.

Type: String

Valid Values: `json` | `parquet`

Required: Yes

schema

The event schema in which the audit logs need to be formatted.

Type: String

Valid Values: `ocsf` | `raw`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AuthRequest

Contains authorization request information, which is required for AWS AppFabric to get the OAuth2 access token for an application.

Contents

code

The authorization code returned by the application after permission is granted in the application OAuth page (after clicking on the AuthURL).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

redirectUri

The redirect URL that is specified in the AuthURL and the application client.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: `https://[-a-zA-Z0-9-._~:/?#@!$&'()*+;,=]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Credential

Contains credential information for an application.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

apiKeyCredential

Contains API key credential information.

Type: [ApiKeyCredential](#) object

Required: No

oauth2Credential

Contains OAuth2 client credential information.

Type: [OAuth2Credential](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Destination

Contains information about an audit log destination.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

firehoseStream

Contains information about an Amazon Data Firehose delivery stream.

Type: [FirehoseStream](#) object

Required: No

s3Bucket

Contains information about an Amazon S3 bucket.

Type: [S3Bucket](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DestinationConfiguration

Contains information about the destination of ingested data.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

auditLog

Contains information about an audit log destination configuration.

Type: [AuditLogDestinationConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FirehoseStream

Contains information about an Amazon Data Firehose delivery stream.

Contents

streamName

The name of the Amazon Data Firehose delivery stream.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 64.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Ingestion

Contains information about an ingestion.

Contents

app

The name of the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

appBundleArn

The Amazon Resource Name (ARN) of the app bundle for the ingestion.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+`

Required: Yes

arn

The Amazon Resource Name (ARN) of the ingestion.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn: .+`

Required: Yes

createdAt

The timestamp of when the ingestion was created.

Type: Timestamp

Required: Yes

ingestionType

The type of the ingestion.

Type: String

Valid Values: auditLog

Required: Yes

state

The status of the ingestion.

Type: String

Valid Values: enabled | disabled

Required: Yes

tenantId

The ID of the application tenant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

updatedAt

The timestamp of when the ingestion was last updated.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngestionDestination

Contains information about an ingestion destination.

Contents

arn

The Amazon Resource Name (ARN) of the ingestion destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: . +

Required: Yes

destinationConfiguration

Contains information about the destination of ingested data.

Type: [DestinationConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

ingestionArn

The Amazon Resource Name (ARN) of the ingestion.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: . +

Required: Yes

processingConfiguration

Contains information about how ingested data is processed.

Type: [ProcessingConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

createdAt

The timestamp of when the ingestion destination was created.

Type: Timestamp

Required: No

status

The state of the ingestion destination.

The following states are possible:

- **Active:** The ingestion destination is active and is ready to be used.
- **Failed:** The ingestion destination has failed. If the ingestion destination is in this state, you should verify the ingestion destination configuration and try again.

Type: String

Valid Values: Active | Failed

Required: No

statusReason

The reason for the current status of the ingestion destination.

Only present when the status of ingestion destination is Failed.

Type: String

Required: No

updatedAt

The timestamp of when the ingestion destination was last updated.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngestionDestinationSummary

Contains a summary of an ingestion destination.

Contents

arn

The Amazon Resource Name (ARN) of the ingestion destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: .+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IngestionSummary

Contains a summary of an ingestion.

Contents

app

The name of the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

arn

The Amazon Resource Name (ARN) of the ingestion.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: arn: . +

Required: Yes

state

The status of the ingestion.

Type: String

Valid Values: enabled | disabled

Required: Yes

tenantId

The ID of the application tenant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Oauth2Credential

Contains OAuth2 client credential information.

Contents

clientId

The client ID of the client application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

clientSecret

The client secret of the client application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProcessingConfiguration

Contains information about how ingested data is processed.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

auditLog

Contains information about an audit log processing configuration.

Type: [AuditLogProcessingConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3Bucket

Contains information about an Amazon S3 bucket.

Contents

bucketName

The name of the Amazon S3 bucket.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Required: Yes

prefix

The object key to use.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 120.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

The key or keys of the key-value pairs for the tag or tags assigned to a resource.

Contents

key

Tag key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

value

Tag value.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TaskError

Contains information about an error returned from a user access task.

Contents

errorCode

The code of the error.

Type: String

Required: No

errorMessage

The message of the error.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tenant

Contains information about an application tenant.

Contents

tenantDisplayName

The display name of the tenant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

tenantIdentifier

The ID of the application tenant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UserAccessResultItem

Contains information about a user's access to an application.

Contents

app

The name of the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

email

The email address of the target user.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 320.

Pattern: `[a-zA-Z0-9. !#$%&'*/=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)*`

Required: No

resultStatus

The status of the user access result item.

The following states are possible:

- **IN_PROGRESS**: The user access task is in progress.
- **COMPLETED**: The user access task completed successfully.
- **FAILED**: The user access task failed.
- **EXPIRED**: The user access task expired.

Type: String

Valid Values: `IN_PROGRESS | COMPLETED | FAILED | EXPIRED`

Required: No

taskError

Contains information about an error returned from a user access task.

Type: [TaskError](#) object

Required: No

taskId

The unique ID of the task.

Type: String

Pattern: `[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}`

Required: No

tenantDisplayName

The display name of the tenant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

tenantId

The ID of the application tenant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

userFirstName

The first name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

userFullName

The full name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

userId

The unique ID of user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

userLastName

The last name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

userStatus

The status of the user returned by the application.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UserAccessTaskItem

Contains information about a user access task.

Contents

app

The name of the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

tenantId

The ID of the application tenant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

error

Error from the task, if any.

Type: [TaskError](#) object

Required: No

taskId

The unique ID of the task.

Type: String

Pattern: [a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationExceptionField

The input failed to meet the constraints specified by the AWS service in a specified field.

Contents

message

A message about the validation exception.

Type: String

Required: Yes

name

The field name where the invalid entry was detected.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400