



Welcome

AWS Mainframe Modernization Application Testing



API Version 2022-12-06

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Mainframe Modernization Application Testing: Welcome

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateTestCase	3
Request Syntax	3
URI Request Parameters	3
Request Body	3
Response Syntax	5
Response Elements	5
Errors	5
See Also	6
CreateTestConfiguration	7
Request Syntax	7
URI Request Parameters	7
Request Body	7
Response Syntax	9
Response Elements	9
Errors	10
See Also	11
CreateTestSuite	12
Request Syntax	12
URI Request Parameters	12
Request Body	12
Response Syntax	14
Response Elements	14
Errors	15
See Also	16
DeleteTestCase	17
Request Syntax	17
URI Request Parameters	17
Request Body	17
Response Syntax	17
Response Elements	17
Errors	17
See Also	18

DeleteTestConfiguration	20
Request Syntax	20
URI Request Parameters	20
Request Body	20
Response Syntax	20
Response Elements	20
Errors	20
See Also	21
DeleteTestRun	23
Request Syntax	23
URI Request Parameters	23
Request Body	23
Response Syntax	23
Response Elements	23
Errors	23
See Also	24
DeleteTestSuite	25
Request Syntax	25
URI Request Parameters	25
Request Body	25
Response Syntax	25
Response Elements	25
Errors	25
See Also	26
GetTestCase	28
Request Syntax	28
URI Request Parameters	28
Request Body	28
Response Syntax	28
Response Elements	29
Errors	31
See Also	32
GetTestConfiguration	33
Request Syntax	33
URI Request Parameters	33
Request Body	33

Response Syntax	33
Response Elements	34
Errors	37
See Also	37
GetTestRunStep	39
Request Syntax	39
URI Request Parameters	39
Request Body	39
Response Syntax	40
Response Elements	40
Errors	42
See Also	43
GetTestSuite	44
Request Syntax	44
URI Request Parameters	44
Request Body	44
Response Syntax	44
Response Elements	45
Errors	48
See Also	48
ListTagsForResource	50
Request Syntax	50
URI Request Parameters	50
Request Body	50
Response Syntax	50
Response Elements	50
Errors	51
See Also	52
ListTestCases	53
Request Syntax	53
URI Request Parameters	53
Request Body	53
Response Syntax	53
Response Elements	54
Errors	54
See Also	55

ListTestConfigurations	56
Request Syntax	56
URI Request Parameters	56
Request Body	56
Response Syntax	56
Response Elements	57
Errors	57
See Also	58
ListTestRuns	59
Request Syntax	59
URI Request Parameters	59
Request Body	59
Response Syntax	60
Response Elements	60
Errors	61
See Also	61
ListTestRunSteps	63
Request Syntax	63
URI Request Parameters	63
Request Body	64
Response Syntax	64
Response Elements	64
Errors	65
See Also	65
ListTestRunTestCases	67
Request Syntax	67
URI Request Parameters	67
Request Body	67
Response Syntax	67
Response Elements	68
Errors	68
See Also	69
ListTestSuites	70
Request Syntax	70
URI Request Parameters	70
Request Body	70

Response Syntax	70
Response Elements	71
Errors	71
See Also	72
StartTestRun	73
Request Syntax	73
URI Request Parameters	73
Request Body	73
Response Syntax	74
Response Elements	74
Errors	75
See Also	76
TagResource	77
Request Syntax	77
URI Request Parameters	77
Request Body	77
Response Syntax	78
Response Elements	78
Errors	78
See Also	79
UntagResource	80
Request Syntax	80
URI Request Parameters	80
Request Body	80
Response Syntax	80
Response Elements	81
Errors	81
See Also	81
UpdateTestCase	83
Request Syntax	83
URI Request Parameters	83
Request Body	83
Response Syntax	84
Response Elements	84
Errors	85
See Also	85

UpdateTestConfiguration	87
Request Syntax	87
URI Request Parameters	87
Request Body	87
Response Syntax	88
Response Elements	89
Errors	89
See Also	90
UpdateTestSuite	91
Request Syntax	91
URI Request Parameters	91
Request Body	92
Response Syntax	93
Response Elements	93
Errors	93
See Also	94
Data Types	95
Batch	98
Contents	98
See Also	98
BatchStepInput	100
Contents	100
See Also	101
BatchStepOutput	102
Contents	102
See Also	102
BatchSummary	104
Contents	104
See Also	104
CloudFormation	105
Contents	105
See Also	105
CloudFormationAction	106
Contents	106
See Also	106
CloudFormationStepSummary	107

Contents	107
See Also	107
CompareAction	108
Contents	108
See Also	108
CompareActionSummary	109
Contents	109
See Also	109
CompareDatabaseCDCStepInput	110
Contents	110
See Also	111
CompareDatabaseCDCStepOutput	112
Contents	112
See Also	112
CompareDatabaseCDCSummary	113
Contents	113
See Also	113
CompareDataSetsStepInput	114
Contents	114
See Also	114
CompareDataSetsStepOutput	116
Contents	116
See Also	116
CompareDataSetsSummary	117
Contents	117
See Also	117
CompareFileType	118
Contents	118
See Also	118
CreateCloudFormationStepInput	119
Contents	119
See Also	119
CreateCloudFormationStepOutput	120
Contents	120
See Also	120
CreateCloudFormationSummary	121

Contents	121
See Also	121
DatabaseCDC	122
Contents	122
See Also	122
DataSet	123
Contents	123
See Also	124
DeleteCloudFormationStepInput	125
Contents	125
See Also	125
DeleteCloudFormationStepOutput	126
Contents	126
See Also	126
DeleteCloudFormationSummary	127
Contents	127
See Also	127
File	128
Contents	128
See Also	128
FileMetadata	129
Contents	129
See Also	129
Input	130
Contents	130
See Also	130
InputFile	131
Contents	131
See Also	131
M2ManagedActionProperties	133
Contents	133
See Also	133
M2ManagedApplication	134
Contents	134
See Also	135
M2ManagedApplicationAction	136

Contents	136
See Also	136
M2ManagedApplicationStepInput	138
Contents	138
See Also	139
M2ManagedApplicationStepOutput	140
Contents	140
See Also	140
M2ManagedApplicationStepSummary	141
Contents	141
See Also	141
M2ManagedApplicationSummary	142
Contents	142
See Also	142
M2NonManagedApplication	144
Contents	144
See Also	145
M2NonManagedApplicationAction	146
Contents	146
See Also	146
M2NonManagedApplicationStepInput	147
Contents	147
See Also	148
M2NonManagedApplicationStepOutput	149
Contents	149
See Also	149
M2NonManagedApplicationStepSummary	150
Contents	150
See Also	150
M2NonManagedApplicationSummary	151
Contents	151
See Also	152
MainframeAction	153
Contents	153
See Also	153
MainframeActionProperties	155

Contents	155
See Also	155
MainframeActionSummary	156
Contents	156
See Also	156
MainframeActionType	157
Contents	157
See Also	157
MainframeResourceSummary	158
Contents	158
See Also	158
Output	159
Contents	159
See Also	159
OutputFile	160
Contents	160
See Also	160
Resource	161
Contents	161
See Also	161
ResourceAction	162
Contents	162
See Also	162
ResourceActionSummary	164
Contents	164
See Also	164
ResourceType	166
Contents	166
See Also	166
Script	168
Contents	168
See Also	168
ScriptSummary	169
Contents	169
See Also	169
ServiceSettings	170

Contents	170
See Also	170
SourceDatabaseMetadata	171
Contents	171
See Also	171
Step	172
Contents	172
See Also	172
StepAction	174
Contents	174
See Also	174
StepRunSummary	176
Contents	176
See Also	176
TargetDatabaseMetadata	178
Contents	178
See Also	178
TestCaseLatestVersion	179
Contents	179
See Also	179
TestCaseRunSummary	180
Contents	180
See Also	181
TestCases	182
Contents	182
See Also	182
TestCaseSummary	183
Contents	183
See Also	184
TestConfigurationLatestVersion	185
Contents	185
See Also	185
TestConfigurationSummary	186
Contents	186
See Also	187
TestRunStepSummary	188

Contents	188
See Also	190
TestRunSummary	191
Contents	191
See Also	193
TestSuiteLatestVersion	194
Contents	194
See Also	194
TestSuiteSummary	195
Contents	195
See Also	196
TN3270	197
Contents	197
See Also	197
TN3270StepInput	198
Contents	198
See Also	198
TN3270StepOutput	200
Contents	200
See Also	201
TN3270Summary	202
Contents	202
See Also	202
ValidationExceptionField	203
Contents	203
See Also	203
Common Parameters	204
Common Errors	207

Welcome

AWS Mainframe Modernization Application Testing provides tools and resources for automated functional equivalence testing for your migration projects.

This document was last published on July 2, 2024.

Actions

The following actions are supported:

- [CreateTestCase](#)
- [CreateTestConfiguration](#)
- [CreateTestSuite](#)
- [DeleteTestCase](#)
- [DeleteTestConfiguration](#)
- [DeleteTestRun](#)
- [DeleteTestSuite](#)
- [GetTestCase](#)
- [GetTestConfiguration](#)
- [GetTestRunStep](#)
- [GetTestSuite](#)
- [ListTagsForResource](#)
- [ListTestCases](#)
- [ListTestConfigurations](#)
- [ListTestRuns](#)
- [ListTestRunSteps](#)
- [ListTestRunTestCases](#)
- [ListTestSuites](#)
- [StartTestRun](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateTestCase](#)
- [UpdateTestConfiguration](#)
- [UpdateTestSuite](#)

CreateTestCase

Creates a test case.

Request Syntax

```
POST /testcase HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "description": "string",
  "name": "string",
  "steps": [
    {
      "action": { ... },
      "description": "string",
      "name": "string"
    }
  ],
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

The client token of the test case.

Type: String

Pattern: [A-Za-z0-9\-\-]{1,64}

Required: No

description

The description of the test case.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

name

The name of the test case.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-\-]{1,59}`

Required: Yes

steps

The steps in the test case.

Type: Array of [Step](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: Yes

tags

The specified tags of the test case.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `(?!aws:).+`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "testCaseId": "string",
  "testCaseVersion": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

testCaseId

The test case ID of the test case.

Type: String

Pattern: [A-Za-z0-9:/\-\-]{1,100}

testCaseVersion

The test case version of the test case.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ServiceQuotaExceededException

One or more quotas for AWS Mainframe Modernization Application Testing exceeds the limit.

HTTP Status Code: 402

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTestConfiguration

Creates a test configuration.

Request Syntax

```
POST /testconfiguration HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "description": "string",
  "name": "string",
  "properties": {
    "string": "string"
  },
  "resources": [
    {
      "name": "string",
      "type": { ... }
    }
  ],
  "serviceSettings": {
    "kmsKeyId": "string"
  },
  "tags": {
    "string": "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

The client token of the test configuration.

Type: String

Pattern: [A-Za-z0-9\-\-]{1,64}

Required: No

description

The description of the test configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

name

The name of the test configuration.

Type: String

Pattern: [A-Za-z][A-Za-z0-9_\-\-]{1,59}

Required: Yes

properties

The properties of the test configuration.

Type: String to string map

Required: No

resources

The defined resources of the test configuration.

Type: Array of [Resource](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: Yes

serviceSettings

The service settings of the test configuration.

Type: [ServiceSettings](#) object

Required: No

[tags](#)

The tags of the test configuration.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:).+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "testConfigurationId": "string",
  "testConfigurationVersion": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

[testConfigurationId](#)

The test configuration ID.

Type: String

Pattern: [A-Za-z0-9:/\-\]{1,100}

testConfigurationVersion

The test configuration version.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ServiceQuotaExceededException

One or more quotas for AWS Mainframe Modernization Application Testing exceeds the limit.

HTTP Status Code: 402

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTestSuite

Creates a test suite.

Request Syntax

```
POST /testsuite HTTP/1.1
Content-type: application/json

{
  "afterSteps": [
    {
      "action": { ... },
      "description": "string",
      "name": "string"
    }
  ],
  "beforeSteps": [
    {
      "action": { ... },
      "description": "string",
      "name": "string"
    }
  ],
  "clientToken": "string",
  "description": "string",
  "name": "string",
  "tags": {
    "string" : "string"
  },
  "testCases": { ... }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

afterSteps

The after steps of the test suite.

Type: Array of [Step](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: No

beforeSteps

The before steps of the test suite.

Type: Array of [Step](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: No

clientToken

The client token of the test suite.

Type: String

Pattern: [A-Za-z0-9\-\-]{1,64}

Required: No

description

The description of the test suite.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

name

The name of the test suite.

Type: String

Pattern: [A-Za-z][A-Za-z0-9_\-\-]{1,59}

Required: Yes

tags

The tags of the test suite.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:).+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

testCases

The test cases in the test suite.

Type: [TestCases](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "testSuiteId": string,
  "testSuiteVersion": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

testSuiteId

The suite ID of the test suite.

Type: String

Pattern: [A-Za-z0-9:/\ -]{1,100}

testSuiteVersion

The suite version of the test suite.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ServiceQuotaExceededException

One or more quotas for AWS Mainframe Modernization Application Testing exceeds the limit.

HTTP Status Code: 402

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTestCase

Deletes a test case.

Request Syntax

```
DELETE /testcases/testCaseId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

testCaseId

The test case ID of the test case.

Pattern: [A-Za-z0-9:/\ -]{1,100}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTestConfiguration

Deletes a test configuration.

Request Syntax

```
DELETE /testconfigurations/testConfigurationId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

testConfigurationId

The test ID of the test configuration.

Pattern: `[A-Za-z0-9:/\-\]{1,100}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ServiceQuotaExceededException

One or more quotas for AWS Mainframe Modernization Application Testing exceeds the limit.

HTTP Status Code: 402

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTestRun

Deletes a test run.

Request Syntax

```
DELETE /testruns/testRunId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

testRunId

The run ID of the test run.

Pattern: `[A-Za-z0-9:/\-\]{1,100}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTestSuite

Deletes a test suite.

Request Syntax

```
DELETE /testsuites/testSuiteId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

testSuiteId

The test ID of the test suite.

Pattern: `[A-Za-z0-9:/\ -]{1,100}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ServiceQuotaExceededException

One or more quotas for AWS Mainframe Modernization Application Testing exceeds the limit.

HTTP Status Code: 402

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTestCase

Gets a test case.

Request Syntax

```
GET /testcases/testCaseId?testCaseVersion=testCaseVersion HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

testCaseId

The request test ID of the test case.

Pattern: `[A-Za-z0-9:/\-\]{1,100}`

Required: Yes

testCaseVersion

The test case version of the test case.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTime": number,
  "description": "string",
  "lastUpdateTime": number,
  "latestVersion": {
    "status": "string",
    "statusReason": "string",
    "version": number
  }
}
```

```
},
  "name": "string",
  "status": "string",
  "statusReason": "string",
  "steps": [
    {
      "action": { ... },
      "description": "string",
      "name": "string"
    }
  ],
  "tags": {
    "string" : "string"
  },
  "testCaseArn": "string",
  "testCaseId": "string",
  "testCaseVersion": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The creation time of the test case.

Type: Timestamp

description

The description of the test case.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

lastUpdateTime

The last update time of the test case.

Type: Timestamp

latestVersion

The latest version of the test case.

Type: [TestCaseLatestVersion](#) object

name

The name of the test case.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-]{1,59}`

status

The status of the test case.

Type: String

Valid Values: Active | Deleting

statusReason

The status reason of the test case.

Type: String

steps

The steps of the test case.

Type: Array of [Step](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

tags

The tags of the test case.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `(?!aws:).+`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

testCaseArn

The Amazon Resource Name (ARN) of the test case.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+=@.-]{0,1023}`

testCaseId

The response test ID of the test case.

Type: String

Pattern: `[A-Za-z0-9:/\ -]{1,100}`

testCaseVersion

The case version of the test case.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTestConfiguration

Gets a test configuration.

Request Syntax

```
GET /testconfigurations/testConfigurationId?  
testConfigurationVersion=testConfigurationVersion HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

testConfigurationId

The request test configuration ID.

Pattern: `[A-Za-z0-9:/\ -]{1,100}`

Required: Yes

testConfigurationVersion

The test configuration version.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "creationTime": number,  
  "description": "string",  
  "lastUpdateTime": number,  
  "latestVersion": {  
    "status": "string",  
    "statusReason": "string",
```

```
    "version": number
  },
  "name": "string",
  "properties": {
    "string" : "string"
  },
  "resources": [
    {
      "name": "string",
      "type": { ... }
    }
  ],
  "serviceSettings": {
    "kmsKeyId": "string"
  },
  "status": "string",
  "statusReason": "string",
  "tags": {
    "string" : "string"
  },
  "testConfigurationArn": "string",
  "testConfigurationId": "string",
  "testConfigurationVersion": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The creation time of the test configuration.

Type: Timestamp

description

The description of the test configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

lastUpdateTime

The last update time of the test configuration.

Type: Timestamp

latestVersion

The latest version of the test configuration.

Type: [TestConfigurationLatestVersion](#) object

name

The test configuration name

Type: String

Pattern: [A-Za-z][A-Za-z0-9_\-]{1,59}

properties

The properties of the test configuration.

Type: String to string map

resources

The resources of the test configuration.

Type: Array of [Resource](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

serviceSettings

The service settings of the test configuration.

Type: [ServiceSettings](#) object

status

The status of the test configuration.

Type: String

Valid Values: Active | Deleting

statusReason

The status reason of the test configuration.

Type: String

tags

The tags of the test configuration.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:).+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

testConfigurationArn

The test configuration Amazon Resource Name (ARN).

Type: String

Pattern: arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+@.-]{0,1023}

testConfigurationId

The response test configuration ID.

Type: String

Pattern: [A-Za-z0-9:/\-]{1,100}

testConfigurationVersion

The test configuration version.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTestRunStep

Gets a test run step.

Request Syntax

```
GET /testruns/testRunId/steps/stepName?testCaseId=testCaseId&testSuiteId=testSuiteId  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

stepName

The step name of the test run step.

Pattern: [A-Za-z][A-Za-z0-9_\-]{1,59}

Required: Yes

testCaseId

The test case ID of a test run step.

Pattern: [A-Za-z0-9:\^-\-]{1,100}

testRunId

The test run ID of the test run step.

Pattern: [A-Za-z0-9:\^-\-]{1,100}

Required: Yes

testSuiteId

The test suite ID of a test run step.

Pattern: [A-Za-z0-9:\^-\-]{1,100}

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "afterStep": boolean,
  "beforeStep": boolean,
  "runEndTime": number,
  "runStartTime": number,
  "status": "string",
  "statusReason": "string",
  "stepName": "string",
  "stepRunSummary": { ... },
  "testCaseId": "string",
  "testCaseVersion": number,
  "testRunId": "string",
  "testSuiteId": "string",
  "testSuiteVersion": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

afterStep

The after steps of the test run step.

Type: Boolean

beforeStep

The before steps of the test run step.

Type: Boolean

runEndTime

The run end time of the test run step.

Type: Timestamp

runStartTime

The run start time of the test run step.

Type: Timestamp

status

The status of the test run step.

Type: String

Valid Values: Success | Failed | Running

statusReason

The status reason of the test run step.

Type: String

stepName

The step name of the test run step.

Type: String

Pattern: [A-Za-z][A-Za-z0-9_\-]{1,59}

stepRunSummary

The step run summary of the test run step.

Type: [StepRunSummary](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

testCaseId

The test case ID of the test run step.

Type: String

Pattern: [A-Za-z0-9:\^]{1,100}

testCaseVersion

The test case version of the test run step.

Type: Integer

testRunId

The test run ID of the test run step.

Type: String

Pattern: [A-Za-z0-9:/\ -]{1,100}

testSuiteId

The test suite ID of the test run step.

Type: String

Pattern: [A-Za-z0-9:/\ -]{1,100}

testSuiteVersion

The test suite version of the test run step.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTestSuite

Gets a test suite.

Request Syntax

```
GET /testsuites/testSuiteId?testSuiteVersion=testSuiteVersion HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

testSuiteId

The ID of the test suite.

Pattern: `[A-Za-z0-9:/\-\]{1,100}`

Required: Yes

testSuiteVersion

The version of the test suite.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "afterSteps": [
    {
      "action": { ... },
      "description": "string",
      "name": "string"
    }
  ],

```

```
"beforeSteps": [
  {
    "action": { ... },
    "description": "string",
    "name": "string"
  }
],
"creationTime": number,
"description": "string",
"lastUpdateTime": number,
"latestVersion": {
  "status": "string",
  "statusReason": "string",
  "version": number
},
"name": "string",
"status": "string",
"statusReason": "string",
"tags": {
  "string" : "string"
},
"testCases": { ... },
"testSuiteArn": "string",
"testSuiteId": "string",
"testSuiteVersion": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

afterSteps

The after steps of the test suite.

Type: Array of [Step](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

beforeSteps

The before steps of the test suite.

Type: Array of [Step](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

creationTime

The creation time of the test suite.

Type: Timestamp

description

The description of the test suite.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

lastUpdateTime

The last update time of the test suite.

Type: Timestamp

latestVersion

The latest version of the test suite.

Type: [TestSuiteLatestVersion](#) object

name

The name of the test suite.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-]{1,59}`

status

The status of the test suite.

Type: String

Valid Values: `Creating | Updating | Active | Failed | Deleting`

statusReason

The status reason of the test suite.

Type: String

tags

The tags of the test suite.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:).+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

testCases

The test cases of the test suite.

Type: [TestCases](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

testSuiteArn

The test suite Amazon Resource Name (ARN).

Type: String

Pattern: arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/[A-Za-z0-9:_/+@.-]{0,1023}

testSuiteId

The response ID of the test suite.

Type: String

Pattern: [A-Za-z0-9:/\-]{1,100}

testSuiteVersion

The version of the test suite.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists tags for a resource.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource.

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+=@.-]{0,1023}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

The tags of the resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:).+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTestCases

Lists test cases.

Request Syntax

```
GET /testcases?maxResults=maxResults&nextToken=nextToken&testCaseIds=testCaseIds
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum results of the test case.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The next token of the test cases.

Pattern: `\S{1,2000}`

testCaseIds

The IDs of the test cases.

Pattern: `[A-Za-z0-9:/\-]{1,100}`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
```

```
"testCases": [  
  {  
    "creationTime": number,  
    "lastUpdateTime": number,  
    "latestVersion": number,  
    "name": "string",  
    "status": "string",  
    "statusReason": "string",  
    "testCaseArn": "string",  
    "testCaseId": "string"  
  }  
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The next token in test cases.

Type: String

Pattern: `\S{1,2000}`

testCases

The test cases in an application.

Type: Array of [TestCaseSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTestConfigurations

Lists test configurations.

Request Syntax

```
GET /testconfigurations?  
maxResults=maxResults&nextToken=nextToken&testConfigurationIds=testConfigurationIds  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum results of the test configuration.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The next token for the test configurations.

Pattern: `\S{1,2000}`

testConfigurationIds

The configuration IDs of the test configurations.

Pattern: `[A-Za-z0-9:/\-\]{1,100}`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "nextToken": "string",
  "testConfigurations": [
    {
      "creationTime": number,
      "lastUpdateTime": number,
      "latestVersion": number,
      "name": "string",
      "status": "string",
      "statusReason": "string",
      "testConfigurationArn": "string",
      "testConfigurationId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The next token in the test configurations.

Type: String

Pattern: `\S{1,2000}`

testConfigurations

The test configurations.

Type: Array of [TestConfigurationSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTestRuns

Lists test runs.

Request Syntax

```
GET /testruns?  
maxResults=maxResults&nextToken=nextToken&testrunIds=testRunIds&testSuiteId=testSuiteId  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of test runs to return in one page of results.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token from the previous request to retrieve the next page of test run results.

Pattern: $\S\{1,2000\}$

[testRunIds](#)

The test run IDs of the test runs.

Pattern: $[A-Za-z0-9:\/\-]\{1,100\}$

[testSuiteId](#)

The test suite ID of the test runs.

Pattern: $[A-Za-z0-9:\/\-]\{1,100\}$

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "testRuns": [
    {
      "runEndTime": number,
      "runStartTime": number,
      "status": "string",
      "statusReason": "string",
      "testConfigurationId": "string",
      "testConfigurationVersion": number,
      "testRunArn": "string",
      "testRunId": "string",
      "testSuiteId": "string",
      "testSuiteVersion": number
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token from the previous request to retrieve the next page of results.

Type: String

Pattern: `\S{1,2000}`

testRuns

The test runs of the response query.

Type: Array of [TestRunSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTestRunSteps

Lists test run steps.

Request Syntax

```
GET /testruns/testRunId/steps?  
maxResults=maxResults&nextToken=nextToken&testCaseId=testCaseId&testSuiteId=testSuiteId  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of test run steps to return in one page of results.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token from a previous step to retrieve the next page of results.

Pattern: $\S\{1,2000\}$

testCaseId

The test case ID of the test run steps.

Pattern: $[A-Za-z0-9:\/\-]\{1,100\}$

testRunId

The test run ID of the test run steps.

Pattern: $[A-Za-z0-9:\/\-]\{1,100\}$

Required: Yes

testSuiteId

The test suite ID of the test run steps.

Pattern: $[A-Za-z0-9:\/\-]\{1,100\}$

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "testRunSteps": [
    {
      "afterStep": boolean,
      "beforeStep": boolean,
      "runEndTime": number,
      "runStartTime": number,
      "status": "string",
      "statusReason": "string",
      "stepName": "string",
      "testCaseId": "string",
      "testCaseVersion": number,
      "testRunId": "string",
      "testSuiteId": "string",
      "testSuiteVersion": number
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token from a previous request to retrieve the next page of results.

Type: String

Pattern: `\S{1,2000}`

[testRunSteps](#)

The test run steps of the response query.

Type: Array of [TestRunStepSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTestRunTestCases

Lists test run test cases.

Request Syntax

```
GET /testruns/testRunId/testcases?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of test run test cases to return in one page of results.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token from a previous request to retrieve the next page of results.

Pattern: $\backslash S\{1, 2000\}$

testRunId

The test run ID of the test cases.

Pattern: $[A-Za-z0-9:\backslash-]\{1, 100\}$

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"nextToken": "string",
"testRunTestCases": [
  {
    "runEndTime": number,
    "runStartTime": number,
    "status": "string",
    "statusReason": "string",
    "testCaseId": "string",
    "testCaseVersion": number,
    "testRunId": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token from a previous request to retrieve the next page of results.

Type: String

Pattern: `\S{1,2000}`

testRunTestCases

The test run of the test cases.

Type: Array of [TestCaseRunSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTestSuites

Lists test suites.

Request Syntax

```
GET /testsuites?maxResults=maxResults&nextToken=nextToken&testSuiteIds=testSuiteIds
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of test suites to return in one page of results.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token from a previous request to retrieve the next page of results.

Pattern: $\S\{1,2000\}$

testSuiteIds

The suite ID of the test suites.

Pattern: $[A-Za-z0-9:/\-\]\{1,100\}$

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
```

```
"testSuites": [  
  {  
    "creationTime": number,  
    "lastUpdateTime": number,  
    "latestVersion": number,  
    "name": "string",  
    "status": "string",  
    "statusReason": "string",  
    "testSuiteArn": "string",  
    "testSuiteId": "string"  
  }  
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token from a previous request to retrieve the next page of test suites results.

Type: String

Pattern: `\S{1,2000}`

testSuites

The test suites returned with the response query.

Type: Array of [TestSuiteSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartTestRun

Starts a test run.

Request Syntax

```
POST /testrun HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "tags": {
    "string" : "string"
  },
  "testConfigurationId": "string",
  "testSuiteId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

The client token of the test run.

Type: String

Pattern: [A-Za-z0-9\-\-]{1,64}

Required: No

tags

The tags of the test run.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:).+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

testConfigurationId

The configuration ID of the test run.

Type: String

Pattern: [A-Za-z0-9:/\-]{1,100}

Required: No

testSuiteId

The test suite ID of the test run.

Type: String

Pattern: [A-Za-z0-9:/\-]{1,100}

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "testRunId": "string",
  "testRunStatus": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

testRunId

The test run ID of the test run.

Type: String

Pattern: [A-Za-z0-9:/\-\]{1,100}

testRunStatus

The test run status of the test run.

Type: String

Valid Values: Success | Running | Failed | Deleting

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ServiceQuotaExceededException

One or more quotas for AWS Mainframe Modernization Application Testing exceeds the limit.

HTTP Status Code: 402

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Specifies tags of a resource.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the tag resource.

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+=@.-]{0,1023}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

The tags of the resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:).+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ServiceQuotaExceededException

One or more quotas for AWS Mainframe Modernization Application Testing exceeds the limit.

HTTP Status Code: 402

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Untags a resource.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource.

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+=@.-]{0,1023}`

Required: Yes

tagKeys

The tag keys of the resource.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `(?!aws:).+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTestCase

Updates a test case.

Request Syntax

```
PATCH /testcases/testCaseId HTTP/1.1
Content-type: application/json
```

```
{
  "description": "string",
  "steps": [
    {
      "action": { ... },
      "description": "string",
      "name": "string"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

testCaseId

The test case ID of the test case.

Pattern: `[A-Za-z0-9:/\-\]{1,100}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the test case.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

steps

The steps of the test case.

Type: Array of [Step](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "testCaseId": "string",
  "testCaseVersion": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

testCaseId

The test case ID of the test case.

Type: String

Pattern: [A-Za-z0-9:/\ -]{1,100}

testCaseVersion

The test case version of the test case.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTestConfiguration

Updates a test configuration.

Request Syntax

```
PATCH /testconfigurations/testConfigurationId HTTP/1.1  
Content-type: application/json
```

```
{  
  "description": "string",  
  "properties": {  
    "string" : "string"  
  },  
  "resources": [  
    {  
      "name": "string",  
      "type": { ... }  
    }  
  ],  
  "serviceSettings": {  
    "kmsKeyId": "string"  
  }  
}
```

URI Request Parameters

The request uses the following URI parameters.

testConfigurationId

The test configuration ID of the test configuration.

Pattern: [A-Za-z0-9:/\ -]{1,100}

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the test configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

properties

The properties of the test configuration.

Type: String to string map

Required: No

resources

The resources of the test configuration.

Type: Array of [Resource](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: No

serviceSettings

The service settings of the test configuration.

Type: [ServiceSettings](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "testConfigurationId": string,
  "testConfigurationVersion": number
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

testConfigurationId

The configuration ID of the test configuration.

Type: String

Pattern: `[A-Za-z0-9:/\ -]{1,100}`

testConfigurationVersion

The configuration version of the test configuration.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTestSuite

Updates a test suite.

Request Syntax

```
PATCH /testsuites/testSuiteId HTTP/1.1
Content-type: application/json
```

```
{
  "afterSteps": [
    {
      "action": { ... },
      "description": "string",
      "name": "string"
    }
  ],
  "beforeSteps": [
    {
      "action": { ... },
      "description": "string",
      "name": "string"
    }
  ],
  "description": "string",
  "testCases": { ... }
}
```

URI Request Parameters

The request uses the following URI parameters.

testSuiteId

The test suite ID of the test suite.

Pattern: [A-Za-z0-9:/\-\]{1,100}

Required: Yes

Request Body

The request accepts the following data in JSON format.

afterSteps

The after steps of the test suite.

Type: Array of [Step](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: No

beforeSteps

The before steps for the test suite.

Type: Array of [Step](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: No

description

The description of the test suite.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

testCases

The test cases in the test suite.

Type: [TestCases](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "testSuiteId": "string",
  "testSuiteVersion": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

testSuiteId

The test suite ID of the test suite.

Type: String

Pattern: [A-Za-z0-9:/\-\-]{1,100}

testSuiteVersion

The test suite version of the test suite.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

The account or role doesn't have the right permissions to make the request.

HTTP Status Code: 403

ConflictException

The parameters provided in the request conflict with existing resources.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource was not found.

HTTP Status Code: 404

ThrottlingException

The number of requests made exceeds the limit.

HTTP Status Code: 429

ValidationException

One or more parameter provided in the request is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Mainframe Modernization Application Testing API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [Batch](#)
- [BatchStepInput](#)
- [BatchStepOutput](#)
- [BatchSummary](#)
- [CloudFormation](#)
- [CloudFormationAction](#)
- [CloudFormationStepSummary](#)
- [CompareAction](#)
- [CompareActionSummary](#)
- [CompareDatabaseCDCStepInput](#)
- [CompareDatabaseCDCStepOutput](#)
- [CompareDatabaseCDCSummary](#)
- [CompareDataSetsStepInput](#)
- [CompareDataSetsStepOutput](#)
- [CompareDataSetsSummary](#)
- [CompareFileType](#)
- [CreateCloudFormationStepInput](#)
- [CreateCloudFormationStepOutput](#)
- [CreateCloudFormationSummary](#)
- [DatabaseCDC](#)

- [DataSet](#)
- [DeleteCloudFormationStepInput](#)
- [DeleteCloudFormationStepOutput](#)
- [DeleteCloudFormationSummary](#)
- [File](#)
- [FileMetadata](#)
- [Input](#)
- [InputFile](#)
- [M2ManagedActionProperties](#)
- [M2ManagedApplication](#)
- [M2ManagedApplicationAction](#)
- [M2ManagedApplicationStepInput](#)
- [M2ManagedApplicationStepOutput](#)
- [M2ManagedApplicationStepSummary](#)
- [M2ManagedApplicationSummary](#)
- [M2NonManagedApplication](#)
- [M2NonManagedApplicationAction](#)
- [M2NonManagedApplicationStepInput](#)
- [M2NonManagedApplicationStepOutput](#)
- [M2NonManagedApplicationStepSummary](#)
- [M2NonManagedApplicationSummary](#)
- [MainframeAction](#)
- [MainframeActionProperties](#)
- [MainframeActionSummary](#)
- [MainframeActionType](#)
- [MainframeResourceSummary](#)
- [Output](#)
- [OutputFile](#)
- [Resource](#)
- [ResourceAction](#)

- [ResourceActionSummary](#)
- [ResourceType](#)
- [Script](#)
- [ScriptSummary](#)
- [ServiceSettings](#)
- [SourceDatabaseMetadata](#)
- [Step](#)
- [StepAction](#)
- [StepRunSummary](#)
- [TargetDatabaseMetadata](#)
- [TestCaseLatestVersion](#)
- [TestCaseRunSummary](#)
- [TestCases](#)
- [TestCaseSummary](#)
- [TestConfigurationLatestVersion](#)
- [TestConfigurationSummary](#)
- [TestRunStepSummary](#)
- [TestRunSummary](#)
- [TestSuiteLatestVersion](#)
- [TestSuiteSummary](#)
- [TN3270](#)
- [TN3270StepInput](#)
- [TN3270StepOutput](#)
- [TN3270Summary](#)
- [ValidationExceptionField](#)

Batch

Defines a batch.

Contents

batchJobName

The job name of the batch.

Type: String

Pattern: `\S{1,1000}`

Required: Yes

batchJobParameters

The batch job parameters of the batch.

Type: String to string map

Required: No

exportDataSetNames

The export data set names of the batch.

Type: Array of strings

Pattern: `\S{1,100}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BatchStepInput

Defines a batch step input.

Contents

batchJobName

The batch job name of the batch step input.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-]{1,59}`

Required: Yes

resource

The resource of the batch step input.

Type: [MainframeResourceSummary](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

batchJobParameters

The batch job parameters of the batch step input.

Type: String to string map

Required: No

exportDataSetNames

The export data set names of the batch step input.

Type: Array of strings

Pattern: `\S{1,100}`

Required: No

properties

The properties of the batch step input.

Type: [MainframeActionProperties](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BatchStepOutput

Defines a batch step output.

Contents

dataSetDetails

The data set details of the batch step output.

Type: Array of [DataSet](#) objects

Required: No

dataSetExportLocation

The data set export location of the batch step output.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

dmsOutputLocation

The Database Migration Service (DMS) output location of the batch step output.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BatchSummary

Summarizes a batch job.

Contents

stepInput

The step input of the batch summary.

Type: [BatchStepInput](#) object

Required: Yes

stepOutput

The step output of the batch summary.

Type: [BatchStepOutput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudFormation

Specifies the CloudFormation template and its parameters.

Contents

templateLocation

The template location of the CloudFormation template.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

parameters

The CloudFormation properties in the CloudFormation template.

Type: String to string map

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudFormationAction

Specifies the CloudFormation action.

Contents

resource

The resource of the CloudFormation action.

Type: String

Pattern: `\S{1,1000}`

Required: Yes

actionType

The action type of the CloudFormation action.

Type: String

Valid Values: Create | Delete

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudFormationStepSummary

Specifies the CloudFormation step summary.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

createCloudformation

Creates the CloudFormation summary of the step.

Type: [CreateCloudFormationSummary](#) object

Required: No

deleteCloudformation

Deletes the CloudFormation summary of the CloudFormation step summary.

Type: [DeleteCloudFormationSummary](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompareAction

Compares the action.

Contents

input

The input of the compare action.

Type: [Input](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

output

The output of the compare action.

Type: [Output](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompareActionSummary

Specifies the compare action summary.

Contents

type

The type of the compare action summary.

Type: [File](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompareDatabaseCDCStepInput

Compares the database Change Data Capture (CDC) step input.

Contents

sourceLocation

The source location of the compare database CDC step input.

Type: String

Required: Yes

sourceMetadata

The source metadata of the compare database CDC step input.

Type: [SourceDatabaseMetadata](#) object

Required: Yes

targetLocation

The target location of the compare database CDC step input.

Type: String

Required: Yes

targetMetadata

The target metadata location of the compare database CDC step input.

Type: [TargetDatabaseMetadata](#) object

Required: Yes

outputLocation

The output location of the compare database CDC step input.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompareDatabaseCDCStepOutput

Compares the database CDC step output.

Contents

comparisonOutputLocation

The comparison output of the compare database CDC step output.

Type: String

Required: Yes

comparisonStatus

The comparison status of the compare database CDC step output.

Type: String

Valid Values: Different | Equivalent | Equal

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompareDatabaseCDCSummary

Compares the database CDC summary.

Contents

stepInput

The step input of the compare database CDC summary.

Type: [CompareDatabaseCDCStepInput](#) object

Required: Yes

stepOutput

The step output of the compare database CDC summary.

Type: [CompareDatabaseCDCStepOutput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompareDataSetsStepInput

Specifies the compare data sets step input.

Contents

sourceDataSets

The source data sets of the compare data sets step input location.

Type: Array of [DataSet](#) objects

Required: Yes

sourceLocation

The source location of the compare data sets step input location.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

targetDataSets

The target data sets of the compare data sets step input location.

Type: Array of [DataSet](#) objects

Required: Yes

targetLocation

The target location of the compare data sets step input location.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompareDataSetsStepOutput

Specifies the compare data sets step output.

Contents

comparisonOutputLocation

The comparison output location of the compare data sets step output.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

comparisonStatus

The comparison status of the compare data sets step output.

Type: String

Valid Values: Different | Equivalent | Equal

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompareDataSetsSummary

Compares data sets summary.

Contents

stepInput

The step input of the compare data sets summary.

Type: [CompareDataSetsStepInput](#) object

Required: Yes

stepOutput

The step output of the compare data sets summary.

Type: [CompareDataSetsStepOutput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CompareFileType

Compares the file type.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

databaseCDC

The database CDC of the compare file type.

Type: [CompareDatabaseCDCSummary](#) object

Required: No

datasets

The data sets in the compare file type.

Type: [CompareDataSetsSummary](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateCloudFormationStepInput

Creates the CloudFormation step input.

Contents

templateLocation

The template location of the CloudFormation step input.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

parameters

The CloudFormation properties of the CloudFormation step input.

Type: String to string map

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateCloudFormationStepOutput

Creates a CloudFormation step output.

Contents

stackId

The stack ID of the CloudFormation step output.

Type: String

Required: Yes

exports

The exports of the CloudFormation step output.

Type: String to string map

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateCloudFormationSummary

Creates a CloudFormation summary.

Contents

stepInput

The step input of the CloudFormation summary.

Type: [CreateCloudFormationStepInput](#) object

Required: Yes

stepOutput

The step output of the CloudFormation summary.

Type: [CreateCloudFormationStepOutput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DatabaseCDC

Defines the Change Data Capture (CDC) of the database.

Contents

sourceMetadata

The source metadata of the database CDC.

Type: [SourceDatabaseMetadata](#) object

Required: Yes

targetMetadata

The target metadata of the database CDC.

Type: [TargetDatabaseMetadata](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataSet

Defines a data set.

Contents

ccsid

The CCSID of the data set.

Type: String

Pattern: `\S{1,50}`

Required: Yes

format

The format of the data set.

Type: String

Valid Values: `FIXED` | `VARIABLE` | `LINE_SEQUENTIAL`

Required: Yes

length

The length of the data set.

Type: Integer

Required: Yes

name

The name of the data set.

Type: String

Pattern: `\S{1,100}`

Required: Yes

type

The type of the data set.

Type: String

Valid Values: PS

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteCloudFormationStepInput

Deletes the CloudFormation step input.

Contents

stackId

The stack ID of the deleted CloudFormation step input.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteCloudFormationStepOutput

Deletes the CloudFormation summary step output.

Contents

The members of this exception structure are context-dependent.

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeleteCloudFormationSummary

Deletes the CloudFormation summary.

Contents

stepInput

The step input of the deleted CloudFormation summary.

Type: [DeleteCloudFormationStepInput](#) object

Required: Yes

stepOutput

The step output of the deleted CloudFormation summary.

Type: [DeleteCloudFormationStepOutput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

File

Defines a file.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

fileType

The file type of the file.

Type: [CompareFileType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FileMetadata

Specifies a file metadata.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

databaseCDC

The database CDC of the file metadata.

Type: [DatabaseCDC](#) object

Required: No

dataSets

The data sets of the file metadata.

Type: Array of [DataSet](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Input

Specifies the input.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

file

The file in the input.

Type: [InputFile](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InputFile

Specifies the input file.

Contents

fileMetadata

The file metadata of the input file.

Type: [FileMetadata](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

sourceLocation

The source location of the input file.

Type: String

Pattern: `\S{1,1000}`

Required: Yes

targetLocation

The target location of the input file.

Type: String

Pattern: `\S{1,1000}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

M2ManagedActionProperties

Specifies the AWS Mainframe Modernization managed action properties.

Contents

forceStop

Force stops the AWS Mainframe Modernization managed action properties.

Type: Boolean

Required: No

importDataSetLocation

The import data set location of the AWS Mainframe Modernization managed action properties.

Type: String

Pattern: `\S{1,1000}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2ManagedApplication

Specifies the AWS Mainframe Modernization managed application.

Contents

applicationId

The application ID of the AWS Mainframe Modernization managed application.

Type: String

Pattern: `\S{1,1000}`

Required: Yes

runtime

The runtime of the AWS Mainframe Modernization managed application.

Type: String

Valid Values: `MicroFocus`

Required: Yes

listenerPort

The listener port of the AWS Mainframe Modernization managed application.

Type: String

Pattern: `\S{1,1000}`

Required: No

vpcEndpointServiceName

The VPC endpoint service name of the AWS Mainframe Modernization managed application.

Type: String

Pattern: `\S{1,1000}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2ManagedApplicationAction

Specifies the AWS Mainframe Modernization managed application action.

Contents

actionType

The action type of the AWS Mainframe Modernization managed application action.

Type: String

Valid Values: `Configure` | `Deconfigure`

Required: Yes

resource

The resource of the AWS Mainframe Modernization managed application action.

Type: String

Pattern: `\S{1,1000}`

Required: Yes

properties

The properties of the AWS Mainframe Modernization managed application action.

Type: [M2ManagedActionProperties](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2ManagedApplicationStepInput

Specifies the AWS Mainframe Modernization managed application step input.

Contents

actionType

The action type of the AWS Mainframe Modernization managed application step input.

Type: String

Valid Values: Configure | Deconfigure

Required: Yes

applicationId

The application ID of the AWS Mainframe Modernization managed application step input.

Type: String

Required: Yes

runtime

The runtime of the AWS Mainframe Modernization managed application step input.

Type: String

Required: Yes

listenerPort

The listener port of the AWS Mainframe Modernization managed application step input.

Type: Integer

Required: No

properties

The properties of the AWS Mainframe Modernization managed application step input.

Type: [M2ManagedActionProperties](#) object

Required: No

vpcEndpointServiceName

The VPC endpoint service name of the AWS Mainframe Modernization managed application step input.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2ManagedApplicationStepOutput

Specifies the AWS Mainframe Modernization managed application step output.

Contents

importDataSetSummary

The import data set summary of the AWS Mainframe Modernization managed application step output.

Type: String to string map

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2ManagedApplicationStepSummary

Specifies the AWS Mainframe Modernization managed application step summary.

Contents

stepInput

The step input of the AWS Mainframe Modernization managed application step summary.

Type: [M2ManagedApplicationStepInput](#) object

Required: Yes

stepOutput

The step output of the AWS Mainframe Modernization managed application step summary.

Type: [M2ManagedApplicationStepOutput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2ManagedApplicationSummary

Specifies the AWS Mainframe Modernization managed application summary.

Contents

applicationId

The application ID of the AWS Mainframe Modernization managed application summary.

Type: String

Pattern: `[A-Za-z0-9:/\ -]{1,100}`

Required: Yes

runtime

The runtime of the AWS Mainframe Modernization managed application summary.

Type: String

Valid Values: MicroFocus

Required: Yes

listenerPort

The listener port of the AWS Mainframe Modernization managed application summary.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2NonManagedApplication

Specifies the AWS Mainframe Modernization non-managed application.

Contents

listenerPort

The listener port of the AWS Mainframe Modernization non-managed application.

Type: String

Pattern: `\S{1,1000}`

Required: Yes

runtime

The runtime of the AWS Mainframe Modernization non-managed application.

Type: String

Valid Values: `BluAge`

Required: Yes

vpcEndpointServiceName

The VPC endpoint service name of the AWS Mainframe Modernization non-managed application.

Type: String

Pattern: `\S{1,1000}`

Required: Yes

webAppName

The web application name of the AWS Mainframe Modernization non-managed application.

Type: String

Pattern: `\S{1,1000}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2NonManagedApplicationAction

Specifies the AWS Mainframe Modernization non-managed application action.

Contents

actionType

The action type of the AWS Mainframe Modernization non-managed application action.

Type: String

Valid Values: Configure | Deconfigure

Required: Yes

resource

The resource of the AWS Mainframe Modernization non-managed application action.

Type: String

Pattern: `\S{1,1000}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2NonManagedApplicationStepInput

Specifies the AWS Mainframe Modernization non-managed application step input.

Contents

actionType

The action type of the AWS Mainframe Modernization non-managed application step input.

Type: String

Valid Values: Configure | Deconfigure

Required: Yes

listenerPort

The listener port of the AWS Mainframe Modernization non-managed application step input.

Type: Integer

Required: Yes

runtime

The runtime of the AWS Mainframe Modernization non-managed application step input.

Type: String

Valid Values: BluAge

Required: Yes

vpcEndpointServiceName

The VPC endpoint service name of the AWS Mainframe Modernization non-managed application step input.

Type: String

Required: Yes

webAppName

The web app name of the AWS Mainframe Modernization non-managed application step input.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2NonManagedApplicationStepOutput

Specifies the AWS Mainframe Modernization non-managed application step output.

Contents

The members of this exception structure are context-dependent.

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2NonManagedApplicationStepSummary

Specifies the AWS Mainframe Modernization non-managed application step summary.

Contents

stepInput

The step input of the AWS Mainframe Modernization non-managed application step summary.

Type: [M2NonManagedApplicationStepInput](#) object

Required: Yes

stepOutput

The step output of the AWS Mainframe Modernization non-managed application step summary.

Type: [M2NonManagedApplicationStepOutput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

M2NonManagedApplicationSummary

Specifies the AWS Mainframe Modernization non-managed application summary.

Contents

listenerPort

The listener port of the AWS Mainframe Modernization non-managed application summary.

Type: Integer

Required: Yes

runtime

The runtime of the AWS Mainframe Modernization non-managed application summary.

Type: String

Valid Values: BluAge

Required: Yes

vpcEndpointServiceName

The VPC endpoint service name of the AWS Mainframe Modernization non-managed application summary.

Type: String

Required: Yes

webAppName

The web application name of the AWS Mainframe Modernization non-managed application summary.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MainframeAction

Specifies the mainframe action.

Contents

actionType

The action type of the mainframe action.

Type: [MainframeActionType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

resource

The resource of the mainframe action.

Type: String

Pattern: $\S\{1,1000\}$

Required: Yes

properties

The properties of the mainframe action.

Type: [MainframeActionProperties](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MainframeActionProperties

Specifies the mainframe action properties.

Contents

dmsTaskArn

The DMS task ARN of the mainframe action properties.

Type: String

Pattern: `\S{1,1000}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MainframeActionSummary

Specifies the mainframe action summary.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

batch

The batch of the mainframe action summary.

Type: [BatchSummary](#) object

Required: No

tn3270

The tn3270 port of the mainframe action summary.

Type: [TN3270Summary](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MainframeActionType

Specifies the mainframe action type.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

batch

The batch of the mainframe action type.

Type: [Batch](#) object

Required: No

tn3270

The tn3270 port of the mainframe action type.

Type: [TN3270](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MainframeResourceSummary

Specifies the mainframe resource summary.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

m2ManagedApplication

The AWS Mainframe Modernization managed application in the mainframe resource summary.

Type: [M2ManagedApplicationSummary](#) object

Required: No

m2NonManagedApplication

The AWS Mainframe Modernization non-managed application in the mainframe resource summary.

Type: [M2NonManagedApplicationSummary](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Output

Specifies an output.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

file

The file of the output.

Type: [OutputFile](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OutputFile

Specifies an output file.

Contents

fileLocation

The file location of the output file.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Resource

Specifies a resource.

Contents

name

The name of the resource.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-]{1,59}`

Required: Yes

type

The type of the resource.

Type: [ResourceType](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceAction

Specifies a resource action.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

cloudFormationAction

The CloudFormation action of the resource action.

Type: [CloudFormationAction](#) object

Required: No

m2ManagedApplicationAction

The AWS Mainframe Modernization managed application action of the resource action.

Type: [M2ManagedApplicationAction](#) object

Required: No

m2NonManagedApplicationAction

The AWS Mainframe Modernization non-managed application action of the resource action.

Type: [M2NonManagedApplicationAction](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceActionSummary

Specifies the resource action summary.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

cloudFormation

The CloudFormation template of the resource action summary.

Type: [CloudFormationStepSummary](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

m2ManagedApplication

The AWS Mainframe Modernization managed application of the resource action summary.

Type: [M2ManagedApplicationStepSummary](#) object

Required: No

m2NonManagedApplication

The AWS Mainframe Modernization non-managed application of the resource action summary.

Type: [M2NonManagedApplicationStepSummary](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceType

Specifies the resource type.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

cloudFormation

The CloudFormation template of the resource type.

Type: [CloudFormation](#) object

Required: No

m2ManagedApplication

The AWS Mainframe Modernization managed application of the resource type.

Type: [M2ManagedApplication](#) object

Required: No

m2NonManagedApplication

The AWS Mainframe Modernization non-managed application of the resource type.

Type: [M2NonManagedApplication](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Script

Specifies the script.

Contents

scriptLocation

The script location of the scripts.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

type

The type of the scripts.

Type: String

Valid Values: Selenium

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScriptSummary

Specifies the scripts summary.

Contents

scriptLocation

The script location of the script summary.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

type

The type of the script summary.

Type: String

Valid Values: Selenium

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServiceSettings

Specifies the service settings.

Contents

kmsKeyId

The KMS key ID of the service settings.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceDatabaseMetadata

Specifies the source database metadata.

Contents

captureTool

The capture tool of the source database metadata.

Type: String

Valid Values: Precisely | AWS DMS

Required: Yes

type

The type of the source database metadata.

Type: String

Valid Values: z/OS-DB2

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Step

Defines a step.

Contents

action

The action of the step.

Type: [StepAction](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

name

The name of the step.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-]{1,59}`

Required: Yes

description

The description of the step.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

StepAction

Specifies a step action.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

compareAction

The compare action of the step action.

Type: [CompareAction](#) object

Required: No

mainframeAction

The mainframe action of the step action.

Type: [MainframeAction](#) object

Required: No

resourceAction

The resource action of the step action.

Type: [ResourceAction](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StepRunSummary

Defines the step run summary.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

compareAction

The compare action of the step run summary.

Type: [CompareActionSummary](#) object

Required: No

mainframeAction

The mainframe action of the step run summary.

Type: [MainframeActionSummary](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

resourceAction

The resource action of the step run summary.

Type: [ResourceActionSummary](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TargetDatabaseMetadata

Specifies a target database metadata.

Contents

captureTool

The capture tool of the target database metadata.

Type: String

Valid Values: Precisely | AWS DMS

Required: Yes

type

The type of the target database metadata.

Type: String

Valid Values: PostgreSQL

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestCaseLatestVersion

Specifies the latest version of a test case.

Contents

status

The status of the test case latest version.

Type: String

Valid Values: Active | Deleting

Required: Yes

version

The version of the test case latest version.

Type: Integer

Required: Yes

statusReason

The status reason of the test case latest version.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestCaseRunSummary

Specifies the test case run summary.

Contents

runStartTime

The run start time of the test case run summary.

Type: Timestamp

Required: Yes

status

The status of the test case run summary.

Type: String

Valid Values: Success | Running | Failed

Required: Yes

testCaseId

The test case id of the test case run summary.

Type: String

Pattern: [A-Za-z0-9:/\ -]{1,100}

Required: Yes

testCaseVersion

The test case version of the test case run summary.

Type: Integer

Required: Yes

testRunId

The test run id of the test case run summary.

Type: String

Pattern: [A-Za-z0-9:/\-]{1,100}

Required: Yes

runEndTime

The run end time of the test case run summary.

Type: Timestamp

Required: No

statusReason

The status reason of the test case run summary.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestCases

Specifies test cases.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

sequential

The sequential of the test case.

Type: Array of strings

Pattern: `[A-Za-z0-9:/\ -]{1,100}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestCaseSummary

Specifies a test case summary.

Contents

creationTime

The creation time of the test case summary.

Type: Timestamp

Required: Yes

lastUpdateTime

The last update time of the test case summary.

Type: Timestamp

Required: Yes

latestVersion

The latest version of the test case summary.

Type: Integer

Required: Yes

name

The name of the test case summary.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-]{1,59}`

Required: Yes

status

The status of the test case summary.

Type: String

Valid Values: Active | Deleting

Required: Yes

testCaseArn

The test case Amazon Resource Name (ARN) of the test case summary.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:~/+,@.-]{0,1023}`

Required: Yes

testCaseId

The test case ID of the test case summary.

Type: String

Pattern: `[A-Za-z0-9:/\-]{1,100}`

Required: Yes

statusReason

The status reason of the test case summary.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestConfigurationLatestVersion

Specifies the latest version of the test configuration.

Contents

status

The status of the test configuration latest version.

Type: String

Valid Values: Active | Deleting

Required: Yes

version

The version of the test configuration latest version.

Type: Integer

Required: Yes

statusReason

The status reason of the test configuration latest version.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestConfigurationSummary

Specifies a test configuration summary.

Contents

creationTime

The creation time of the test configuration summary.

Type: Timestamp

Required: Yes

lastUpdateTime

The last update time of the test configuration summary.

Type: Timestamp

Required: Yes

latestVersion

The latest version of the test configuration summary.

Type: Integer

Required: Yes

name

The name of the test configuration summary.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-]{1,59}`

Required: Yes

status

The status of the test configuration summary.

Type: String

Valid Values: Active | Deleting

Required: Yes

testConfigurationArn

The test configuration ARN of the test configuration summary.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+=@.-]{0,1023}`

Required: Yes

testConfigurationId

The test configuration ID of the test configuration summary.

Type: String

Pattern: `[A-Za-z0-9:/\-]{1,100}`

Required: Yes

statusReason

The status reason of the test configuration summary.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestRunStepSummary

Specifies a test run step summary.

Contents

runStartTime

The run start time of the test run step summary.

Type: Timestamp

Required: Yes

status

The status of the test run step summary.

Type: String

Valid Values: Success | Failed | Running

Required: Yes

stepName

The step name of the test run step summary.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-]{1,59}`

Required: Yes

testRunId

The test run ID of the test run step summary.

Type: String

Pattern: `[A-Za-z0-9:/\-\-]{1,100}`

Required: Yes

afterStep

The after step of the test run step summary.

Type: Boolean

Required: No

beforeStep

The before step of the test run step summary.

Type: Boolean

Required: No

runEndTime

The run end time of the test run step summary.

Type: Timestamp

Required: No

statusReason

The status reason of the test run step summary.

Type: String

Required: No

testCaseId

The test case ID of the test run step summary.

Type: String

Pattern: `[A-Za-z0-9:/\ -]{1,100}`

Required: No

testCaseVersion

The test case version of the test run step summary.

Type: Integer

Required: No

testSuiteId

The test suite ID of the test run step summary.

Type: String

Pattern: `[A-Za-z0-9:/\-\]{1,100}`

Required: No

testSuiteVersion

The test suite version of the test run step summary.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestRunSummary

Specifies a test run summary.

Contents

runStartTime

The run start time of the test run summary.

Type: Timestamp

Required: Yes

status

The status of the test run summary.

Type: String

Valid Values: Success | Running | Failed | Deleting

Required: Yes

testRunArn

The test run ARN of the test run summary.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+=@.-]{0,1023}`

Required: Yes

testRunId

The test run ID of the test run summary.

Type: String

Pattern: `[A-Za-z0-9:/\-]{1,100}`

Required: Yes

testSuiteId

The test suite ID of the test run summary.

Type: String

Pattern: [A-Za-z0-9:/\ -]{1,100}

Required: Yes

testSuiteVersion

The test suite version of the test run summary.

Type: Integer

Required: Yes

runEndTime

The run end time of the test run summary.

Type: Timestamp

Required: No

statusReason

The status reason of the test run summary.

Type: String

Required: No

testConfigurationId

The test configuration ID of the test run summary.

Type: String

Pattern: [A-Za-z0-9:/\ -]{1,100}

Required: No

testConfigurationVersion

The test configuration version of the test run summary.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestSuiteLatestVersion

Specifies the latest version of a test suite.

Contents

status

The status of the test suite latest version.

Type: String

Valid Values: Creating | Updating | Active | Failed | Deleting

Required: Yes

version

The version of the test suite latest version.

Type: Integer

Required: Yes

statusReason

The status reason of the test suite latest version.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TestSuiteSummary

Specifies the test suite summary.

Contents

creationTime

The creation time of the test suite summary.

Type: Timestamp

Required: Yes

lastUpdateTime

The last update time of the test suite summary.

Type: Timestamp

Required: Yes

latestVersion

The latest version of the test suite summary.

Type: Integer

Required: Yes

name

The name of the test suite summary.

Type: String

Pattern: `[A-Za-z][A-Za-z0-9_\-]{1,59}`

Required: Yes

status

The status of the test suite summary.

Type: String

Valid Values: Creating | Updating | Active | Failed | Deleting

Required: Yes

testSuiteArn

The test suite Amazon Resource Name (ARN) of the test suite summary.

Type: String

Pattern: `arn:(aws|aws-cn|aws-iso|aws-iso-[a-z]{1}|aws-us-gov):[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:([a-z]{2}-((iso[a-z]{0,1}-)|(gov-)){0,1}[a-z]+-[0-9]):[0-9]{12}:[A-Za-z0-9/][A-Za-z0-9:_/+@.-]{0,1023}`

Required: Yes

testSuiteId

The test suite ID of the test suite summary.

Type: String

Pattern: `[A-Za-z0-9:/\-]{1,100}`

Required: Yes

statusReason

The status reason of the test suite summary.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TN3270

Specifies the TN3270 protocol.

Contents

script

The script of the TN3270 protocol.

Type: [Script](#) object

Required: Yes

exportDataSetNames

The data set names of the TN3270 protocol.

Type: Array of strings

Pattern: `\S{1,100}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TN3270StepInput

Specifies a TN3270 step input.

Contents

resource

The resource of the TN3270 step input.

Type: [MainframeResourceSummary](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

script

The script of the TN3270 step input.

Type: [ScriptSummary](#) object

Required: Yes

exportDataSetNames

The export data set names of the TN3270 step input.

Type: Array of strings

Pattern: $\{1, 100\}$

Required: No

properties

The properties of the TN3270 step input.

Type: [MainframeActionProperties](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TN3270StepOutput

Specifies a TN3270 step output.

Contents

scriptOutputLocation

The script output location of the TN3270 step output.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

dataSetDetails

The data set details of the TN3270 step output.

Type: Array of [DataSet](#) objects

Required: No

dataSetExportLocation

The data set export location of the TN3270 step output.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

dmsOutputLocation

The output location of the TN3270 step output.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TN3270Summary

Specifies a TN3270 summary.

Contents

stepInput

The step input of the TN3270 summary.

Type: [TN3270StepInput](#) object

Required: Yes

stepOutput

The step output of the TN3270 summary.

Type: [TN3270StepOutput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationExceptionField

Specifies a validation exception field.

Contents

message

The message stating reason for why service validation failed.

Type: String

Required: Yes

name

The name of the validation exception field.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400