



API Reference

AWS Audit Manager



API Version 2017-07-25

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Audit Manager: API Reference

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AssociateAssessmentReportEvidenceFolder	5
Request Syntax	5
URI Request Parameters	5
Request Body	5
Response Syntax	6
Response Elements	6
Errors	6
See Also	6
BatchAssociateAssessmentReportEvidence	8
Request Syntax	8
URI Request Parameters	8
Request Body	8
Response Syntax	9
Response Elements	9
Errors	10
See Also	10
BatchCreateDelegationByAssessment	12
Request Syntax	12
URI Request Parameters	12
Request Body	12
Response Syntax	13
Response Elements	14
Errors	14
See Also	15
BatchDeleteDelegationByAssessment	16
Request Syntax	16
URI Request Parameters	16
Request Body	16
Response Syntax	17
Response Elements	17
Errors	17
See Also	18

BatchDisassociateAssessmentReportEvidence	19
Request Syntax	19
URI Request Parameters	19
Request Body	19
Response Syntax	20
Response Elements	20
Errors	21
See Also	21
BatchImportEvidenceToAssessmentControl	23
Request Syntax	23
URI Request Parameters	23
Request Body	24
Response Syntax	25
Response Elements	25
Errors	25
See Also	26
CreateAssessment	27
Request Syntax	27
URI Request Parameters	28
Request Body	28
Response Syntax	30
Response Elements	33
Errors	33
See Also	34
CreateAssessmentFramework	35
Request Syntax	35
URI Request Parameters	35
Request Body	35
Response Syntax	37
Response Elements	38
Errors	39
See Also	39
CreateAssessmentReport	41
Request Syntax	41
URI Request Parameters	41
Request Body	41

Response Syntax	42
Response Elements	43
Errors	43
See Also	44
CreateControl	45
Request Syntax	45
URI Request Parameters	45
Request Body	45
Response Syntax	47
Response Elements	48
Errors	49
See Also	49
DeleteAssessment	51
Request Syntax	51
URI Request Parameters	51
Request Body	51
Response Syntax	51
Response Elements	51
Errors	51
See Also	52
DeleteAssessmentFramework	53
Request Syntax	53
URI Request Parameters	53
Request Body	53
Response Syntax	53
Response Elements	53
Errors	53
See Also	54
DeleteAssessmentFrameworkShare	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	55
Response Elements	55
Errors	56
See Also	56

DeleteAssessmentReport	58
Request Syntax	58
URI Request Parameters	58
Request Body	59
Response Syntax	59
Response Elements	59
Errors	59
See Also	60
DeleteControl	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	61
Response Elements	62
Errors	62
See Also	62
DeregisterAccount	64
Request Syntax	64
URI Request Parameters	64
Request Body	64
Response Syntax	64
Response Elements	64
Errors	65
See Also	65
DeregisterOrganizationAdminAccount	67
Request Syntax	68
URI Request Parameters	68
Request Body	68
Response Syntax	68
Response Elements	69
Errors	69
See Also	69
DisassociateAssessmentReportEvidenceFolder	71
Request Syntax	71
URI Request Parameters	71
Request Body	71

Response Syntax	72
Response Elements	72
Errors	72
See Also	72
GetAccountStatus	74
Request Syntax	74
URI Request Parameters	74
Request Body	74
Response Syntax	74
Response Elements	74
Errors	75
Examples	75
See Also	75
GetAssessment	76
Request Syntax	76
URI Request Parameters	76
Request Body	76
Response Syntax	76
Response Elements	79
Errors	80
Examples	80
See Also	85
GetAssessmentFramework	86
Request Syntax	86
URI Request Parameters	86
Request Body	86
Response Syntax	86
Response Elements	88
Errors	88
Examples	89
See Also	93
GetAssessmentReportUrl	94
Request Syntax	94
URI Request Parameters	94
Request Body	94
Response Syntax	94

Response Elements	95
Errors	95
See Also	96
GetChangeLogs	97
Request Syntax	97
URI Request Parameters	97
Request Body	98
Response Syntax	98
Response Elements	98
Errors	99
See Also	99
GetControl	101
Request Syntax	101
URI Request Parameters	101
Request Body	101
Response Syntax	101
Response Elements	102
Errors	102
Examples	103
See Also	105
GetDelegations	106
Request Syntax	106
URI Request Parameters	106
Request Body	106
Response Syntax	106
Response Elements	107
Errors	107
See Also	108
GetEvidence	109
Request Syntax	109
URI Request Parameters	109
Request Body	110
Response Syntax	110
Response Elements	111
Errors	111
See Also	112

GetEvidenceByEvidenceFolder	113
Request Syntax	113
URI Request Parameters	113
Request Body	114
Response Syntax	114
Response Elements	115
Errors	115
See Also	116
GetEvidenceFileUploadUrl	117
Request Syntax	117
URI Request Parameters	117
Request Body	117
Response Syntax	118
Response Elements	118
Errors	118
See Also	119
GetEvidenceFolder	120
Request Syntax	120
URI Request Parameters	120
Request Body	121
Response Syntax	121
Response Elements	121
Errors	122
See Also	122
GetEvidenceFoldersByAssessment	124
Request Syntax	124
URI Request Parameters	124
Request Body	124
Response Syntax	125
Response Elements	125
Errors	126
See Also	126
GetEvidenceFoldersByAssessmentControl	128
Request Syntax	128
URI Request Parameters	128
Request Body	129

Response Syntax	129
Response Elements	130
Errors	130
See Also	131
GetInsights	132
Request Syntax	132
URI Request Parameters	132
Request Body	132
Response Syntax	132
Response Elements	132
Errors	133
See Also	133
GetInsightsByAssessment	134
Request Syntax	134
URI Request Parameters	134
Request Body	134
Response Syntax	134
Response Elements	135
Errors	135
See Also	136
GetOrganizationAdminAccount	137
Request Syntax	137
URI Request Parameters	137
Request Body	137
Response Syntax	137
Response Elements	137
Errors	138
See Also	138
GetServicesInScope	140
Request Syntax	140
URI Request Parameters	140
Request Body	140
Response Syntax	140
Response Elements	141
Errors	141
Examples	142

See Also	169
GetSettings	170
Request Syntax	170
URI Request Parameters	170
Request Body	170
Response Syntax	170
Response Elements	171
Errors	171
Examples	172
See Also	174
ListAssessmentControlInsightsByControlDomain	175
Request Syntax	175
URI Request Parameters	175
Request Body	176
Response Syntax	176
Response Elements	177
Errors	177
See Also	178
ListAssessmentFrameworks	179
Request Syntax	179
URI Request Parameters	179
Request Body	179
Response Syntax	179
Response Elements	180
Errors	181
Examples	181
See Also	182
ListAssessmentFrameworkShareRequests	183
Request Syntax	183
URI Request Parameters	183
Request Body	183
Response Syntax	183
Response Elements	184
Errors	185
See Also	185
ListAssessmentReports	187

Request Syntax	187
URI Request Parameters	187
Request Body	187
Response Syntax	187
Response Elements	188
Errors	188
See Also	189
ListAssessments	190
Request Syntax	190
URI Request Parameters	190
Request Body	190
Response Syntax	190
Response Elements	191
Errors	192
Examples	192
See Also	194
ListControlDomainInsights	195
Request Syntax	195
URI Request Parameters	195
Request Body	195
Response Syntax	196
Response Elements	196
Errors	197
See Also	197
ListControlDomainInsightsByAssessment	199
Request Syntax	199
URI Request Parameters	199
Request Body	200
Response Syntax	200
Response Elements	200
Errors	201
See Also	201
ListControlInsightsByControlDomain	203
Request Syntax	203
URI Request Parameters	203
Request Body	204

Response Syntax	204
Response Elements	204
Errors	205
See Also	205
ListControls	207
Request Syntax	207
URI Request Parameters	207
Request Body	208
Response Syntax	208
Response Elements	208
Errors	209
Examples	210
See Also	212
ListKeywordsForDataSource	213
Request Syntax	213
URI Request Parameters	213
Request Body	213
Response Syntax	213
Response Elements	214
Errors	214
See Also	215
ListNotifications	216
Request Syntax	216
URI Request Parameters	216
Request Body	216
Response Syntax	216
Response Elements	217
Errors	217
See Also	218
ListTagsForResource	219
Request Syntax	219
URI Request Parameters	219
Request Body	219
Response Syntax	219
Response Elements	219
Errors	220

See Also	220
RegisterAccount	222
Request Syntax	222
URI Request Parameters	222
Request Body	222
Response Syntax	223
Response Elements	223
Errors	223
See Also	224
RegisterOrganizationAdminAccount	225
Request Syntax	225
URI Request Parameters	225
Request Body	225
Response Syntax	225
Response Elements	226
Errors	226
See Also	227
StartAssessmentFrameworkShare	228
Request Syntax	229
URI Request Parameters	229
Request Body	229
Response Syntax	230
Response Elements	231
Errors	231
See Also	232
TagResource	233
Request Syntax	233
URI Request Parameters	233
Request Body	233
Response Syntax	234
Response Elements	234
Errors	234
See Also	234
UntagResource	236
Request Syntax	236
URI Request Parameters	236

Request Body	236
Response Syntax	236
Response Elements	237
Errors	237
See Also	237
UpdateAssessment	239
Request Syntax	239
URI Request Parameters	239
Request Body	240
Response Syntax	241
Response Elements	244
Errors	244
See Also	245
UpdateAssessmentControl	246
Request Syntax	246
URI Request Parameters	246
Request Body	247
Response Syntax	247
Response Elements	248
Errors	248
See Also	249
UpdateAssessmentControlSetStatus	250
Request Syntax	250
URI Request Parameters	250
Request Body	250
Response Syntax	251
Response Elements	252
Errors	253
See Also	253
UpdateAssessmentFramework	255
Request Syntax	255
URI Request Parameters	255
Request Body	256
Response Syntax	257
Response Elements	258
Errors	258

See Also	259
UpdateAssessmentFrameworkShare	260
Request Syntax	260
URI Request Parameters	260
Request Body	260
Response Syntax	261
Response Elements	261
Errors	262
See Also	263
UpdateAssessmentStatus	264
Request Syntax	264
URI Request Parameters	264
Request Body	264
Response Syntax	265
Response Elements	267
Errors	268
See Also	269
UpdateControl	270
Request Syntax	270
URI Request Parameters	270
Request Body	271
Response Syntax	272
Response Elements	273
Errors	273
See Also	274
UpdateSettings	275
Request Syntax	275
URI Request Parameters	275
Request Body	275
Response Syntax	277
Response Elements	278
Errors	278
Examples	279
See Also	280
ValidateAssessmentReportIntegrity	281
Request Syntax	281

URI Request Parameters	281
Request Body	281
Response Syntax	281
Response Elements	282
Errors	283
See Also	283
Data Types	285
Assessment	288
Contents	288
See Also	289
AssessmentControl	290
Contents	290
See Also	292
AssessmentControlSet	293
Contents	293
See Also	294
AssessmentEvidenceFolder	296
Contents	296
See Also	300
AssessmentFramework	301
Contents	301
See Also	302
AssessmentFrameworkMetadata	303
Contents	303
See Also	305
AssessmentFrameworkShareRequest	306
Contents	306
See Also	309
AssessmentMetadata	310
Contents	310
See Also	312
AssessmentMetadataItem	313
Contents	313
See Also	314
AssessmentReport	316
Contents	316

See Also	318
AssessmentReportEvidenceError	319
Contents	319
See Also	320
AssessmentReportMetadata	321
Contents	321
See Also	323
AssessmentReportsDestination	324
Contents	324
See Also	324
AWSAccount	325
Contents	325
See Also	326
AWSService	327
Contents	327
See Also	327
BatchCreateDelegationByAssessmentError	328
Contents	328
See Also	328
BatchDeleteDelegationByAssessmentError	330
Contents	330
See Also	331
BatchImportEvidenceToAssessmentControlError	332
Contents	332
See Also	332
ChangeLog	334
Contents	334
See Also	335
Control	336
Contents	336
See Also	340
ControlComment	341
Contents	341
See Also	341
ControlDomainInsights	343
Contents	343

See Also	344
ControlInsightsMetadataByAssessmentItem	345
Contents	345
See Also	346
ControlInsightsMetadataItem	347
Contents	347
See Also	348
ControlMappingSource	349
Contents	349
See Also	351
ControlMetadata	352
Contents	352
See Also	353
ControlSet	354
Contents	354
See Also	354
CreateAssessmentFrameworkControl	356
Contents	356
See Also	356
CreateAssessmentFrameworkControlSet	357
Contents	357
See Also	357
CreateControlMappingSource	358
Contents	358
See Also	360
CreateDelegationRequest	361
Contents	361
See Also	362
DefaultExportDestination	363
Contents	363
See Also	363
Delegation	364
Contents	364
See Also	366
DelegationMetadata	368
Contents	368

See Also	369
DeregistrationPolicy	371
Contents	371
See Also	371
Evidence	373
Contents	373
See Also	377
EvidenceFinderEnablement	378
Contents	378
See Also	379
EvidenceInsights	380
Contents	380
See Also	381
Framework	382
Contents	382
See Also	385
FrameworkMetadata	386
Contents	386
See Also	387
Insights	388
Contents	388
See Also	390
InsightsByAssessment	391
Contents	391
See Also	393
ManualEvidence	394
Contents	394
See Also	395
Notification	396
Contents	396
See Also	398
Resource	399
Contents	399
See Also	400
Role	401
Contents	401

See Also	401
Scope	403
Contents	403
See Also	404
ServiceMetadata	405
Contents	405
See Also	406
Settings	407
Contents	407
See Also	408
SourceKeyword	409
Contents	409
See Also	412
UpdateAssessmentFrameworkControlSet	413
Contents	413
See Also	413
URL	415
Contents	415
See Also	415
ValidationExceptionField	416
Contents	416
See Also	416
Common Parameters	417
Common Errors	420

Welcome

Welcome to the AWS Audit Manager API reference. This guide is for developers who need detailed information about the Audit Manager API operations, data types, and errors.

Audit Manager is a service that provides automated evidence collection so that you can continually audit your AWS usage. You can use it to assess the effectiveness of your controls, manage risk, and simplify compliance.

Audit Manager provides prebuilt frameworks that structure and automate assessments for a given compliance standard. Frameworks include a prebuilt collection of controls with descriptions and testing procedures. These controls are grouped according to the requirements of the specified compliance standard or regulation. You can also customize frameworks and controls to support internal audits with specific requirements.

Use the following links to get started with the Audit Manager API:

- [Actions](#): An alphabetical list of all Audit Manager API operations.
- [Data types](#): An alphabetical list of all Audit Manager data types.
- [Common parameters](#): Parameters that all operations can use.
- [Common errors](#): Client and server errors that all operations can return.

If you're new to AWS Audit Manager, we recommend that you review the [AWS Audit Manager User Guide](#).

This document was last published on July 1, 2024.

Actions

The following actions are supported:

- [AssociateAssessmentReportEvidenceFolder](#)
- [BatchAssociateAssessmentReportEvidence](#)
- [BatchCreateDelegationByAssessment](#)
- [BatchDeleteDelegationByAssessment](#)
- [BatchDisassociateAssessmentReportEvidence](#)
- [BatchImportEvidenceToAssessmentControl](#)
- [CreateAssessment](#)
- [CreateAssessmentFramework](#)
- [CreateAssessmentReport](#)
- [CreateControl](#)
- [DeleteAssessment](#)
- [DeleteAssessmentFramework](#)
- [DeleteAssessmentFrameworkShare](#)
- [DeleteAssessmentReport](#)
- [DeleteControl](#)
- [DeregisterAccount](#)
- [DeregisterOrganizationAdminAccount](#)
- [DisassociateAssessmentReportEvidenceFolder](#)
- [GetAccountStatus](#)
- [GetAssessment](#)
- [GetAssessmentFramework](#)
- [GetAssessmentReportUrl](#)
- [GetChangeLogs](#)
- [GetControl](#)
- [GetDelegations](#)
- [GetEvidence](#)
- [GetEvidenceByEvidenceFolder](#)

- [GetEvidenceFileUploadUrl](#)
- [GetEvidenceFolder](#)
- [GetEvidenceFoldersByAssessment](#)
- [GetEvidenceFoldersByAssessmentControl](#)
- [GetInsights](#)
- [GetInsightsByAssessment](#)
- [GetOrganizationAdminAccount](#)
- [GetServicesInScope](#)
- [GetSettings](#)
- [ListAssessmentControlInsightsByControlDomain](#)
- [ListAssessmentFrameworks](#)
- [ListAssessmentFrameworkShareRequests](#)
- [ListAssessmentReports](#)
- [ListAssessments](#)
- [ListControlDomainInsights](#)
- [ListControlDomainInsightsByAssessment](#)
- [ListControlInsightsByControlDomain](#)
- [ListControls](#)
- [ListKeywordsForDataSource](#)
- [ListNotifications](#)
- [ListTagsForResource](#)
- [RegisterAccount](#)
- [RegisterOrganizationAdminAccount](#)
- [StartAssessmentFrameworkShare](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateAssessment](#)
- [UpdateAssessmentControl](#)
- [UpdateAssessmentControlSetStatus](#)
- [UpdateAssessmentFramework](#)

- [UpdateAssessmentFrameworkShare](#)
- [UpdateAssessmentStatus](#)
- [UpdateControl](#)
- [UpdateSettings](#)
- [ValidateAssessmentReportIntegrity](#)

AssociateAssessmentReportEvidenceFolder

Associates an evidence folder to an assessment report in an Audit Manager assessment.

Request Syntax

```
PUT /assessments/assessmentId/associateToAssessmentReport HTTP/1.1
Content-type: application/json
```

```
{
  "evidenceFolderId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

evidenceFolderId

The identifier for the folder that the evidence is stored in.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

BatchAssociateAssessmentReportEvidence

Associates a list of evidence to an assessment report in an Audit Manager assessment.

Request Syntax

```
PUT /assessments/assessmentId/batchAssociateToAssessmentReport HTTP/1.1
Content-type: application/json
```

```
{
  "evidenceFolderId": "string",
  "evidenceIds": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

evidenceFolderId

The identifier for the folder that the evidence is stored in.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

evidenceIds

The list of evidence identifiers.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "errors": [
    {
      "errorCode": "string",
      "errorMessage": "string",
      "evidenceId": "string"
    }
  ],
  "evidenceIds": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

errors

A list of errors that the BatchAssociateAssessmentReportEvidence API returned.

Type: Array of [AssessmentReportEvidenceError](#) objects

evidencelds

The list of evidence identifiers.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

BatchCreateDelegationByAssessment

Creates a batch of delegations for an assessment in AWS Audit Manager.

Request Syntax

```
POST /assessments/assessmentId/delegations HTTP/1.1
Content-type: application/json
```

```
{
  "createDelegationRequests": [
    {
      "comment": "string",
      "controlSetId": "string",
      "roleArn": "string",
      "roleType": "string"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

createDelegationRequests

The API request to batch create delegations in Audit Manager.

Type: Array of [CreateDelegationRequest](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "delegations": [
    {
      "assessmentId": "string",
      "assessmentName": "string",
      "comment": "string",
      "controlSetId": "string",
      "createdBy": "string",
      "creationTime": number,
      "id": "string",
      "lastUpdated": number,
      "roleArn": "string",
      "roleType": "string",
      "status": "string"
    }
  ],
  "errors": [
    {
      "createDelegationRequest": {
        "comment": "string",
        "controlSetId": "string",
        "roleArn": "string",
        "roleType": "string"
      },
      "errorCode": "string",
      "errorMessage": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

delegations

The delegations that are associated with the assessment.

Type: Array of [Delegation](#) objects

errors

A list of errors that the `BatchCreateDelegationByAssessment` API returned.

Type: Array of [BatchCreateDelegationByAssessmentError](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

BatchDeleteDelegationByAssessment

Deletes a batch of delegations for an assessment in AWS Audit Manager.

Request Syntax

```
PUT /assessments/assessmentId/delegations HTTP/1.1
Content-type: application/json

{
  "delegationIds": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

delegationIds

The identifiers for the delegations.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "errors": [
    {
      "delegationId": "string",
      "errorCode": "string",
      "errorMessage": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

errors

A list of errors that the `BatchDeleteDelegationByAssessment` API returned.

Type: Array of [BatchDeleteDelegationByAssessmentError](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

BatchDisassociateAssessmentReportEvidence

Disassociates a list of evidence from an assessment report in AWS Audit Manager.

Request Syntax

```
PUT /assessments/assessmentId/batchDisassociateFromAssessmentReport HTTP/1.1
Content-type: application/json
```

```
{
  "evidenceFolderId": "string",
  "evidenceIds": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

evidenceFolderId

The identifier for the folder that the evidence is stored in.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

evidenceIds

The list of evidence identifiers.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "errors": [
    {
      "errorCode": "string",
      "errorMessage": "string",
      "evidenceId": "string"
    }
  ],
  "evidenceIds": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

errors

A list of errors that the `BatchDisassociateAssessmentReportEvidence` API returned.

Type: Array of [AssessmentReportEvidenceError](#) objects

evidencelds

The identifier for the evidence.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

BatchImportEvidenceToAssessmentControl

Adds one or more pieces of evidence to a control in an Audit Manager assessment.

You can import manual evidence from any S3 bucket by specifying the S3 URI of the object. You can also upload a file from your browser, or enter plain text in response to a risk assessment question.

The following restrictions apply to this action:

- `manualEvidence` can be only one of the following: `evidenceFileName`, `s3ResourcePath`, or `textResponse`
- Maximum size of an individual evidence file: 100 MB
- Number of daily manual evidence uploads per control: 100
- Supported file formats: See [Supported file types for manual evidence](#) in the *AWS Audit Manager User Guide*

For more information about Audit Manager service restrictions, see [Quotas and restrictions for AWS Audit Manager](#).

Request Syntax

```
POST /assessments/assessmentId/controlSets/controlSetId/controls/controlId/evidence
HTTP/1.1
Content-type: application/json

{
  "manualEvidence": [
    {
      "evidenceFileName": "string",
      "s3ResourcePath": "string",
      "textResponse": "string"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlId

The identifier for the control.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlSetId

The identifier for the control set.

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

manualEvidence

The list of manual evidence objects.

Type: Array of [ManualEvidence](#) objects

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "errors": [
    {
      "errorCode": "string",
      "errorMessage": "string",
      "manualEvidence": {
        "evidenceFileName": "string",
        "s3ResourcePath": "string",
        "textResponse": "string"
      }
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

errors

A list of errors that the `BatchImportEvidenceToAssessmentControl` API returned.

Type: Array of [BatchImportEvidenceToAssessmentControlError](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAssessment

Creates an assessment in AWS Audit Manager.

Request Syntax

```
POST /assessments HTTP/1.1
Content-type: application/json

{
  "assessmentReportsDestination": {
    "destination": "string",
    "destinationType": "string"
  },
  "description": "string",
  "frameworkId": "string",
  "name": "string",
  "roles": [
    {
      "roleArn": "string",
      "roleType": "string"
    }
  ],
  "scope": {
    "awsAccounts": [
      {
        "emailAddress": "string",
        "id": "string",
        "name": "string"
      }
    ],
    "awsServices": [
      {
        "serviceName": "string"
      }
    ]
  },
  "tags": {
    "string" : "string"
  }
}
```


URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

assessmentReportsDestination

The assessment report storage destination for the assessment that's being created.

Type: [AssessmentReportsDestination](#) object

Required: Yes

description

The optional description of the assessment to be created.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

frameworkId

The identifier for the framework that the assessment will be created from.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

name

The name of the assessment to be created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\\]*$`

Required: Yes

roles

The list of roles for the assessment.

Type: Array of [Role](#) objects

Required: Yes

scope

The wrapper that contains the AWS accounts that are in scope for the assessment.

Note

You no longer need to specify which AWS services are in scope when you create or update an assessment. Audit Manager infers the services in scope by examining your assessment controls and their data sources, and then mapping this information to the relevant AWS services.

If an underlying data source changes for your assessment, we automatically update the services scope as needed to reflect the correct AWS services. This ensures that your assessment collects accurate and comprehensive evidence about all of the relevant services in your AWS environment.

Type: [Scope](#) object

Required: Yes

tags

The tags that are associated with the assessment.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.{0,255}`

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "assessment": {
    "arn": "string",
    "awsAccount": {
      "emailAddress": "string",
      "id": "string",
      "name": "string"
    },
    "framework": {
      "arn": "string",
      "controlSets": [
        {
          "controls": [
            {
              "assessmentReportEvidenceCount": number,
              "comments": [
                {
                  "authorName": "string",
                  "commentBody": "string",
                  "postedDate": number
                }
              ],
              "description": "string",
              "evidenceCount": number,
              "evidenceSources": [ "string" ],
              "id": "string",
              "name": "string",
              "response": "string",
              "status": "string"
            }
          ],
          "delegations": [
            {
              "assessmentId": "string",
```

```
        "assessmentName": "string",
        "comment": "string",
        "controlSetId": "string",
        "createdBy": "string",
        "creationTime": number,
        "id": "string",
        "lastUpdated": number,
        "roleArn": "string",
        "roleType": "string",
        "status": "string"
    }
],
"description": "string",
"id": "string",
"manualEvidenceCount": number,
"roles": [
    {
        "roleArn": "string",
        "roleType": "string"
    }
],
"status": "string",
"systemEvidenceCount": number
}
],
"id": "string",
"metadata": {
    "complianceType": "string",
    "description": "string",
    "logo": "string",
    "name": "string"
}
},
"metadata": {
    "assessmentReportsDestination": {
        "destination": "string",
        "destinationType": "string"
    },
    "complianceType": "string",
    "creationTime": number,
    "delegations": [
        {
            "assessmentId": "string",
            "assessmentName": "string",
```

```
    "comment": "string",
    "controlSetId": "string",
    "createdBy": "string",
    "creationTime": number,
    "id": "string",
    "lastUpdated": number,
    "roleArn": "string",
    "roleType": "string",
    "status": "string"
  }
],
"description": "string",
"id": "string",
"lastUpdated": number,
"name": "string",
"roles": [
  {
    "roleArn": "string",
    "roleType": "string"
  }
],
"scope": {
  "awsAccounts": [
    {
      "emailAddress": "string",
      "id": "string",
      "name": "string"
    }
  ],
  "awsServices": [
    {
      "serviceName": "string"
    }
  ]
},
"status": "string"
},
"tags": {
  "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessment

An entity that defines the scope of audit evidence collected by AWS Audit Manager. An Audit Manager assessment is an implementation of an Audit Manager framework.

Type: [Assessment](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

You've reached your account quota for this resource type. To perform the requested action, delete some existing resources or [request a quota increase](#) from the Service Quotas console. For a list of Audit Manager service quotas, see [Quotas and restrictions for AWS Audit Manager](#).

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAssessmentFramework

Creates a custom framework in AWS Audit Manager.

Request Syntax

```
POST /assessmentFrameworks HTTP/1.1
Content-type: application/json
```

```
{
  "complianceType": "string",
  "controlSets": [
    {
      "controls": [
        {
          "id": "string"
        }
      ],
      "name": "string"
    }
  ],
  "description": "string",
  "name": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

complianceType

The compliance type that the new custom framework supports, such as CIS or HIPAA.

Type: String

Length Constraints: Maximum length of 100.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

controlSets

The control sets that are associated with the framework.

Type: Array of [CreateAssessmentFrameworkControlSet](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

description

An optional description for the new custom framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

name

The name of the new custom framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\\]*$`

Required: Yes

tags

The tags that are associated with the framework.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._:/$]+`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.{0,255}`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "framework": {
    "arn": "string",
    "complianceType": "string",
    "controlSets": [
      {
        "controls": [
          {
            "actionPlanInstructions": "string",
            "actionPlanTitle": "string",
            "arn": "string",
            "controlMappingSources": [
              {
                "sourceDescription": "string",
                "sourceFrequency": "string",
                "sourceId": "string",
                "sourceKeyword": {
                  "keywordInputType": "string",
                  "keywordValue": "string"
                },
                "sourceName": "string",
                "sourceSetUpOption": "string",
                "sourceType": "string",
                "troubleshootingText": "string"
              }
            ],
            "controlSources": "string",
            "createdAt": number,

```

```
    "createdBy": "string",
    "description": "string",
    "id": "string",
    "lastUpdatedAt": number,
    "lastUpdatedBy": "string",
    "name": "string",
    "state": "string",
    "tags": {
      "string" : "string"
    },
    "testingInformation": "string",
    "type": "string"
  }
],
"controlSources": "string",
"createdAt": number,
"createdBy": "string",
"description": "string",
"id": "string",
"lastUpdatedAt": number,
"lastUpdatedBy": "string",
"logo": "string",
"name": "string",
"tags": {
  "string" : "string"
},
"type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

framework

The name of the new framework that the `CreateAssessmentFramework` API returned.

Type: [Framework](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

You've reached your account quota for this resource type. To perform the requested action, delete some existing resources or [request a quota increase](#) from the Service Quotas console. For a list of Audit Manager service quotas, see [Quotas and restrictions for AWS Audit Manager](#).

HTTP Status Code: 402

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAssessmentReport

Creates an assessment report for the specified assessment.

Request Syntax

```
POST /assessments/assessmentId/reports HTTP/1.1
Content-type: application/json
```

```
{
  "description": "string",
  "name": "string",
  "queryStatement": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the assessment report.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

name

The name of the new assessment report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[a-zA-Z0-9-_.]+$`

Required: Yes

queryStatement

A SQL statement that represents an evidence finder query.

Provide this parameter when you want to generate an assessment report from the results of an evidence finder search query. When you use this parameter, Audit Manager generates a one-time report using only the evidence from the query output. This report does not include any assessment evidence that was manually [added to a report using the console](#), or [associated with a report using the API](#).

To use this parameter, the [enablementStatus](#) of evidence finder must be ENABLED.

For examples and help resolving queryStatement validation exceptions, see [Troubleshooting evidence finder issues](#) in the *AWS Audit Manager User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Pattern: `(?s).*`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "assessmentReport": {
    "assessmentId": "string",
    "assessmentName": "string",
    "author": "string",
    "awsAccountId": "string",
    "creationTime": number,
    "description": "string",
    "id": "string",
    "name": "string",
    "status": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessmentReport

The new assessment report that the `CreateAssessmentReport` API returned.

Type: [AssessmentReport](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateControl

Creates a new custom control in AWS Audit Manager.

Request Syntax

```
POST /controls HTTP/1.1
Content-type: application/json

{
  "actionPlanInstructions": "string",
  "actionPlanTitle": "string",
  "controlMappingSources": [
    {
      "sourceDescription": "string",
      "sourceFrequency": "string",
      "sourceKeyword": {
        "keywordInputType": "string",
        "keywordValue": "string"
      },
      "sourceName": "string",
      "sourceSetUpOption": "string",
      "sourceType": "string",
      "troubleshootingText": "string"
    }
  ],
  "description": "string",
  "name": "string",
  "tags": {
    "string" : "string"
  },
  "testingInformation": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

actionPlanInstructions

The recommended actions to carry out if the control isn't fulfilled.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\w\W\s\S]*$`

Required: No

actionPlanTitle

The title of the action plan for remediating the control.

Type: String

Length Constraints: Maximum length of 300.

Pattern: `^[\w\W\s\S]*$`

Required: No

controlMappingSources

The data mapping sources for the control.

Type: Array of [CreateControlMappingSource](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

description

The description of the control.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\w\W\s\S]*$`

Required: No

name

The name of the control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: Yes

tags

The tags that are associated with the control.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.{0,255}`

Required: No

testingInformation

The steps to follow to determine if the control is satisfied.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "control": {
    "actionPlanInstructions": "string",
```

```
"actionPlanTitle": "string",
"arn": "string",
"controlMappingSources": [
  {
    "sourceDescription": "string",
    "sourceFrequency": "string",
    "sourceId": "string",
    "sourceKeyword": {
      "keywordInputType": "string",
      "keywordValue": "string"
    },
    "sourceName": "string",
    "sourceSetUpOption": "string",
    "sourceType": "string",
    "troubleshootingText": "string"
  }
],
"controlSources": "string",
"createdAt": number,
"createdBy": "string",
"description": "string",
"id": "string",
"lastUpdatedAt": number,
"lastUpdatedBy": "string",
"name": "string",
"state": "string",
"tags": {
  "string" : "string"
},
"testingInformation": "string",
"type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

control

The new control that the `CreateControl` API returned.

Type: [Control](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

You've reached your account quota for this resource type. To perform the requested action, delete some existing resources or [request a quota increase](#) from the Service Quotas console. For a list of Audit Manager service quotas, see [Quotas and restrictions for AWS Audit Manager](#).

HTTP Status Code: 402

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAssessment

Deletes an assessment in AWS Audit Manager.

Request Syntax

```
DELETE /assessments/assessmentId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAssessmentFramework

Deletes a custom framework in AWS Audit Manager.

Request Syntax

```
DELETE /assessmentFrameworks/frameworkId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

frameworkId

The identifier for the custom framework.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAssessmentFrameworkShare

Deletes a share request for a custom framework in AWS Audit Manager.

Request Syntax

```
DELETE /assessmentFrameworkShareRequests/requestId?requestType=requestType HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[requestId](#)

The unique identifier for the share request to be deleted.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

[requestType](#)

Specifies whether the share request is a sent request or a received request.

Valid Values: SENT | RECEIVED

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAssessmentReport

Deletes an assessment report in AWS Audit Manager.

When you run the `DeleteAssessmentReport` operation, Audit Manager attempts to delete the following data:

1. The specified assessment report that's stored in your S3 bucket
2. The associated metadata that's stored in Audit Manager

If Audit Manager can't access the assessment report in your S3 bucket, the report isn't deleted. In this event, the `DeleteAssessmentReport` operation doesn't fail. Instead, it proceeds to delete the associated metadata only. You must then delete the assessment report from the S3 bucket yourself.

This scenario happens when Audit Manager receives a `403` (Forbidden) or `404` (Not Found) error from Amazon S3. To avoid this, make sure that your S3 bucket is available, and that you configured the correct permissions for Audit Manager to delete resources in your S3 bucket. For an example permissions policy that you can use, see [Assessment report destination permissions](#) in the *AWS Audit Manager User Guide*. For information about the issues that could cause a `403` (Forbidden) or `404` (Not Found) error from Amazon S3, see [List of Error Codes](#) in the *Amazon Simple Storage Service API Reference*.

Request Syntax

```
DELETE /assessments/assessmentId/reports/assessmentReportId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[assessmentId](#)

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

assessmentReportId

The unique identifier for the assessment report.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteControl

Deletes a custom control in AWS Audit Manager.

Important

When you invoke this operation, the custom control is deleted from any frameworks or assessments that it's currently part of. As a result, Audit Manager will stop collecting evidence for that custom control in all of your assessments. This includes assessments that you previously created before you deleted the custom control.

Request Syntax

```
DELETE /controls/controlId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

controlId

The unique identifier for the control.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeregisterAccount

Deregisters an account in AWS Audit Manager.

Note

Before you deregister, you can use the [UpdateSettings](#) API operation to set your preferred data retention policy. By default, Audit Manager retains your data. If you want to delete your data, you can use the `DeregistrationPolicy` attribute to request the deletion of your data.

For more information about data retention, see [Data Protection](#) in the *AWS Audit Manager User Guide*.

Request Syntax

```
POST /account/deregisterAccount HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

status

The registration status of the account.

Type: String

Valid Values: ACTIVE | INACTIVE | PENDING_ACTIVATION

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeregisterOrganizationAdminAccount

Removes the specified AWS account as a delegated administrator for AWS Audit Manager.

When you remove a delegated administrator from your Audit Manager settings, you continue to have access to the evidence that you previously collected under that account. This is also the case when you deregister a delegated administrator from AWS Organizations. However, Audit Manager stops collecting and attaching evidence to that delegated administrator account moving forward.

Important

Keep in mind the following cleanup task if you use evidence finder:

Before you use your management account to remove a delegated administrator, make sure that the current delegated administrator account signs in to Audit Manager and disables evidence finder first. Disabling evidence finder automatically deletes the event data store that was created in their account when they enabled evidence finder. If this task isn't completed, the event data store remains in their account. In this case, we recommend that the original delegated administrator goes to CloudTrail Lake and manually [deletes the event data store](#).

This cleanup task is necessary to ensure that you don't end up with multiple event data stores. Audit Manager ignores an unused event data store after you remove or change a delegated administrator account. However, the unused event data store continues to incur storage costs from CloudTrail Lake if you don't delete it.

When you deregister a delegated administrator account for Audit Manager, the data for that account isn't deleted. If you want to delete resource data for a delegated administrator account, you must perform that task separately before you deregister the account. Either, you can do this in the Audit Manager console. Or, you can use one of the delete API operations that are provided by Audit Manager.

To delete your Audit Manager resource data, see the following instructions:

- [DeleteAssessment](#) (see also: [Deleting an assessment](#) in the *AWS Audit Manager User Guide*)
- [DeleteAssessmentFramework](#) (see also: [Deleting a custom framework](#) in the *AWS Audit Manager User Guide*)
- [DeleteAssessmentFrameworkShare](#) (see also: [Deleting a share request](#) in the *AWS Audit Manager User Guide*)

- [DeleteAssessmentReport](#) (see also: [Deleting an assessment report](#) in the *AWS Audit Manager User Guide*)
- [DeleteControl](#) (see also: [Deleting a custom control](#) in the *AWS Audit Manager User Guide*)

At this time, Audit Manager doesn't provide an option to delete evidence for a specific delegated administrator. Instead, when your management account deregisters Audit Manager, we perform a cleanup for the current delegated administrator account at the time of deregistration.

Request Syntax

```
POST /account/deregisterOrganizationAdminAccount HTTP/1.1
Content-type: application/json

{
  "adminAccountId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[adminAccountId](#)

The identifier for the administrator account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisassociateAssessmentReportEvidenceFolder

Disassociates an evidence folder from the specified assessment report in AWS Audit Manager.

Request Syntax

```
PUT /assessments/assessmentId/disassociateFromAssessmentReport HTTP/1.1
Content-type: application/json
```

```
{
  "evidenceFolderId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

evidenceFolderId

The unique identifier for the folder that the evidence is stored in.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAccountStatus

Gets the registration status of an account in AWS Audit Manager.

Request Syntax

```
GET /account/status HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

status

The status of the AWS account.

Type: String

Valid Values: ACTIVE | INACTIVE | PENDING_ACTIVATION

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

Examples

Identifying the registration status for an account

This is an example response of the `GetAccountStatus` API operation for an active account.

Sample Response

```
{
  "status": "ACTIVE"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAssessment

Gets information about a specified assessment.

Request Syntax

```
GET /assessments/assessmentId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assessment": {
    "arn": "string",
    "awsAccount": {
      "emailAddress": "string",
      "id": "string",
      "name": "string"
    },
    "framework": {
      "arn": "string",
      "controlSets": [
```

```
{
  "controls": [
    {
      "assessmentReportEvidenceCount": number,
      "comments": [
        {
          "authorName": "string",
          "commentBody": "string",
          "postedDate": number
        }
      ],
      "description": "string",
      "evidenceCount": number,
      "evidenceSources": [ "string" ],
      "id": "string",
      "name": "string",
      "response": "string",
      "status": "string"
    }
  ],
  "delegations": [
    {
      "assessmentId": "string",
      "assessmentName": "string",
      "comment": "string",
      "controlSetId": "string",
      "createdBy": "string",
      "creationTime": number,
      "id": "string",
      "lastUpdated": number,
      "roleArn": "string",
      "roleType": "string",
      "status": "string"
    }
  ],
  "description": "string",
  "id": "string",
  "manualEvidenceCount": number,
  "roles": [
    {
      "roleArn": "string",
      "roleType": "string"
    }
  ],
}
```

```
        "status": "string",
        "systemEvidenceCount": number
    }
],
"id": "string",
"metadata": {
    "complianceType": "string",
    "description": "string",
    "logo": "string",
    "name": "string"
}
},
"metadata": {
    "assessmentReportsDestination": {
        "destination": "string",
        "destinationType": "string"
    },
    "complianceType": "string",
    "creationTime": number,
    "delegations": [
        {
            "assessmentId": "string",
            "assessmentName": "string",
            "comment": "string",
            "controlSetId": "string",
            "createdBy": "string",
            "creationTime": number,
            "id": "string",
            "lastUpdated": number,
            "roleArn": "string",
            "roleType": "string",
            "status": "string"
        }
    ],
    "description": "string",
    "id": "string",
    "lastUpdated": number,
    "name": "string",
    "roles": [
        {
            "roleArn": "string",
            "roleType": "string"
        }
    ]
},
```

```
  "scope": {
    "awsAccounts": [
      {
        "emailAddress": "string",
        "id": "string",
        "name": "string"
      }
    ],
    "awsServices": [
      {
        "serviceName": "string"
      }
    ]
  },
  "status": "string"
},
"tags": {
  "string" : "string"
}
},
"userRole": {
  "roleArn": "string",
  "roleType": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessment

An entity that defines the scope of audit evidence collected by AWS Audit Manager. An Audit Manager assessment is an implementation of an Audit Manager framework.

Type: [Assessment](#) object

userRole

The wrapper that contains the Audit Manager role information of the current user. This includes the role type and IAM Amazon Resource Name (ARN).

Type: [Role](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

Examples

Getting information about an assessment

This example shows a sample response for the `GetAssessment` API operation.

Sample Response

```
{
  "assessment": {
    "arn": "arn:aws:auditmanager:us-east-1:111122223333:assessment/
a1b2c3d4-5678-90ab-cdef-EXAMPLE11111",
    "awsAccount": {
```

```
    "id": "111122223333"
  },
  "metadata": {
    "name": "My assessment",
    "id": "a1b2c3d4-5678-90ab-cdef-EXAMPLE11111",
    "description": "This is a description about the assessment",
    "complianceType": "AWS Audit Manager Sample Framework",
    "status": "ACTIVE",
    "assessmentReportsDestination": {
      "destinationType": "S3",
      "destination": "s3://my-assessment-report-destination"
    },
    "scope": {
      "awsAccounts": [
        {
          "id": "111122223333"
        }
      ],
      "awsServices": [
        {
          "serviceName": "iam"
        },
        {
          "serviceName": "ec2"
        },
        {
          "serviceName": "cloudtrail"
        }
      ]
    },
    "roles": [
      {
        "roleType": "PROCESS_OWNER",
        "roleArn": "arn:aws:iam::111122223333:role/Administrator"
      },
      {
        "roleType": "PROCESS_OWNER",
        "roleArn": "arn:aws:iam::222233334444:role/ReadOnly"
      }
    ],
    "delegations": [],
    "creationTime": "2023-03-13T16:05:55.180000-07:00",
    "lastUpdated": "2023-03-13T16:05:55.309000-07:00"
  },
```

```

"framework": {
  "id": "a1b2c3d4-5678-90ab-cdef-EXAMPLE22222",
  "metadata": {
    "name": "AWS Audit Manager Sample Framework",
    "description": "The AWS Audit Manager sample template contains
CloudTrail and AWS API calls. \n\n4 automated controls\n1 manual controls",
    "logo": "Arch_AWS-Audit-Manager_16.svg",
    "complianceType": "AWS Audit Manager Sample Framework"
  },
  "controlSets": [
    {
      "id": "AWS API",
      "description": "AWS API",
      "status": "ACTIVE",
      "roles": [
        {
          "roleType": "PROCESS_OWNER",
          "roleArn": "arn:aws:iam::111122223333:role/Administrator"
        },
        {
          "roleType": "PROCESS_OWNER",
          "roleArn": "arn:aws:iam::222233334444:role/ReadOnly"
        }
      ],
      "controls": [
        {
          "id": "control1-5678-90ab-cdef-example11111",
          "name": "2.2.0 - List Principals and Policies",
          "description": "2.2.0 - List Principals and Policies",
          "status": "UNDER_REVIEW",
          "comments": [],
          "evidenceSources": [
            "AWS API calls"
          ],
          "evidenceCount": 0,
          "assessmentReportEvidenceCount": 0
        },
        {
          "id": "control2-5678-90ab-cdef-example22222",
          "name": "2.2.1 - Describe Networks",
          "description": "2.2.1 - Describe Networks",
          "status": "UNDER_REVIEW",
          "comments": [],
          "evidenceSources": [

```

```

        "AWS API calls"
    ],
    "evidenceCount": 0,
    "assessmentReportEvidenceCount": 0
  }
],
"delegations": [],
"systemEvidenceCount": 0,
"manualEvidenceCount": 0
},
{
  "id": "Account",
  "description": "Account",
  "status": "ACTIVE",
  "roles": [
    {
      "roleType": "PROCESS_OWNER",
      "roleArn": "arn:aws:iam::111122223333:role/Administrator"
    },
    {
      "roleType": "PROCESS_OWNER",
      "roleArn": "arn:aws:iam::222233334444:role/ReadOnly"
    }
  ],
  "controls": [
    {
      "id": "control3-5678-90ab-cdef-example33333",
      "name": "3.0.0 - Account Summary",
      "description": "3.0.0 - Account Summary",
      "status": "REVIEWED",
      "comments": [],
      "evidenceSources": [
        "Manual"
      ],
      "evidenceCount": 1,
      "assessmentReportEvidenceCount": 1
    }
  ],
  "delegations": [],
  "systemEvidenceCount": 0,
  "manualEvidenceCount": 0
},
{
  "id": "CloudTrail",

```



```
    "description": "CloudTrail",
    "status": "ACTIVE",
    "roles": [
      {
        "roleType": "PROCESS_OWNER",
        "roleArn": "arn:aws:iam::111122223333:role/Administrator"
      },
      {
        "roleType": "PROCESS_OWNER",
        "roleArn": "arn:aws:iam::222233334444:role/ReadOnly"
      }
    ],
    "controls": [
      {
        "id": "control4-5678-90ab-cdef-example44444",
        "name": "1.0.1 - CloudTrail Instance Events",
        "description": "1.0.1 - CloudTrail Instance Events",
        "status": "UNDER_REVIEW",
        "comments": [],
        "evidenceSources": [
          "AWS CloudTrail"
        ],
        "evidenceCount": 0,
        "assessmentReportEvidenceCount": 0
      },
      {
        "id": "ab65b812-0e1d-4aa9-ad61-0a642535824d",
        "name": "1.0.2 - CloudTrail Volume Events",
        "description": "1.0.2 - CloudTrail Volume Events",
        "status": "UNDER_REVIEW",
        "comments": [],
        "evidenceSources": [
          "AWS CloudTrail"
        ],
        "evidenceCount": 0,
        "assessmentReportEvidenceCount": 0
      }
    ],
    "delegations": [],
    "systemEvidenceCount": 0,
    "manualEvidenceCount": 0
  }
],
},
```

```
    "tags": {}
  },
  "userRole": {
    "roleType": "PROCESS_OWNER",
    "roleArn": "arn:aws:iam::111122223333:role/Administrator"
  }
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAssessmentFramework

Gets information about a specified framework.

Request Syntax

```
GET /assessmentFrameworks/frameworkId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

frameworkId

The identifier for the framework.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "framework": {
    "arn": "string",
    "complianceType": "string",
    "controlSets": [
      {
        "controls": [
          {
            "actionPlanInstructions": "string",
            "actionPlanTitle": "string",
            "arn": "string",
```

```

    "controlMappingSources": [
      {
        "sourceDescription": "string",
        "sourceFrequency": "string",
        "sourceId": "string",
        "sourceKeyword": {
          "keywordInputType": "string",
          "keywordValue": "string"
        },
        "sourceName": "string",
        "sourceSetUpOption": "string",
        "sourceType": "string",
        "troubleshootingText": "string"
      }
    ],
    "controlSources": "string",
    "createdAt": number,
    "createdBy": "string",
    "description": "string",
    "id": "string",
    "lastUpdatedAt": number,
    "lastUpdatedBy": "string",
    "name": "string",
    "state": "string",
    "tags": {
      "string" : "string"
    },
    "testingInformation": "string",
    "type": "string"
  }
],
  "id": "string",
  "name": "string"
}
],
"controlSources": "string",
"createdAt": number,
"createdBy": "string",
"description": "string",
"id": "string",
"lastUpdatedAt": number,
"lastUpdatedBy": "string",
"logo": "string",
"name": "string",

```

```
    "tags": {  
      "string" : "string"  
    },  
    "type": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

framework

The framework that the `GetAssessmentFramework` API returned.

Type: [Framework](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

Examples

Getting information about a framework

This example shows a sample response for the `GetAssessmentFramework` API operation. This example shows details for a custom framework with two control sets and three controls.

Sample Response

```
{
  "framework": {
    "arn": "arn:aws:auditmanager:us-east-1:111122223333:assessmentFramework/
a1b2c3d4-5678-90ab-cdef-example11111",
    "id": "a1b2c3d4-5678-90ab-cdef-example11111",
    "name": "My example custom framework",
    "type": "Custom",
    "description": "Checks CloudTrail and AWS API calls.",
    "controlSources": "AWS API calls, AWS CloudTrail",
    "controlSets": [
      {
        "id": "AWS API Calls",
        "name": "Control set 1 - AWS API Calls",
        "controls": [
          {
            "arn": "arn:aws:auditmanager:us-east-1::control/
control1-5678-90ab-cdef-example11111",
            "id": "control1-5678-90ab-cdef-example11111",
            "type": "Standard",
            "name": "Control 1 - List Principals and Policies",
            "state": "ACTIVE",
            "description": "List all AWS IAM Principals and Policies",
            "testingInformation": "IAM:\nListRoles\nListRolePolicies
\nListUsers\nListGroups\n\n",
            "controlSources": "AWS API calls",
            "controlMappingSources": [
              {
                "sourceId": "sourceid-5678-90ab-cdef-example11111",
                "sourceSetUpOption": "System_Controls_Mapping",
                "sourceType": "AWS_API_Call",
                "sourceKeyword": {
```

```

        "keywordInputType": "SELECT_FROM_LIST",
        "keywordValue": "iam_ListGroups"
    },
    "sourceFrequency": "DAILY"
},
{
    "sourceId": "sourceid-5678-90ab-cdef-example22222",
    "sourceSetUpOption": "System_Controls_Mapping",
    "sourceType": "AWS_API_Call",
    "sourceKeyword": {
        "keywordInputType": "SELECT_FROM_LIST",
        "keywordValue": "iam_ListRoles"
    },
    "sourceFrequency": "DAILY"
},
{
    "sourceId": "sourceid-5678-90ab-cdef-example33333",
    "sourceSetUpOption": "System_Controls_Mapping",
    "sourceType": "AWS_API_Call",
    "sourceKeyword": {
        "keywordInputType": "SELECT_FROM_LIST",
        "keywordValue": "iam_ListUsers"
    },
    "sourceFrequency": "DAILY"
},
{
    "sourceId": "sourceid-5678-90ab-cdef-example44444",
    "sourceSetUpOption": "System_Controls_Mapping",
    "sourceType": "AWS_API_Call",
    "sourceKeyword": {
        "keywordInputType": "SELECT_FROM_LIST",
        "keywordValue": "iam_ListPolicies"
    },
    "sourceFrequency": "DAILY"
}
],
"createdAt": "2020-12-07T15:18:29.217000-08:00",
"lastUpdatedAt": "2022-03-24T12:06:55.083000-07:00",
"createdBy": "john-doe",
"tags": {}
},
{
    "arn": "arn:aws:auditmanager:us-east-1::control/
control2-5678-90ab-cdef-example22222",

```

```

    "id": "control2-5678-90ab-cdef-example22222",
    "type": "Standard",
    "name": "Control 2 - Describe Networks",
    "state": "ACTIVE",
    "description": "Describe all VPC(s), Security Groups, Network
ACL, and Routes",
    "testingInformation": "List all VPC IDs in region. Get a list
of all Security Groups and NACLs describes for each of those VPC IDs. Display all
routes.",
    "controlSources": "AWS API calls",
    "controlMappingSources": [
      {
        "sourceId": "sourceid-5678-90ab-cdef-example55555",
        "sourceSetUpOption": "System_Controls_Mapping",
        "sourceType": "AWS_API_Call",
        "sourceKeyword": {
          "keywordInputType": "SELECT_FROM_LIST",
          "keywordValue": "ec2_DescribeVpcs"
        },
        "sourceFrequency": "DAILY"
      },
      {
        "sourceId": "sourceid-5678-90ab-cdef-example66666",
        "sourceSetUpOption": "System_Controls_Mapping",
        "sourceType": "AWS_API_Call",
        "sourceKeyword": {
          "keywordInputType": "SELECT_FROM_LIST",
          "keywordValue": "ec2_DescribeSecurityGroups"
        },
        "sourceFrequency": "DAILY"
      },
      {
        "sourceId": "sourceid-5678-90ab-cdef-example77777",
        "sourceSetUpOption": "System_Controls_Mapping",
        "sourceType": "AWS_API_Call",
        "sourceKeyword": {
          "keywordInputType": "SELECT_FROM_LIST",
          "keywordValue": "ec2_DescribeNetworkAcls"
        },
        "sourceFrequency": "DAILY"
      },
      {
        "sourceId": "sourceid-5678-90ab-cdef-example88888",
        "sourceSetUpOption": "System_Controls_Mapping",

```



```

        "sourceType": "AWS_API_Call",
        "sourceKeyword": {
            "keywordInputType": "SELECT_FROM_LIST",
            "keywordValue": "ec2_DescribeRouteTables"
        },
        "sourceFrequency": "DAILY"
    }
],
"createdAt": "2020-12-07T15:18:29.217000-08:00",
"lastUpdatedAt": "2022-03-24T12:06:55.323000-07:00",
"createdBy": "john-doe",
"tags": {}
}
],
},
{
    "id": "CloudTrail Checks",
    "name": "Control set 2 - CloudTrail Checks",
    "controls": [
        {
            "arn": "arn:aws:auditmanager:us-east-1::control/
control3-5678-90ab-cdef-example33333",
            "id": "control3-5678-90ab-cdef-example33333",
            "type": "Standard",
            "name": "Control 3 - CloudTrail Volume Events",
            "state": "END_OF_SUPPORT",
            "description": "CloudTrail eventName for volumes",
            "testingInformation": "CloudTrail eventName: CreateVolume
\DetachVolume ",
            "controlSources": "AWS CloudTrail",
            "controlMappingSources": [
                {
                    "sourceId": "sourceid-72e6-44da-8486-example99999",
                    "sourceSetUpOption": "System_Controls_Mapping",
                    "sourceType": "AWS_Cloudtrail",
                    "sourceKeyword": {
                        "keywordInputType": "SELECT_FROM_LIST",
                        "keywordValue": "ec2_CreateVolume"
                    }
                }
            ],
            {
                "sourceId": "sourceid-7389-47ca-887b-example00000",
                "sourceSetUpOption": "System_Controls_Mapping",
                "sourceType": "AWS_Cloudtrail",

```

```
        "sourceKeyword": {
            "keywordInputType": "SELECT_FROM_LIST",
            "keywordValue": "ec2_DetachVolume"
        }
    },
    ],
    "createdAt": "2020-12-07T15:18:29.217000-08:00",
    "lastUpdatedAt": "2022-03-24T12:06:55.193000-07:00",
    "createdBy": "john-doe",
    "tags": {}
}
]
}
],
"createdAt": "2021-03-02T16:35:24.177000-08:00",
"lastUpdatedAt": "2022-01-10T14:32:18.855000-08:00",
"createdBy": "john-doe",
"lastUpdatedBy": "jane-doe",
"tags": {}
}
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAssessmentReportUrl

Gets the URL of an assessment report in AWS Audit Manager.

Request Syntax

```
GET /assessments/assessmentId/reports/assessmentReportId/url HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

assessmentReportId

The unique identifier for the assessment report.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "preSignedUrl": {
    "hyperlinkName": "string",
    "link": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

preSignedUrl

Short for uniform resource locator. A URL is used as a unique identifier to locate a resource on the internet.

Type: [URL](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetChangeLogs

Gets a list of changelogs from AWS Audit Manager.

Request Syntax

```
GET /assessments/assessmentId/changelogs?  
controlId=controlId&controlSetId=controlSetId&maxResults=maxResults&nextToken=nextToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlId

The unique identifier for the control.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

controlSetId

The unique identifier for the control set.

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

[nextToken](#)

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\/=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "changeLogs": [
    {
      "action": "string",
      "createdAt": number,
      "createdBy": "string",
      "objectName": "string",
      "objectType": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[changeLogs](#)

The list of user activity for the control.

Type: Array of [ChangeLog](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\|/=*]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetControl

Gets information about a specified control.

Request Syntax

```
GET /controls/controlId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

controlId

The identifier for the control.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "control": {
    "actionPlanInstructions": "string",
    "actionPlanTitle": "string",
    "arn": "string",
    "controlMappingSources": [
      {
        "sourceDescription": "string",
        "sourceFrequency": "string",
        "sourceId": "string",
```

```
    "sourceKeyword": {
      "keywordInputType": "string",
      "keywordValue": "string"
    },
    "sourceName": "string",
    "sourceSetUpOption": "string",
    "sourceType": "string",
    "troubleshootingText": "string"
  }
],
"controlSources": "string",
"createdAt": number,
"createdBy": "string",
"description": "string",
"id": "string",
"lastUpdatedAt": number,
"lastUpdatedBy": "string",
"name": "string",
"state": "string",
"tags": {
  "string" : "string"
},
"testingInformation": "string",
"type": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

control

The details of the control that the `GetControl` API returned.

Type: [Control](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

Examples

Getting information about a control

This example shows a sample response for the `GetControl` API operation. This example returns details about a specific custom control. In this case, the control has three automated data sources. Each data source is a specific CloudTrail event (`ec2_ModifyInstanceAttribute`, `ec2_CreateImage`, and `ec2_RunInstances`).

Sample Response

```
{
  "control": {
    "arn": "arn:aws:auditmanager:us-east-1:111122223333:control/a1b2c3d4-5678-90ab-cdef-example11111",
    "id": "a1b2c3d4-5678-90ab-cdef-example11111",
    "type": "Custom",
    "name": "1.0.1 - CloudTrail Instance Events_CUSTOM",
    "description": "CloudTrail eventName for instances",
```

```
    "testingInformation": "CloudTrail eventName:\n\n- CreateImage\n- RunInstances\n\n- ModifyInstanceAttribute ",
    "actionPlanTitle": "The title of my action plan",
    "actionPlanInstructions": "The details of my action plan instructions",
    "controlSources": "AWS CloudTrail",
    "controlMappingSources": [
      {
        "sourceId": "sourceid-5678-90ab-cdef-example11111",
        "sourceName": "Data source 1",
        "sourceSetUpOption": "System_Controls_Mapping",
        "sourceType": "AWS_Cloudtrail",
        "sourceKeyword": {
          "keywordInputType": "SELECT_FROM_LIST",
          "keywordValue": "ec2_ModifyInstanceAttribute"
        }
      },
      {
        "sourceId": "sourceid-5678-90ab-cdef-example22222",
        "sourceName": "Data source 2",
        "sourceSetUpOption": "System_Controls_Mapping",
        "sourceType": "AWS_Cloudtrail",
        "sourceKeyword": {
          "keywordInputType": "SELECT_FROM_LIST",
          "keywordValue": "ec2_CreateImage"
        }
      },
      {
        "sourceId": "sourceid-5678-90ab-cdef-example33333",
        "sourceName": "Data source 3",
        "sourceSetUpOption": "System_Controls_Mapping",
        "sourceType": "AWS_Cloudtrail",
        "sourceKeyword": {
          "keywordInputType": "SELECT_FROM_LIST",
          "keywordValue": "ec2_RunInstances"
        }
      }
    ],
    "createdAt": "2023-03-13T12:00:58.943000-07:00",
    "lastUpdatedAt": "2023-03-13T12:00:58.943000-07:00",
    "createdBy": "john-doe",
    "lastUpdatedBy": "jane-doe",
    "state": "ACTIVE",
    "tags": {
      "Department": "Legal"
    }
  }
```

```
    }  
  }  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetDelegations

Gets a list of delegations from an audit owner to a delegate.

Request Syntax

```
GET /delegations?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

[nextToken](#)

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "delegations": [
    {
      "assessmentId": "string",
      "assessmentName": "string",
```

```
    "controlSetName": "string",
    "creationTime": number,
    "id": "string",
    "roleArn": "string",
    "status": "string"
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

delegations

The list of delegations that the GetDelegations API returned.

Type: Array of [DelegationMetadata](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\|/]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEvidence

Gets information about a specified evidence item.

Request Syntax

```
GET /assessments/assessmentId/controlSets/controlSetId/  
evidenceFolders/evidenceFolderId/evidence/evidenceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlSetId

The unique identifier for the control set.

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: Yes

evidenceFolderId

The unique identifier for the folder that the evidence is stored in.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

evidenceId

The unique identifier for the evidence.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "evidence": {
    "assessmentReportSelection": "string",
    "attributes": {
      "string": "string"
    },
    "awsAccountId": "string",
    "awsOrganization": "string",
    "complianceCheck": "string",
    "dataSource": "string",
    "eventName": "string",
    "eventSource": "string",
    "evidenceAwsAccountId": "string",
    "evidenceByType": "string",
    "evidenceFolderId": "string",
    "iamId": "string",
    "id": "string",
    "resourcesIncluded": [
      {
        "arn": "string",
        "complianceCheck": "string",
        "value": "string"
      }
    ]
  }
}
```

```
    ],  
    "time": number  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

evidence

The evidence that the GetEvidence API returned.

Type: [Evidence](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEvidenceByEvidenceFolder

Gets all evidence from a specified evidence folder in AWS Audit Manager.

Request Syntax

```
GET /assessments/assessmentId/controlSets/controlSetId/  
evidenceFolders/evidenceFolderId/evidence?maxResults=maxResults&nextToken=nextToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlSetId

The identifier for the control set.

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: Yes

evidenceFolderId

The unique identifier for the folder that the evidence is stored in.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "evidence": [
    {
      "assessmentReportSelection": "string",
      "attributes": {
        "string" : "string"
      },
      "awsAccountId": "string",
      "awsOrganization": "string",
      "complianceCheck": "string",
      "dataSource": "string",
      "eventName": "string",
      "eventSource": "string",
      "evidenceAwsAccountId": "string",
      "evidenceByType": "string",
      "evidenceFolderId": "string",
      "iamId": "string",
      "id": "string",
      "resourcesIncluded": [
        {
```

```
        "arn": "string",
        "complianceCheck": "string",
        "value": "string"
      }
    ],
    "time": number
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

evidence

The list of evidence that the `GetEvidenceByEvidenceFolder` API returned.

Type: Array of [Evidence](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEvidenceFileUploadUrl

Creates a presigned Amazon S3 URL that can be used to upload a file as manual evidence. For instructions on how to use this operation, see [Upload a file from your browser](#) in the *AWS Audit Manager User Guide*.

The following restrictions apply to this operation:

- Maximum size of an individual evidence file: 100 MB
- Number of daily manual evidence uploads per control: 100
- Supported file formats: See [Supported file types for manual evidence](#) in the *AWS Audit Manager User Guide*

For more information about Audit Manager service restrictions, see [Quotas and restrictions for AWS Audit Manager](#).

Request Syntax

```
GET /evidenceFileUploadUrl?fileName=fileName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

fileName

The file that you want to upload. For a list of supported file formats, see [Supported file types for manual evidence](#) in the *AWS Audit Manager User Guide*.

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `[^\v\]*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "evidenceFileName": "string",
  "uploadUrl": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

evidenceFileName

The name of the uploaded manual evidence file that the presigned URL was generated for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

uploadUrl

The presigned URL that was generated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEvidenceFolder

Gets an evidence folder from a specified assessment in AWS Audit Manager.

Request Syntax

```
GET /assessments/assessmentId/controlSets/controlSetId/evidenceFolders/evidenceFolderId
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlSetId

The unique identifier for the control set.

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: Yes

evidenceFolderId

The unique identifier for the folder that the evidence is stored in.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "evidenceFolder": {
    "assessmentId": "string",
    "assessmentReportSelectionCount": number,
    "author": "string",
    "controlId": "string",
    "controlName": "string",
    "controlSetId": "string",
    "dataSource": "string",
    "date": number,
    "evidenceAwsServiceSourceCount": number,
    "evidenceByTypeComplianceCheckCount": number,
    "evidenceByTypeComplianceCheckIssuesCount": number,
    "evidenceByTypeConfigurationDataCount": number,
    "evidenceByTypeManualCount": number,
    "evidenceByTypeUserActivityCount": number,
    "evidenceResourcesIncludedCount": number,
    "id": "string",
    "name": "string",
    "totalEvidence": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

evidenceFolder

The folder that the evidence is stored in.

Type: [AssessmentEvidenceFolder](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEvidenceFoldersByAssessment

Gets the evidence folders from a specified assessment in AWS Audit Manager.

Request Syntax

```
GET /assessments/assessmentId/evidenceFolders?maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "evidenceFolders": [
    {
      "assessmentId": "string",
      "assessmentReportSelectionCount": number,
      "author": "string",
      "controlId": "string",
      "controlName": "string",
      "controlSetId": "string",
      "dataSource": "string",
      "date": number,
      "evidenceAwsServiceSourceCount": number,
      "evidenceByTypeComplianceCheckCount": number,
      "evidenceByTypeComplianceCheckIssuesCount": number,
      "evidenceByTypeConfigurationDataCount": number,
      "evidenceByTypeManualCount": number,
      "evidenceByTypeUserActivityCount": number,
      "evidenceResourcesIncludedCount": number,
      "id": "string",
      "name": "string",
      "totalEvidence": number
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

evidenceFolders

The list of evidence folders that the `GetEvidenceFoldersByAssessment` API returned.

Type: Array of [AssessmentEvidenceFolder](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\|/=*]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEvidenceFoldersByAssessmentControl

Gets a list of evidence folders that are associated with a specified control in an Audit Manager assessment.

Request Syntax

```
GET /assessments/assessmentId/evidenceFolders-by-assessment-control/controlSetId/controlId?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlId

The identifier for the control.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlSetId

The identifier for the control set.

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: Yes

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "evidenceFolders": [
    {
      "assessmentId": "string",
      "assessmentReportSelectionCount": number,
      "author": "string",
      "controlId": "string",
      "controlName": "string",
      "controlSetId": "string",
      "dataSource": "string",
      "date": number,
      "evidenceAwsServiceSourceCount": number,
      "evidenceByTypeComplianceCheckCount": number,
      "evidenceByTypeComplianceCheckIssuesCount": number,
      "evidenceByTypeConfigurationDataCount": number,
      "evidenceByTypeManualCount": number,
      "evidenceByTypeUserActivityCount": number,
      "evidenceResourcesIncludedCount": number,
      "id": "string",
      "name": "string",
```

```
    "totalEvidence": number
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

evidenceFolders

The list of evidence folders that the `GetEvidenceFoldersByAssessmentControl` API returned.

Type: Array of [AssessmentEvidenceFolder](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetInsights

Gets the latest analytics data for all your current active assessments.

Request Syntax

```
GET /insights HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "insights": {
    "activeAssessmentsCount": number,
    "assessmentControlsCountByNoncompliantEvidence": number,
    "compliantEvidenceCount": number,
    "inconclusiveEvidenceCount": number,
    "lastUpdated": number,
    "noncompliantEvidenceCount": number,
    "totalAssessmentControlsCount": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

insights

The analytics data that the GetInsights API returned.

Type: [Insights](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetInsightsByAssessment

Gets the latest analytics data for a specific active assessment.

Request Syntax

```
GET /insights/assessments/assessmentId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "insights": {
    "assessmentControlsCountByNoncompliantEvidence": number,
    "compliantEvidenceCount": number,
    "inconclusiveEvidenceCount": number,
    "lastUpdated": number,
    "noncompliantEvidenceCount": number,
    "totalAssessmentControlsCount": number
  }
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[insights](#)

The assessment analytics data that the `GetInsightsByAssessment` API returned.

Type: [InsightsByAssessment](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetOrganizationAdminAccount

Gets the name of the delegated AWS administrator account for a specified organization.

Request Syntax

```
GET /account/organizationAdminAccount HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "adminAccountId": "string",
  "organizationId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[adminAccountId](#)

The identifier for the administrator account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

organizationId

The identifier for the organization.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 34.

Pattern: o-[a-z0-9]{10,32}

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetServicesInScope

Gets a list of the AWS services from which Audit Manager can collect evidence.

Audit Manager defines which AWS services are in scope for an assessment. Audit Manager infers this scope by examining the assessment's controls and their data sources, and then mapping this information to one or more of the corresponding AWS services that are in this list.

Note

For information about why it's no longer possible to specify services in scope manually, see [I can't edit the services in scope for my assessment](#) in the *Troubleshooting* section of the AWS Audit Manager user guide.

Request Syntax

```
GET /services HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "serviceMetadata": [
    {
      "category": "string",
      "description": "string",
      "displayName": "string",
```

```
    "name": "string"  
  }  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

serviceMetadata

The metadata that's associated with the AWS service.

Type: Array of [ServiceMetadata](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

Examples

Retrieving the list of available services for an assessment

This is an example response for the `GetServicesInScope` API operation. You can use this response to see the supported AWS services that Audit Manager can collect evidence from.

Sample Response

```
{
  "serviceMetadata": [
    {
      "name": "ec2",
      "displayName": "Amazon Elastic Compute Cloud",
      "description": "Amazon Elastic Compute Cloud (Amazon EC2) is a web service that provides resizable computing capacity\u2014literally, servers in Amazon's data centers\u2014that you use to build and host your software systems.",
      "category": "Compute"
    },
    {
      "name": "s3",
      "displayName": "Amazon Simple Storage Service",
      "description": "Amazon Simple Storage Service (Amazon S3) is storage for the internet.",
      "category": "Storage"
    },
    {
      "name": "dynamodb",
      "displayName": "Amazon DynamoDB",
      "description": "Amazon DynamoDB is a fully managed NoSQL database service that provides fast and predictable performance with seamless scalability.",
      "category": "Database"
    },
    {
      "name": "rds",
      "displayName": "Amazon Relational Database Service",
      "description": "Amazon Relational Database Service (Amazon RDS) is a web service that makes it easier to set up, operate, and scale a relational database in the cloud. ",
      "category": "Database"
    },
    {
      "name": "lambda",
```

```
    "displayName": "AWS Lambda",
    "description": "With AWS Lambda, you can run code without provisioning or
managing servers. You pay only for the compute time that you consume. There's no charge
when your code isn't running.",
    "category": "Compute"
  },
  {
    "name": "networkmanager",
    "displayName": "Amazon Virtual Private Cloud",
    "description": "Amazon Virtual Private Cloud (Amazon VPC) enables you
to launch Amazon Web Services (AWS) resources into a virtual network that you've
defined.",
    "category": "Networking and content delivery"
  },
  {
    "name": "lightsail",
    "displayName": "Amazon Lightsail",
    "description": "Amazon Lightsail helps developers get started using AWS to
build websites or web applications.",
    "category": "Compute"
  },
  {
    "name": "sagemaker",
    "displayName": "Amazon SageMaker",
    "description": "Amazon SageMaker is a fully managed machine learning
service.",
    "category": "Machine learning"
  },
  {
    "name": "cloudtrail",
    "displayName": "AWS CloudTrail",
    "description": "With AWS CloudTrail, you can monitor your AWS deployments
in the cloud by getting a history of AWS API calls for your account, including API
calls made via the AWS Management Console, the AWS SDKs, the command line tools, and
higher-level AWS services.",
    "category": "Management and governance"
  },
  {
    "name": "iam",
    "displayName": "AWS Identity and Access Management",
    "description": "AWS Identity and Access Management (IAM) is a web service
for securely controlling access to AWS services. With IAM, you can centrally manage
users, security credentials such as access keys, and permissions that control which
AWS resources users and applications can access.",
```

```
    "category": "Security, identity, and compliance"
  },
  {
    "name": "config",
    "displayName": "AWS Config",
    "description": "AWS Config provides a detailed view of the resources
associated with your AWS account, including how they are configured, how they are
related to one another, and how the configurations and their relationships have
changed over time.",
    "category": "Management and governance"
  },
  {
    "name": "securityhub",
    "displayName": "AWS Security Hub",
    "description": "AWS Security Hub provides you with a comprehensive view of
the security state of your AWS resources.",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "a4b",
    "displayName": "Alexa for Business",
    "description": "Alexa for Business gives you the tools you need to manage
Alexa devices, enroll users, and assign skills. You can build your own voice skills
using the Alexa Skills Kit and the Alexa for Business API.",
    "category": "Business applications"
  },
  {
    "name": "amplify",
    "displayName": "AWS Amplify",
    "description": "AWS Amplify enables developers to develop and deploy cloud-
powered mobile and web apps. The Amplify Framework is a comprehensive set of SDKs,
libraries, tools, and documentation for client app development.",
    "category": "Front-end web and mobile"
  },
  {
    "name": "apigateway",
    "displayName": "Amazon API Gateway",
    "description": "Amazon API Gateway enables you to create and deploy your
own REST and WebSocket APIs at any scale. You can create robust, secure, and scalable
APIs that access AWS or other web services, as well as data that's stored in the AWS
Cloud.",
    "category": "Networking and content delivery"
  },
  {
```

```
    "name": "appmesh",
    "displayName": "AWS App Mesh",
    "description": "AWS App Mesh makes it easy to monitor and control
microservices running on AWS.",
    "category": "Networking and content delivery"
  },
  {
    "name": "appconfig",
    "displayName": "AWS AppConfig",
    "description": "Use AWS AppConfig to quickly deploy application
configurations to applications of any size. ",
    "category": "Management and governance"
  },
  {
    "name": "appflow",
    "displayName": "Amazon AppFlow",
    "description": "Amazon AppFlow is a fully managed API integration service
that you use to connect your software as a service (SaaS) applications to AWS
services, and securely transfer data.",
    "category": "Application integration, analytics"
  },
  {
    "name": "discovery",
    "displayName": "AWS Application Discovery Service",
    "description": "The AWS Application Discovery Service helps systems
integrators quickly and reliably plan application migration projects by automatically
identifying applications running in on-premises data centers, their associated
dependencies, and their performance profile.",
    "category": "Migration and transfer"
  },
  {
    "name": "appstream",
    "displayName": "Amazon AppStream 2.0",
    "description": "Amazon AppStream 2.0 is a fully managed, secure application
streaming service that lets you stream desktop applications to users without rewriting
applications.",
    "category": "End user computing"
  },
  {
    "name": "appsync",
    "displayName": "AWS AppSync",
    "description": "AWS AppSync is an enterprise level, fully managed GraphQL
service with real-time data synchronization and offline programming features.",
    "category": "Front-end web and mobile"
  }
}
```

```
    },
    {
      "name": "athena",
      "displayName": "Amazon Athena",
      "description": "Amazon Athena is an interactive query service that makes it
easy to analyze data in Amazon S3 using standard SQL. Athena is serverless, so there
is no infrastructure to setup or manage, and you pay only for the queries you run.",
      "category": "Analytics"
    },
    {
      "name": "autoscaling",
      "displayName": "Auto Scaling",
      "description": "AWS provides multiple services that you can use to scale
your application. Auto scaling is enabled by Amazon CloudWatch and is available at no
additional charge beyond the service fees for CloudWatch and the other AWS resources
that you use.",
      "category": "Management and governance"
    },
    {
      "name": "backup",
      "displayName": "AWS Backup",
      "description": "AWS Backup is a fully managed backup service that makes it
easy to centralize and automate the backup of data across AWS services in the cloud as
well as on premises.",
      "category": "Storage"
    },
    {
      "name": "batch",
      "displayName": "AWS Batch",
      "description": "AWS Batch enables you to run batch computing workloads
on the AWS Cloud. Batch computing is a common way for developers, scientists, and
engineers to access large amounts of compute resources.",
      "category": "Compute"
    },
    {
      "name": "budgets",
      "displayName": "AWS Billing and Cost Management",
      "description": "AWS Billing and Cost Management is a web service that
provides features that helps you monitor your costs and pay your bill. Amazon Web
Services (AWS) bills your account for usage, which ensures that you pay only for what
you use.",
      "category": "Billing and cost management"
    },
    {
```

```
    "name": "braket",
    "displayName": "Amazon Braket",
    "description": "Amazon Braket is a fully managed service that helps you get
started with quantum computing by providing a development environment to explore and
design quantum algorithms, test them on simulated quantum computers, and run them on
your choice of different quantum hardware technologies.",
    "category": "Quantum computing"
  },
  {
    "name": "acm",
    "displayName": "AWS Certificate Manager",
    "description": "AWS Certificate Manager (ACM) makes it easy to provision,
manage, and deploy SSL/TLS certificates on AWS managed resources.",
    "category": "Cryptography and PKI"
  },
  {
    "name": "acm-pca",
    "displayName": "AWS Certificate Manager Private Certificate Authority",
    "description": "AWS Certificate Manager (ACM) makes it easy to provision,
manage, and deploy SSL/TLS certificates on AWS managed resources.",
    "category": "Cryptography and PKI"
  },
  {
    "name": "chime",
    "displayName": "Amazon Chime",
    "description": "Amazon Chime is a secure, real-time, unified communications
service that transforms meetings by making them more efficient and easier to
conduct.",
    "category": "Business applications"
  },
  {
    "name": "clouddirectory",
    "displayName": "Amazon Cloud Directory",
    "description": "Amazon Cloud Directory is a cloud-native directory that can
store hundreds of millions of application-specific objects with multiple relationships
and schemas.",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "servicediscovery",
    "displayName": "AWS Cloud Map",
    "description": "AWS Cloud Map lets you name and discover your cloud
resources.",
    "category": "Networking and content delivery"
  }
]
```



```
    },
    {
      "name": "cloud9",
      "displayName": "AWS Cloud9",
      "description": "AWS Cloud9 is a cloud-based integrated development environment (IDE) that you use to write, run, and debug code.",
      "category": "Developer tools"
    },
    {
      "name": "cloudformation",
      "displayName": "AWS CloudFormation",
      "description": "AWS CloudFormation enables you to create and provision AWS infrastructure deployments predictably and repeatedly.",
      "category": "Management and governance"
    },
    {
      "name": "cloudfront",
      "displayName": "Amazon CloudFront",
      "description": "Amazon CloudFront speeds up distribution of your static and dynamic web content, such as .html, .css, .php, image, and media files. When users request your content, CloudFront delivers it through a worldwide network of edge locations that provide low latency and high performance.",
      "category": "Networking and content delivery"
    },
    {
      "name": "cloudhsm",
      "displayName": "AWS CloudHSM",
      "description": "AWS CloudHSM offers secure cryptographic key storage for customers by providing managed hardware security modules in the AWS Cloud.",
      "category": "Cryptography and PKI"
    },
    {
      "name": "cloudsearch",
      "displayName": "Amazon CloudSearch",
      "description": "Amazon CloudSearch is a fully managed service in the cloud that makes it easy to set up, manage, and scale a search solution for your website.",
      "category": "Analytics"
    },
    {
      "name": "cloudwatch",
      "displayName": "Amazon CloudWatch",
      "description": "Amazon CloudWatch provides a reliable, scalable, and flexible monitoring solution that you can start using within minutes. You no longer need to set up, manage, and scale your own monitoring systems and infrastructure.",
    }
```

```
    "category": "Management and governance"
  },
  {
    "name": "codeartifact",
    "displayName": "AWS CodeArtifact",
    "description": "AWS CodeArtifact is a secure, scalable, and cost-effective artifact management service for software development.",
    "category": "Developer tools"
  },
  {
    "name": "codebuild",
    "displayName": "AWS CodeBuild",
    "description": "AWS CodeBuild is a fully managed build service that compiles your source code, runs unit tests, and produces artifacts that are ready to deploy.",
    "category": "Developer tools"
  },
  {
    "name": "codecommit",
    "displayName": "AWS CodeCommit",
    "description": "AWS CodeCommit is a version control service that enables you to privately store and manage Git repositories in the AWS cloud.",
    "category": "Developer tools"
  },
  {
    "name": "codedeploy",
    "displayName": "AWS CodeDeploy",
    "description": "AWS CodeDeploy is a deployment service that enables developers to automate the deployment of applications to instances and to update the applications as required.",
    "category": "Developer tools"
  },
  {
    "name": "codeguru-profiler",
    "displayName": "Amazon CodeGuru",
    "description": "CodeGuru provides intelligent recommendations for improving application performance, efficiency, and code quality in your Java applications.",
    "category": "Machine learning"
  },
  {
    "name": "codepipeline",
    "displayName": "AWS CodePipeline",
```

```
    "description": "AWS CodePipeline is a continuous delivery service that
enables you to model, visualize, and automate the steps required to release your
software.",
    "category": "Developer tools"
  },
  {
    "name": "codestar",
    "displayName": "AWS CodeStar",
    "description": "AWS CodeStar lets you quickly develop, build, and deploy
applications on AWS.",
    "category": "Developer tools"
  },
  {
    "name": "cognito-identity",
    "displayName": "Amazon Cognito",
    "description": "Amazon Cognito handles user authentication and
authorization for your web and mobile apps.",
    "category": "Security,
identity, and compliance"
  },
  {
    "name": "comprehend",
    "displayName": "Amazon Comprehend",
    "description": "Amazon Comprehend uses natural language processing (NLP)
to extract insights about the content of documents without the need of any special
preprocessing.",
    "category": "Machine learning"
  },
  {
    "name": "compute-optimizer",
    "displayName": "AWS Compute Optimizer",
    "description": "AWS Compute Optimizer recommends optimal AWS compute
resources for your workloads.",
    "category": "Management and governance"
  },
  {
    "name": "connect",
    "displayName": "Amazon Connect",
    "description": "Amazon Connect is a contact center as a service (CCaS)
solution that offers easy, self-service configuration and enables dynamic, personal,
and natural customer engagement at any scale.",
    "category": "Customer engagement"
  },
  {
    "name": "data exchange",
```

```
    "displayName": "AWS Data Exchange",
    "description": "AWS Data Exchange is a service that makes it easy for
customers to find, subscribe to, and use third-party data in the AWS Cloud.",
    "category": "Analytics"
  },
  {
    "name": "datapipeline",
    "displayName": "AWS Data Pipeline",
    "description": "AWS Data Pipeline is a web service that you can use to
automate the movement and transformation of data.",
    "category": "Analytics"
  },
  {
    "name": "datasync",
    "displayName": "AWS DataSync",
    "description": "AWS DataSync is a data-transfer service that simplifies,
automates, and accelerates moving and replicating data between on-premises storage
systems and AWS storage services over the internet or AWS Direct Connect.",
    "category": "Migration and transfer"
  },
  {
    "name": "detective",
    "displayName": "Amazon Detective",
    "description": "Amazon Detective makes it easy to analyze, investigate, and
quickly identify the root cause of security findings or suspicious activities. ",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "devicefarm",
    "displayName": "AWS Device Farm",
    "description": "AWS Device Farm is an app testing service that enables you
to test your iOS, Android and Fire OS apps on real, physical phones and tablets that
are hosted by AWS.",
    "category": "Front-end web and mobile"
  },
  {
    "name": "directconnect",
    "displayName": "AWS Direct Connect",
    "description": "AWS Direct Connect links your internal network to an AWS
Direct Connect location over a standard 1 gigabit or 10 gigabit Ethernet fiber-optic
cable.",
    "category": "Networking and content delivery"
  },
  {
```

```
    "name": "ds",
    "displayName": "AWS Directory Service",
    "description": "AWS Directory Service provides multiple ways to set up and
run Microsoft Active Directory with other AWS services such as Amazon EC2, Amazon
RDS for SQL Server, Amazon FSx for Windows File Server, and AWS Single-Sign On. AWS
Directory Service for Microsoft Active Directory, also known as AWS Managed Microsoft
AD, enables your directory-aware workloads and AWS resources to use a managed Active
Directory in the AWS Cloud.",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "imagebuilder",
    "displayName": "EC2 Image Builder",
    "description": "EC2 Image Builder is a fully-managed AWS service that makes
it easier to automate the creation, management, and deployment of customized, secure,
and up-to-date golden server images that are pre-installed and pre-configured with
software and settings to meet specific IT standards.",
    "category": "Compute"
  },
  {
    "name": "elasticbeanstalk",
    "displayName": "AWS Elastic Beanstalk",
    "description": "With AWS Elastic Beanstalk, you can quickly deploy and
manage applications in the AWS Cloud without worrying about the infrastructure that
runs those applications.",
    "category": "Compute"
  },
  {
    "name": "ebs",
    "displayName": "Amazon Elastic Block Store",
    "description": "Amazon Elastic Block Store (Amazon EBS) is a web service
that provides block level storage volumes for use with EC2 instances.",
    "category": "Storage"
  },
  {
    "name": "ecr",
    "displayName": "Amazon Elastic Container Registry",
    "description": "Amazon Elastic Container Registry (Amazon ECR) is a fully
managed Docker container registry that makes it easy for developers to store, manage,
and deploy Docker container images.",
    "category": "Containers"
  },
  {
    "name": "ecs",
```

```
    "displayName": "Amazon Elastic Container Service",
    "description": "Amazon Elastic Container Service (Amazon ECS) is a highly
scalable, fast, container management service that makes it easy to run, stop, and
manage Docker containers on a cluster of Amazon EC2 instances.",
    "category": "Containers"
  },
  {
    "name": "elasticfilesystem",
    "displayName": "Amazon Elastic File System",
    "description": "Amazon EFS provides file storage for your Amazon EC2
instances.",
    "category": "Storage"
  },
  {
    "name": "elastic-inference",
    "displayName": "Amazon Elastic Inference",
    "description": "Amazon Elastic Inference is a service that allows you to
attach low-cost GPU-powered acceleration to many Amazon machine instances in order to
reduce the cost of running deep learning inference by up to 75%.",
    "category": "Machine learning"
  },
  {
    "name": "eks",
    "displayName": "Amazon Elastic Kubernetes Service",
    "description": "Amazon Elastic Kubernetes Service (Amazon EKS) is a managed
service that makes it easy for you to run Kubernetes on AWS without needing to install
and operate your own Kubernetes clusters.",
    "category": "Containers"
  },
  {
    "name": "elasticloadbalancing",
    "displayName": "Elastic Load Balancing",
    "description": "Elastic Load Balancing automatically distributes your
incoming traffic across multiple targets, such as EC2 instances, containers, and IP
addresses, in one or more Availability Zones.",
    "category": "Networking and content delivery"
  },
  {
    "name": "elastictranscoder",
    "displayName": "Amazon Elastic Transcoder",
    "description": "Amazon Elastic Transcoder lets you convert media files that
you have stored in Amazon S3 into media files in the formats required by consumer
playback devices.",
    "category": "Media services"
  }
]
```

```
    },
    {
      "name": "elasticache",
      "displayName": "Amazon ElastiCache",
      "description": "Amazon ElastiCache makes it easy to set up, manage, and
scale distributed in-memory cache environments in the AWS Cloud.",
      "category": "Database"
    },
    {
      "name": "es",
      "displayName": "Amazon OpenSearch Service",
      "description": "Amazon OpenSearch Service is a fully managed service that
makes it easy for you to deploy, secure, and run OpenSearch and Elasticsearch clusters
cost effectively at scale.",
      "category": "Analytics"
    },
    {
      "name": "mediaconnect",
      "displayName": "AWS Elemental MediaConnect",
      "description": "AWS Elemental MediaConnect is a reliable, secure, and
flexible transport service for live video. ",
      "category": "Media services"
    },
    {
      "name": "mediaconvert",
      "displayName": "AWS Elemental MediaConvert",
      "description": "AWS Elemental MediaConvert is a service that formats and
compresses offline video content for delivery to televisions or connected devices.",
      "category": "Media services"
    },
    {
      "name": "medialive",
      "displayName": "AWS Elemental MediaLive",
      "description": "AWS Elemental MediaLive is a video service that allows easy
and reliable creation of live outputs for broadcast and streaming delivery.",
      "category": "Media services"
    },
    {
      "name": "mediapackage",
      "displayName": "AWS Elemental MediaPackage",
      "description": "AWS Elemental MediaPackage is a just-in-time video
packaging and origination service that delivers highly secure, scalable, and reliable
video streams to a wide variety of playback devices. ",
      "category": "Media services"
    }
  ],
  {
    "name": "mediapackage",
    "displayName": "AWS Elemental MediaPackage",
    "description": "AWS Elemental MediaPackage is a just-in-time video
packaging and origination service that delivers highly secure, scalable, and reliable
video streams to a wide variety of playback devices. ",
    "category": "Media services"
  }
],
{
  "name": "mediapackage",
  "displayName": "AWS Elemental MediaPackage",
  "description": "AWS Elemental MediaPackage is a just-in-time video
packaging and origination service that delivers highly secure, scalable, and reliable
video streams to a wide variety of playback devices. ",
  "category": "Media services"
}
```

```
    },
    {
      "name": "mediastore",
      "displayName": "AWS Elemental MediaStore",
      "description": "AWS Elemental MediaStore is a video origination and storage service that offers the high performance, predictable low latency, and immediate consistency required for live origination.",
      "category": "Media services"
    },
    {
      "name": "mediatailor",
      "displayName": "AWS Elemental MediaTailor",
      "description": "AWS Elemental MediaTailor is a personalization and monetization service that allows scalable server-side ad insertion.",
      "category": "Media services"
    },
    {
      "name": "elasticmapreduce",
      "displayName": "Amazon EMR",
      "description": "Amazon EMR is a web service that makes it easy to process large amounts of data efficiently.",
      "category": "Analytics"
    },
    {
      "name": "events",
      "displayName": "Amazon EventBridge",
      "description": "Amazon EventBridge is a serverless event bus service that makes it easy to connect your applications with data from a variety of sources.",
      "category": "Application integration"
    },
    {
      "name": "fms",
      "displayName": "AWS Firewall Manager",
      "description": "AWS Firewall Manager simplifies your AWS WAF administration and maintenance tasks across multiple accounts and resources.",
      "category": "Security, identity, and compliance"
    },
    {
      "name": "forecast",
      "displayName": "Amazon Forecast",
      "description": "Amazon Forecast is a fully managed deep learning service for time-series forecasting.",
      "category": "Machine learning"
    },
  ],
```



```
{
  "name": "frauddetector",
  "displayName": "Amazon Fraud Detector",
  "description": "Amazon Fraud Detector is a fully managed service that helps
you detect suspicious online activities such as the creation of fake accounts and
online payment fraud.",
  "category": "Machine learning"
},
{
  "name": "fsx",
  "displayName": "Amazon FSx",
  "description": "Amazon FSx provides fully managed third-party file systems
with the native compatibility and feature sets for workloads such as Microsoft
Windows-based storage, high-performance computing, machine learning, and electronic
design automation.",
  "category": "Storage"
},
{
  "name": "gamelift",
  "displayName": "Amazon GameLift",
  "description": "GameLift provides solutions for hosting session-based
multiplayer game servers in the cloud, including a fully managed service for
deploying, operating, and scaling game servers.",
  "category": "Game development"
},
{
  "name": "globalaccelerator",
  "displayName": "AWS Global Accelerator",
  "description": "AWS Global Accelerator is a network layer service in
which you create accelerators to improve availability and performance for internet
applications used by a global audience.",
  "category": "Networking and content delivery"
},
{
  "name": "glue",
  "displayName": "AWS Glue",
  "description": "AWS Glue is a serverless data-preparation service. It makes
it easy for data engineers, data analysts, data scientists, and extract, transform,
and load (ETL) developers to extract, clean, enrich, normalize, and load data.",
  "category": "Analytics"
},
{
  "name": "groundstation",
  "displayName": "AWS Ground Station",
```

```
    "description": "AWS Ground Station is a fully managed service that enables
you to control satellite communications, process satellite data, and scale your
satellite operations.",
    "category": "Satellite"
  },
  {
    "name": "guardduty",
    "displayName": "Amazon GuardDuty",
    "description": "Amazon GuardDuty is a continuous security monitoring
service. ",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "health",
    "displayName": "AWS Health",
    "description": "AWS Health provides personalized information about events
that can affect your AWS infrastructure, guides you through scheduled changes,
and accelerates the troubleshooting of issues that affect your AWS resources and
accounts.",
    "category": "Management and governance"
  },
  {
    "name": "honeycode",
    "displayName": "Amazon Honeycode",
    "description": "Amazon Honeycode is a fully managed service that allows you
to quickly build mobile and web apps for teams without programming.",
    "category": "Business applications"
  },
  {
    "name": "inspector",
    "displayName": "Amazon Inspector",
    "description": "Amazon Inspector is a security vulnerability assessment
service that helps improve the security and compliance of your AWS resources. ",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "ivs",
    "displayName": "Amazon Interactive Video Service",
    "description": "Amazon Interactive Video Service (IVS) is a managed, live-
video streaming service with ultra-low latency.",
    "category": "Media services"
  },
  {
    "name": "iot1click",
```

```
    "displayName": "AWS IoT 1-Click",
    "description": "AWS IoT 1-Click is a service that makes it easy for simple
devices to trigger AWS Lambda functions that execute a specific action.",
    "category": "Internet of Things (IoT)"
  },
  {
    "name": "iotanalytics",
    "displayName": "AWS IoT Analytics",
    "description": "AWS IoT Analytics is a managed service that provides
advanced data analysis for IoT devices.",
    "category": "Internet of Things (IoT)"
  },
  {
    "name": "iot",
    "displayName": "AWS IoT Core",
    "description": "AWS IoT enables secure, bi-directional communication
between Internet-connected things (such as sensors, actuators, embedded devices, and
smart appliances) and the AWS Cloud over MQTT and HTTP.",
    "category": "Internet of Things (IoT)"
  },
  {
    "name": "iotevents",
    "displayName": "AWS IoT Events",
    "description": "AWS IoT Events is a managed service that lets you monitor
your equipment or device fleets for failures or changes in operation, and trigger
actions when such events occur.",
    "category": "Internet of Things (IoT)"
  },
  {
    "name": "greengrass",
    "displayName": "AWS IoT Greengrass",
    "description": "AWS IoT Greengrass seamlessly extends AWS onto physical
devices so they can act locally on the data they generate, while still using the cloud
for management, analytics, and durable storage.",
    "category": "Internet of Things (IoT)"
  },
  {
    "name": "iotsitewise",
    "displayName": "AWS IoT SiteWise",
    "description": "Easily collect, organize, and analyze data from industrial
equipment at scale.",
    "category": "Internet of Things (IoT)"
  },
  {
```

```
    "name": "iotthingsgraph",
    "displayName": "AWS IoT Things Graph",
    "description": "AWS IoT Things Graph is an integrated set of tools that
enable developers to build IoT applications using devices and services that use
different data representation standards and communication protocols.",
    "category": "Internet of Things (IoT)"
  },
  {
    "name": "kendra",
    "displayName": "Amazon Kendra",
    "description": "Amazon Kendra is a search service, powered by machine
learning, that enables users to search unstructured text using natural language.",
    "category": "Machine learning"
  },
  {
    "name": "kms",
    "displayName": "AWS Key Management Service",
    "description": "AWS Key Management Service (KMS) is an encryption and key
management service scaled for the cloud.",
    "category": "Cryptography and PKI"
  },
  {
    "name": "kinesis",
    "displayName": "Amazon Kinesis",
    "description": "Amazon Kinesis makes it easy to collect, process, and
analyze video and data streams in real time.",
    "category": "Analytics"
  },
  {
    "name": "lakeformation",
    "displayName": "AWS Lake Formation",
    "description": "AWS Lake Formation is a managed service that makes it easy
to set up, secure, and manage your data lakes.",
    "category": "Analytics"
  },
  {
    "name": "lex",
    "displayName": "Amazon Lex",
    "description": "Amazon Lex is an AWS service for building conversational
interfaces into applications using voice and text.",
    "category": "Machine learning"
  },
  {
    "name": "license-manager",
```

```
    "displayName": "AWS License Manager",
    "description": "AWS License Manager streamlines the process of bringing
software vendor licenses to the cloud.",
    "category": "Management and governance"
  },
  {
    "name": "machinelearning",
    "displayName": "Amazon Machine Learning",
    "description": "Amazon Machine Learning makes it easy for developers
to build smart applications, including applications for fraud detection, demand
forecasting, targeted marketing, and click prediction.",
    "category": "Machine learning"
  },
  {
    "name": "macie",
    "displayName": "Amazon Macie",
    "description": "Amazon Macie is a fully managed data security and data
privacy service that uses machine learning and pattern matching to discover, classify,
and help you protect your sensitive data in Amazon S3.",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "managedblockchain",
    "displayName": "Amazon Managed Blockchain",
    "description": "Amazon Managed Blockchain is a fully managed service that
makes it easy to create and manage scalable blockchain networks using popular open
source frameworks.",
    "category": "Blockchain"
  },
  {
    "name": "kafka",
    "displayName": "Amazon Managed Streaming for Apache Kafka",
    "description": "Amazon Managed Streaming for Apache Kafka (Amazon MSK) is
a fully managed service that makes it easy for you to build and run applications that
use Apache Kafka to process streaming data.",
    "category": "Analytics"
  },
  {
    "name": "entitlement-marketplace",
    "displayName": "AWS Marketplace",
    "description": "AWS Marketplace is an online store where you can buy or
sell software that runs on Amazon Web Services (AWS).",
    "category": "Additional resources"
  },
}
```

```
{
  "name": "migrationhub",
  "displayName": "AWS Migration Hub",
  "description": "AWS Migration Hub provides a single location to track migration tasks across multiple AWS tools and partner solutions. With Migration Hub, you can choose the AWS and partner migration tools that best fit your needs while providing visibility into the status of your migration projects.",
  "category": "Migration and transfer"
},
{
  "name": "amazonmq",
  "displayName": "Amazon MQ",
  "description": "Amazon MQ is a managed message broker service that makes it easy to set up and operate message brokers in the cloud.",
  "category": "Application integration"
},
{
  "name": "opsworks",
  "displayName": "AWS OpsWorks",
  "description": "AWS OpsWorks provides a simple and flexible way to create and manage stacks and applications.",
  "category": "Management and governance"
},
{
  "name": "organizations",
  "displayName": "AWS Organizations",
  "description": "AWS Organizations is an account management service that lets you consolidate multiple AWS accounts into an organization that you create and centrally manage. ",
  "category": "Management and governance"
},
{
  "name": "outposts",
  "displayName": "AWS Outposts",
  "description": "AWS Outposts brings native AWS services, infrastructure, and operating models to virtually any data center, co-location space, or on-premises facility. ",
  "category": "Compute"
},
{
  "name": "personalize",
  "displayName": "Amazon Personalize",
  "description": "Real-time personalization and recommendations, based on the same technology used at Amazon.com.",
}
```

```
    "category": "Machine learning"
  },
  {
    "name": "pinpoint",
    "displayName": "Amazon Pinpoint",
    "description": "Amazon Pinpoint helps you engage your customers by sending them email, SMS and voice messages, and push notifications.",
    "category": "Customer engagement"
  },
  {
    "name": "polly",
    "displayName": "Amazon Polly",
    "description": "Amazon Polly is a Text-to-Speech (TTS) cloud service that converts text into lifelike speech.",
    "category": "Machine learning"
  },
  {
    "name": "qlldb",
    "displayName": "Amazon Quantum Ledger Database",
    "description": "Amazon Quantum Ledger Database (Amazon QLDB) is a fully managed ledger database that provides a transparent, immutable, and cryptographically verifiable transaction log owned by a central trusted authority. ",
    "category": "Database"
  },
  {
    "name": "quicksight",
    "displayName": "Amazon QuickSight",
    "description": "Amazon QuickSight is a fast business analytics service to build visualizations, perform ad hoc analysis, and quickly get business insights from your data.",
    "category": "Analytics"
  },
  {
    "name": "redshift",
    "displayName": "Amazon Redshift",
    "description": "Amazon Redshift is a fast, fully managed, petabyte-scale data warehouse service that makes it simple and cost-effective to efficiently analyze all your data using your existing business intelligence tools.",
    "category": "Analytics"
  },
  {
    "name": "rekognition",
    "displayName": "Amazon Rekognition",
```

```
    "description": "Amazon Rekognition makes it easy to add image and video
analysis to your applications.",
    "category": "Machine learning"
  },
  {
    "name": "ram",
    "displayName": "AWS Resource Access Manager",
    "description": "AWS Resource Access Manager (AWS RAM) enables you to share
your resources with any AWS account or organization in AWS Organizations. ",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "resource-groups",
    "displayName": "AWS Resource Groups and Tag Editor",
    "description": "AWS Resource Groups lets you organize AWS resources into
groups, tag resources using virtually any criteria, and manage, monitor, and automate
tasks on grouped resources.",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "robomaker",
    "displayName": "AWS RoboMaker",
    "description": "AWS RoboMaker is a service that makes it easy to develop,
simulate, and deploy intelligent robotics applications at scale.",
    "category": "Robotics"
  },
  {
    "name": "route53",
    "displayName": "Amazon Route 53",
    "description": "Amazon Route 53 is a highly available and scalable Domain
Name System (DNS) web service.",
    "category": "Networking and content delivery"
  },
  {
    "name": "savingsplans",
    "displayName": "Savings Plans",
    "description": "Savings Plans is a flexible pricing model that helps you
save a significant percentage on Amazon EC2 and Fargate usage.",
    "category": "Billing and cost management"
  },
  {
    "name": "secretsmanager",
    "displayName": "AWS Secrets Manager",
```



```
        "description": "AWS Secrets Manager helps you to securely encrypt, store,
and retrieve credentials for your databases and other services.",
        "category": "Security, identity, and compliance"
    },
    {
        "name": "sms",
        "displayName": "AWS Server Migration Service",
        "description": "AWS Server Migration Service (AWS SMS) combines data
collection tools with automated server replication to speed the migration of on-
premises servers to AWS.",
        "category": "Migration and transfer"
    },
    {
        "name": "serverlessrepo",
        "displayName": "AWS Serverless Application Repository",
        "description": "The AWS Serverless Application Repository is a managed
repository for serverless applications.",
        "category": "Compute"
    },
    {
        "name": "servicecatalog",
        "displayName": "AWS Service Catalog",
        "description": "AWS Service Catalog enables IT administrators to create,
manage, and distribute portfolios of approved products to end users, who can then
access the products they need in a personalized portal.",
        "category": "Management and governance"
    },
    {
        "name": "servicequotas",
        "displayName": "Service Quotas",
        "description": "Service Quotas is a service for viewing and managing your
quotas easily and at scale as your AWS workloads grow. ",
        "category": "Management and governance"
    },
    {
        "name": "shield",
        "displayName": "AWS Shield",
        "description": "AWS provides two levels of protection against DDoS attacks:
AWS Shield Standard and AWS Shield Advanced.",
        "category": "Security, identity, and compliance"
    },
    {
        "name": "signer",
        "displayName": "AWS Signer",
```

```
    "description": "With AWS Signer, you can cryptographically sign computer
code for AWS Lambda applications and AWS-supported IoT devices.",
    "category": "Cryptography and PKI"
  },
  {
    "name": "ses",
    "displayName": "Amazon Simple Email Service",
    "description": "Amazon Simple Email Service (Amazon SES) is an email
sending and receiving service that provides an easy, cost-effective way for you to
send email.",
    "category": "Customer engagement"
  },
  {
    "name": "sns",
    "displayName": "Amazon Simple Notification Service",
    "description": "Amazon Simple Notification Service (Amazon SNS) is a
web service that enables applications, end-users, and devices to instantly send and
receive notifications from the cloud.",
    "category": "Application integration, front-end web and mobile"
  },
  {
    "name": "sqs",
    "displayName": "Amazon Simple Queue Service",
    "description": "Amazon Simple Queue Service (Amazon SQS) is a fully managed
message queuing service that makes it easy to decouple and scale microservices,
distributed systems, and serverless applications. ",
    "category": "Application integration"
  },
  {
    "name": "glacier",
    "displayName": "Amazon Simple Storage Service Glacier",
    "description": "Amazon Simple Storage Service Glacier (Amazon S3 Glacier)
is a storage service optimized for infrequently used data, or \"cold data.\",
    "category": "Storage"
  },
  {
    "name": "swf",
    "displayName": "Amazon Simple Workflow Service",
    "description": "Amazon Simple Workflow Service (Amazon SWF) makes it easy
to build applications that coordinate work across distributed components.",
    "category": "Application integration"
  },
  {
    "name": "sdb",
```

```
    "displayName": "Amazon SimpleDB",
    "description": "Amazon SimpleDB is a highly available, scalable, and
flexible non-relational data store that enables you to store and query data items
using web service requests.",
    "category": "Database"
  },
  {
    "name": "sso",
    "displayName": "AWS Single Sign-On",
    "description": "AWS Single Sign-On (AWS SSO) is a cloud-based service that
simplifies managing SSO access to AWS accounts and business applications. ",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "snowball",
    "displayName": "AWS Snow Family",
    "description": "The AWS Snow Family is a service that helps customers who
need to run operations in austere, non-data center environments, and in locations
where there's no consistent network connectivity.",
    "category": "Migration and transfer"
  },
  {
    "name": "states",
    "displayName": "AWS Step Functions",
    "description": "AWS Step Functions makes it easy to coordinate the
components of distributed applications as a series of steps in a visual workflow.",
    "category": "Application integration"
  },
  {
    "name": "storagegateway",
    "displayName": "AWS Storage Gateway",
    "description": "AWS Storage Gateway is a service that connects an on-
premises software appliance with cloud-based storage to provide seamless and secure
integration between your on-premises IT environment and the AWS storage infrastructure
in the cloud.",
    "category": "Storage"
  },
  {
    "name": "support",
    "displayName": "AWS Support",
    "description": "AWS Support provides a mix of tools and technology, people,
and programs designed to proactively help you optimize performance, lower costs, and
innovate faster.",
    "category": "Customer enablement services"
```

```
    },
    {
      "name": "ssm",
      "displayName": "AWS Systems Manager",
      "description": "Use AWS Systems Manager to organize, monitor, and automate
management tasks on your AWS resources.",
      "category": "Management and governance"
    },
    {
      "name": "textract",
      "displayName": "Amazon Textract",
      "description": "Amazon Textract enables you to add document text detection
and analysis to your applications.",
      "category": "Machine learning"
    },
    {
      "name": "timestream",
      "displayName": "Amazon Timestream",
      "description": "With Amazon Timestream, you can easily store and analyze
sensor data for IoT applications, metrics for DevOps use cases, and telemetry for
application monitoring scenarios such as clickstream data analysis.",
      "category": "Database"
    },
    {
      "name": "transcribe",
      "displayName": "Amazon Transcribe",
      "description": "Amazon Transcribe provides transcription services for your
audio files. It uses advanced machine learning technologies to recognize spoken words
and transcribe them into text.",
      "category": "Machine learning"
    },
    {
      "name": "transfer",
      "displayName": "AWS Transfer Family",
      "description": "AWS Transfer Family is a secure transfer service that
stores your data in Amazon S3 and simplifies the migration of Secure File Transfer
Protocol (SFTP), File Transfer Protocol Secure (FTPS), and File Transfer Protocol
(FTP) workflows to AWS.",
      "category": "Migration and transfer"
    },
    {
      "name": "translate",
      "displayName": "Amazon Translate",
```

```
    "description": "Amazon Translate is a neural machine translation service
for translating text to and from English across a breadth of supported languages.",
    "category": "Machine learning"
  },
  {
    "name": "waf",
    "displayName": "AWS WAF",
    "description": "AWS WAF is a web application firewall that lets you monitor
web requests that are forwarded to Amazon CloudFront distributions or an Application
Load Balancer.",
    "category": "Security, identity, and compliance"
  },
  {
    "name": "workdocs",
    "displayName": "Amazon WorkDocs",
    "description": "Amazon WorkDocs is a fully managed, secure enterprise
storage and sharing service with strong administrative controls and feedback
capabilities that improve user productivity.",
    "category": "End user computing"
  },
  {
    "name": "worklink",
    "displayName": "Amazon WorkLink",
    "description": "Amazon WorkLink is a fully managed, cloud-based service
that enables secure, one-click access to internal websites and web apps from mobile
devices.",
    "category": "End user computing"
  },
  {
    "name": "workmail",
    "displayName": "Amazon WorkMail",
    "description": "Amazon WorkMail is a managed email and calendaring service
that offers strong security controls and support for existing desktop and mobile
clients.",
    "category": "Business applications"
  },
  {
    "name": "workspaces",
    "displayName": "Amazon WorkSpaces",
    "description": "Amazon WorkSpaces offers an easy way to provide a cloud-
based desktop experience to your end users.",
    "category": "End user computing"
  },
  {
```

```
        "name": "xray",
        "displayName": "AWS X-Ray",
        "description": "AWS X-Ray makes it easy for developers to analyze the
behavior of their distributed applications by providing request tracing, exception
collection, and profiling capabilities.",
        "category": "Developer tools"
    }
]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSettings

Gets the settings for a specified AWS account.

Request Syntax

```
GET /settings/attribute HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

attribute

The list of setting attribute enum values.

Valid Values: ALL | IS_AWS_ORG_ENABLED | SNS_TOPIC |
DEFAULT_ASSESSMENT_REPORTS_DESTINATION | DEFAULT_PROCESS_OWNERS
| EVIDENCE_FINDER_ENABLEMENT | DEREGISTRATION_POLICY |
DEFAULT_EXPORT_DESTINATION

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "settings": {
    "defaultAssessmentReportsDestination": {
      "destination": "string",
      "destinationType": "string"
    },
    "defaultExportDestination": {
      "destination": "string",
      "destinationType": "string"
    }
  }
}
```

```
    },
    "defaultProcessOwners": [
      {
        "roleArn": "string",
        "roleType": "string"
      }
    ],
    "deregistrationPolicy": {
      "deleteResources": "string"
    },
    "evidenceFinderEnablement": {
      "backfillStatus": "string",
      "enablementStatus": "string",
      "error": "string",
      "eventDataStoreArn": "string"
    },
    "isAwsOrgEnabled": boolean,
    "kmsKey": "string",
    "snsTopic": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

settings

The settings object that holds all supported Audit Manager settings.

Type: [Settings](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

Examples

Confirming the status of evidence finder

This is an example response for the `GetSettings` API operation, where the `attribute` parameter is set to `EVIDENCE_FINDER_ENABLEMENT`.

This response returns the following evidence finder settings:

- `eventDataStoreArn` shows the ARN of the event data store that was created when evidence finder was enabled.
- `enablementStatus` shows the current status of evidence finder. In this case, `ENABLED` indicates that evidence finder was successfully enabled.
- `backfillStatus` shows the current status of the evidence data backfill. In this case, `IN_PROGRESS` indicates that the backfill is not yet complete.

Sample Response

```
{
  "settings": {
    "evidenceFinderEnablement": {
      "eventDataStoreArn": "arn:aws:cloudtrail:us-
east-1:111122223333:eventdatastore/1q2w3e4r-2w3e-4r5t-6y7u-1q2w3e4r5t6y",
      "enablementStatus": "ENABLED",
      "backfillStatus": "IN_PROGRESS"
    }
  }
}
```

Reviewing your data retention settings

This is an example response for the `GetSettings` API operation, where the `attribute` parameter is set to `DEREGISTRATION_POLICY`.

This response returns your current data retention preferences. In this case, `deleteResources` has a value of `DEFAULT`. This indicates that your Audit Manager data is subject to default data retention policies. For more information about data retention, see [Data Protection](#) in the *AWS Audit Manager User Guide*.

Sample Response

```
{
  "settings": {
    "deregistrationPolicy": {
      "deleteResources": "DEFAULT"
    }
  }
}
```

Reviewing your Audit Manager notification settings

This is an example response for the `GetSettings` API operation, where the `attribute` parameter is set to `SNS_TOPIC`.

If an SNS topic is in use, the response returns the ARN for that topic.

Sample Response

```
{
  "settings": {
    "snsTopic": "arn:aws:sns:us-east-1:111122223333:my-assessment-topic"
  }
}
```

Reviewing the default audit owners for your Audit Manager assessments

This is an example response for the `GetSettings` API operation, where the `attribute` parameter is set to `DEFAULT_PROCESS_OWNERS`.

If one or more default audit owners were specified, the response returns the ARN for each audit owner's role.

Sample Response

```
{
  "settings": {
    "defaultProcessOwners": [
      {
        "roleType": "PROCESS_OWNER",
        "roleArn": "arn:aws:iam::111122223333:role/Administrator"
      }
    ]
  }
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAssessmentControlInsightsByControlDomain

Lists the latest analytics data for controls within a specific control domain and a specific active assessment.

Note

Control insights are listed only if the control belongs to the control domain and assessment that was specified. Moreover, the control must have collected evidence on the `lastUpdated` date of `controlInsightsByAssessment`. If neither of these conditions are met, no data is listed for that control.

Request Syntax

```
GET /insights/controls-by-assessment?
assessmentId=assessmentId&controlDomainId=controlDomainId&maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the active assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlDomainId

The unique identifier for the control domain.

Audit Manager supports the control domains that are provided by AWS Control Catalog. For information about how to find a list of available control domains, see [ListDomains](#) in the AWS Control Catalog API Reference.

Length Constraints: Minimum length of 13. Maximum length of 2048.

Pattern: `^arn:.*:controlcatalog:.*:.*:domain/.*|UNCATEGORIZED|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\/=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "controlInsightsByAssessment": [
    {
      "controlSetName": "string",
      "evidenceInsights": {
        "compliantEvidenceCount": number,
        "inconclusiveEvidenceCount": number,
        "noncompliantEvidenceCount": number
      },
      "id": "string",
      "lastUpdated": number,
      "name": "string"
    }
  ]
}
```

```
  ],  
  "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

controlInsightsByAssessment

The assessment control analytics data that the `ListAssessmentControlInsightsByControlDomain` API returned.

Type: Array of [ControlInsightsMetadataByAssessmentItem](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAssessmentFrameworks

Returns a list of the frameworks that are available in the Audit Manager framework library.

Request Syntax

```
GET /assessmentFrameworks?  
frameworkType=frameworkType&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

frameworkType

The type of framework, such as a standard framework or a custom framework.

Valid Values: Standard | Custom

Required: Yes

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```



```
Content-type: application/json

{
  "frameworkMetadataList": [
    {
      "arn": "string",
      "complianceType": "string",
      "controlsCount": number,
      "controlSetsCount": number,
      "createdAt": number,
      "description": "string",
      "id": "string",
      "lastUpdatedAt": number,
      "logo": "string",
      "name": "string",
      "type": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

frameworkMetadataList

A list of metadata that the ListAssessmentFrameworks API returns for each framework.

Type: Array of [AssessmentFrameworkMetadata](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\|/=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

Examples

Retrieving a list of custom frameworks

This shows a sample response that the `ListAssessmentFrameworks` operation might return if you had two custom frameworks in your AWS account.

Sample Response

```
{
  "frameworkMetadataList": [
    {
      "arn": "arn:aws:auditmanager:us-east-1:111122223333:assessmentFramework/a1b2c3d4-5678-90ab-cdef-example11111",
      "id": "a1b2c3d4-5678-90ab-cdef-example11111",
      "type": "Custom",
      "name": "My custom framework",
      "description": "My custom framework for internal audits",
      "complianceType": "Internal",
      "controlsCount": 3,
    }
  ]
}
```

```
        "controlSetsCount": 1,
        "createdAt": "2022-03-29T14:57:31.634000-07:00",
        "lastUpdatedAt": "2022-03-29T14:57:31.635000-07:00"
    },
    {
        "arn": "arn:aws:auditmanager:us-east-1:111122223333:assessmentFramework/
a1b2c3d4-5678-90ab-cdef-example22222",
        "id": "a1b2c3d4-5678-90ab-cdef-example22222",
        "type": "Custom",
        "name": "My custom HIPAA framework",
        "description": "My custom framework for HIPAA audits",
        "complianceType": "HIPAA",
        "controlsCount": 4,
        "controlSetsCount": 2,
        "createdAt": "2021-03-02T16:35:24.177000-08:00",
        "lastUpdatedAt": "2022-01-10T14:32:18.855000-08:00"
    }
]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAssessmentFrameworkShareRequests

Returns a list of sent or received share requests for custom frameworks in AWS Audit Manager.

Request Syntax

```
GET /assessmentFrameworkShareRequests?  
maxResults=maxResults&nextToken=nextToken&requestType=requestType HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

requestType

Specifies whether the share request is a sent request or a received request.

Valid Values: SENT | RECEIVED

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "assessmentFrameworkShareRequests": [
    {
      "comment": "string",
      "complianceType": "string",
      "creationTime": number,
      "customControlsCount": number,
      "destinationAccount": "string",
      "destinationRegion": "string",
      "expirationTime": number,
      "frameworkDescription": "string",
      "frameworkId": "string",
      "frameworkName": "string",
      "id": "string",
      "lastUpdated": number,
      "sourceAccount": "string",
      "standardControlsCount": number,
      "status": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessmentFrameworkShareRequests

The list of share requests that the `ListAssessmentFrameworkShareRequests` API returned.

Type: Array of [AssessmentFrameworkShareRequest](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\|/=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAssessmentReports

Returns a list of assessment reports created in AWS Audit Manager.

Request Syntax

```
GET /assessmentReports?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assessmentReports": [
    {
      "assessmentId": "string",
      "assessmentName": "string",
      "author": "string",
```



```
    "creationTime": number,
    "description": "string",
    "id": "string",
    "name": "string",
    "status": "string"
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessmentReports

The list of assessment reports that the ListAssessmentReports API returned.

Type: Array of [AssessmentReportMetadata](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAssessments

Returns a list of current and past assessments from AWS Audit Manager.

Request Syntax

```
GET /assessments?maxResults=maxResults&nextToken=nextToken&status=status HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

status

The current status of the assessment.

Valid Values: ACTIVE | INACTIVE

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"assessmentMetadata": [
  {
    "complianceType": "string",
    "creationTime": number,
    "delegations": [
      {
        "assessmentId": "string",
        "assessmentName": "string",
        "comment": "string",
        "controlSetId": "string",
        "createdBy": "string",
        "creationTime": number,
        "id": "string",
        "lastUpdated": number,
        "roleArn": "string",
        "roleType": "string",
        "status": "string"
      }
    ],
    "id": "string",
    "lastUpdated": number,
    "name": "string",
    "roles": [
      {
        "roleArn": "string",
        "roleType": "string"
      }
    ],
    "status": "string"
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[assessmentMetadata](#)

The metadata that the `ListAssessments` API returns for each assessment.

Type: Array of [AssessmentMetadataItem](#) objects

[nextToken](#)

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\|/=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

Examples

Retrieving a list of assessments

This shows a sample response that the `ListAssessments` operation might return if you had three active assessments.

Sample Response

```
{
  "assessmentMetadata": [
    {
      "name": "my GxP assessment",
      "id": "a1b2c3d4-5678-90ab-cdef-example11111",
      "complianceType": "GxP 21 CFR Part 11",
      "status": "ACTIVE",
      "roles": [
        {
          "roleType": "PROCESS_OWNER",
          "roleArn": "arn:aws:iam::111122223333:role/Administrator"
        }
      ],
      "delegations": [],
      "creationTime": "2022-12-20T16:38:09.215000-08:00",
      "lastUpdated": "2022-12-20T16:38:09.397000-08:00"
    },
    {
      "name": "My control tower assessment",
      "id": "a1b2c3d4-5678-90ab-cdef-example22222",
      "complianceType": "AWS Control Tower Guardrails",
      "status": "ACTIVE",
      "roles": [
        {
          "roleType": "PROCESS_OWNER",
          "roleArn": "arn:aws:iam::111122223333:role/Administrator"
        }
      ],
      "delegations": [],
      "creationTime": "2022-02-23T10:25:41.083000-08:00",
      "lastUpdated": "2022-02-23T17:06:54.132000-08:00"
    },
    {
      "name": "My PCI DSS assessment",
      "id": "a1b2c3d4-5678-90ab-cdef-example33333",
      "complianceType": "PCI DSS",
      "status": "ACTIVE",
      "roles": [
        {
          "roleType": "PROCESS_OWNER",
          "roleArn": "arn:aws:iam::111122223333:role/Administrator"
        }
      ]
    }
  ]
}
```

```
    ],  
    "delegations": [],  
    "creationTime": "2022-02-23T09:34:42.850000-08:00",  
    "lastUpdated": "2022-02-23T09:34:42.982000-08:00"  
  }  
]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListControlDomainInsights

Lists the latest analytics data for control domains across all of your active assessments.

Audit Manager supports the control domains that are provided by AWS Control Catalog. For information about how to find a list of available control domains, see [ListDomains](#) in the AWS Control Catalog API Reference.

Note

A control domain is listed only if at least one of the controls within that domain collected evidence on the `lastUpdated` date of `controlDomainInsights`. If this condition isn't met, no data is listed for that control domain.

Request Syntax

```
GET /insights/control-domains?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

[nextToken](#)

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\|/=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "controlDomainInsights": [
    {
      "controlsCountByNoncompliantEvidence": number,
      "evidenceInsights": {
        "compliantEvidenceCount": number,
        "inconclusiveEvidenceCount": number,
        "noncompliantEvidenceCount": number
      },
      "id": "string",
      "lastUpdated": number,
      "name": "string",
      "totalControlsCount": number
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[controlDomainInsights](#)

The control domain analytics data that the `ListControlDomainInsights` API returned.

Type: Array of [ControlDomainInsights](#) objects

[nextToken](#)

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\|/]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListControlDomainInsightsByAssessment

Lists analytics data for control domains within a specified active assessment.

Audit Manager supports the control domains that are provided by AWS Control Catalog. For information about how to find a list of available control domains, see [ListDomains](#) in the AWS Control Catalog API Reference.

Note

A control domain is listed only if at least one of the controls within that domain collected evidence on the `lastUpdated` date of `controlDomainInsights`. If this condition isn't met, no data is listed for that domain.

Request Syntax

```
GET /insights/control-domains-by-assessment?
assessmentId=assessmentId&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the active assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "controlDomainInsights": [
    {
      "controlsCountByNoncompliantEvidence": number,
      "evidenceInsights": {
        "compliantEvidenceCount": number,
        "inconclusiveEvidenceCount": number,
        "noncompliantEvidenceCount": number
      },
      "id": "string",
      "lastUpdated": number,
      "name": "string",
      "totalControlsCount": number
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

controlDomainInsights

The control domain analytics data that the `ListControlDomainInsightsByAssessment` API returned.

Type: Array of [ControlDomainInsights](#) objects

[nextToken](#)

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\|/=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListControlInsightsByControlDomain

Lists the latest analytics data for controls within a specific control domain across all active assessments.

Note

Control insights are listed only if the control belongs to the control domain that was specified and the control collected evidence on the `lastUpdated` date of `controlInsightsMetadata`. If neither of these conditions are met, no data is listed for that control.

Request Syntax

```
GET /insights/controls?
controlDomainId=controlDomainId&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

controlDomainId

The unique identifier for the control domain.

Audit Manager supports the control domains that are provided by AWS Control Catalog. For information about how to find a list of available control domains, see [ListDomains](#) in the AWS Control Catalog API Reference.

Length Constraints: Minimum length of 13. Maximum length of 2048.

Pattern: `^arn:.*:controlcatalog:.*:.*:domain/.*(UNCATEGORIZED|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12})$`

Required: Yes

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "controlInsightsMetadata": [
    {
      "evidenceInsights": {
        "compliantEvidenceCount": number,
        "inconclusiveEvidenceCount": number,
        "noncompliantEvidenceCount": number
      },
      "id": "string",
      "lastUpdated": number,
      "name": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

controlInsightsMetadata

The control analytics data that the `ListControlInsightsByControlDomain` API returned.

Type: Array of [ControllInsightsMetadataItem](#) objects

[nextToken](#)

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\\"/>=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListControls

Returns a list of controls from AWS Audit Manager.

Request Syntax

```
GET /controls?
controlCatalogId=controlCatalogId&controlType=controlType&maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

controlCatalogId

A filter that narrows the list of controls to a specific resource from the AWS Control Catalog.

To use this parameter, specify the ARN of the Control Catalog resource. You can specify either a control domain, a control objective, or a common control. For information about how to find the ARNs for these resources, see [ListDomains](#), [ListObjectives](#), and [ListCommonControls](#).

Note

You can only filter by one Control Catalog resource at a time. Specifying multiple resource ARNs isn't currently supported. If you want to filter by more than one ARN, we recommend that you run the `ListControls` operation separately for each ARN.

Alternatively, specify `UNCATEGORIZED` to list controls that aren't mapped to a Control Catalog resource. For example, this operation might return a list of custom controls that don't belong to any control domain or control objective.

Length Constraints: Minimum length of 13. Maximum length of 2048.

Pattern: `^arn:.*:controlcatalog:.*|UNCATEGORIZED`

controlType

A filter that narrows the list of controls to a specific type.

Valid Values: Standard | Custom | Core

Required: Yes

maxResults

The maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "controlMetadataList": [
    {
      "arn": "string",
      "controlSources": "string",
      "createdAt": number,
      "id": "string",
      "lastUpdatedAt": number,
      "name": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

controlMetadataList

A list of metadata that the `ListControls` API returns for each control.

Type: Array of [ControlMetadata](#) objects

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

Examples

Retrieving a list of custom controls

This shows a sample response that the `ListControls` operation might return if you had three custom controls.

Sample Response

```
{
  "controlMetadataList": [
    {
      "arn": "arn:aws:auditmanager:us-east-1:111122223333:control/a1b2c3d4-5678-90ab-cdef-example11111",
      "id": "a1b2c3d4-5678-90ab-cdef-example11111",
      "name": "Example custom control",
      "controlSources": "AWS API calls, AWS Config, Manual",
      "createdAt": "2022-03-28T18:08:24.446000-07:00",
      "lastUpdatedAt": "2022-03-28T18:08:24.446000-07:00"
    },
    {
      "arn": "arn:aws:auditmanager:us-east-1:111122223333:control/a1b2c3d4-5678-90ab-cdef-example22222",
      "id": "a1b2c3d4-5678-90ab-cdef-example22222",
      "name": "Another custom control",
      "controlSources": "AWS API calls, AWS Config, Manual",
      "createdAt": "2022-03-28T17:45:15.622000-07:00",
      "lastUpdatedAt": "2022-03-28T18:06:56.171000-07:00"
    },
    {
      "arn": "arn:aws:auditmanager:us-east-1:111122223333:control/a1b2c3d4-5678-90ab-cdef-example33333",
      "id": "a1b2c3d4-5678-90ab-cdef-example33333",
      "name": "Custom control - CloudTrail Volume Events",
      "controlSources": "AWS CloudTrail",
      "createdAt": "2021-03-08T11:31:12.468000-08:00",
      "lastUpdatedAt": "2022-01-10T14:13:37.979000-08:00"
    }
  ]
}
```

Retrieving a list of core controls

This example shows how you can use the `ListControls` operation to return a filtered list of core controls that fall under a specific control domain (*Asset management*).

To retrieve a list of core controls

1. Use the [ListDomains](#) operation to see the control domains that you can use as filters. Find the control domain that you want to use as a filter (*Asset management*), and take note of its ARN.
2. Use the `ListControls` operation and use the following attributes as filters:
 - Use `ControlType` and specify `Core` as the value.
 - Use `ControlCatalogId` and specify the control domain ARN that you got from step 1.

The sample request uses the following ARN as a filter:

- This ARN represents the Asset management control domain:
`arn:aws:controlcatalog:::domain/d4msesd9vvmzmmuvlv06m92uq`

The sample response shows the results that the `ListControls` operation might return if two core controls matched the domain criteria of *Asset management*.

Sample Request

```
aws auditmanager list-controls --controlType Core --controlCatalogId
"arn:aws:controlcatalog:::domain/d4msesd9vvmzmmuvlv06m92uq"
```

Sample Response

```
{
  "controlMetadataList": [
    {
      "arn": "arn:aws:auditmanager:us-west-2::control/a1b2c3d4-5678-90ab-cdef-
example11111",
      "controlSources": "Manual",
      "createdAt": 1.681511681787E9,
      "id": "a1b2c3d4-5678-90ab-cdef-example11111",
      "lastUpdatedAt": 1.681511681788E9,
      "name": "164.312(a)(2)(iii)"
    }, {
```



```
    "arn": "arn:aws:auditmanager:us-west-2::control/a1b2c3d4-5678-90ab-cdef-
example22222",
    "controlSources": "AWS API calls, AWS Config, AWS Security Hub",
    "createdAt": 1.681511681787E9,
    "id": "a1b2c3d4-5678-90ab-cdef-example22222",
    "lastUpdatedAt": 1.681511681788E9,
    "name": "164.312(c)(1)"
  } ],
  "nextToken": "string"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKeywordsForDataSource

Returns a list of keywords that are pre-mapped to the specified control data source.

Request Syntax

```
GET /dataSourceKeywords?maxResults=maxResults&nextToken=nextToken&source=source  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

source

The control mapping data source that the keywords apply to.

Valid Values: `AWS_Cloudtrail` | `AWS_Config` | `AWS_Security_Hub` | `AWS_API_Call`
| `MANUAL`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "keywords": [ "string" ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

keywords

The list of keywords for the control mapping source.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z_0-9-\s().:\/]+`

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\/=]*`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListNotifications

Returns a list of all AWS Audit Manager notifications.

Request Syntax

```
GET /notifications?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

Represents the maximum number of results on a page or for an API request call.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token that's used to fetch the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "notifications": [
    {
      "assessmentId": "string",
      "assessmentName": "string",
```

```
    "controlSetId": "string",
    "controlSetName": "string",
    "description": "string",
    "eventTime": number,
    "id": "string",
    "source": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The pagination token that's used to fetch the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[A-Za-z0-9+\./=]*$`

notifications

The returned list of notifications.

Type: Array of [Notification](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Returns a list of tags for the specified resource in AWS Audit Manager.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:auditmanager:.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

The list of tags that the `ListTagsForResource` API returned.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.{0,255}`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RegisterAccount

Enables AWS Audit Manager for the specified AWS account.

Request Syntax

```
POST /account/registerAccount HTTP/1.1
Content-type: application/json
```

```
{
  "delegatedAdminAccount": "string",
  "kmsKey": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

delegatedAdminAccount

The delegated administrator account for Audit Manager.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: No

kmsKey

The AWS KMS key details.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 2048.

Pattern: `^arn:.*:kms:.*|DEFAULT`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

status

The status of the account registration request.

Type: String

Valid Values: ACTIVE | INACTIVE | PENDING_ACTIVATION

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RegisterOrganizationAdminAccount

Enables an AWS account within the organization as the delegated administrator for AWS Audit Manager.

Request Syntax

```
POST /account/registerOrganizationAdminAccount HTTP/1.1
Content-type: application/json

{
  "adminAccountId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

adminAccountId

The identifier for the delegated administrator account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"adminAccountId": "string",  
"organizationId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

adminAccountId

The identifier for the delegated administrator account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

organizationId

The identifier for the organization.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 34.

Pattern: `o-[a-z0-9]{10,32}`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartAssessmentFrameworkShare

Creates a share request for a custom framework in AWS Audit Manager.

The share request specifies a recipient and notifies them that a custom framework is available. Recipients have 120 days to accept or decline the request. If no action is taken, the share request expires.

When you create a share request, Audit Manager stores a snapshot of your custom framework in the US East (N. Virginia) AWS Region. Audit Manager also stores a backup of the same snapshot in the US West (Oregon) AWS Region.

Audit Manager deletes the snapshot and the backup snapshot when one of the following events occurs:

- The sender revokes the share request.
- The recipient declines the share request.
- The recipient encounters an error and doesn't successfully accept the share request.
- The share request expires before the recipient responds to the request.

When a sender [resends a share request](#), the snapshot is replaced with an updated version that corresponds with the latest version of the custom framework.

When a recipient accepts a share request, the snapshot is replicated into their AWS account under the AWS Region that was specified in the share request.

Important

When you invoke the `StartAssessmentFrameworkShare` API, you are about to share a custom framework with another AWS account. You may not share a custom framework that is derived from a standard framework if the standard framework is designated as not eligible for sharing by AWS, unless you have obtained permission to do so from the owner of the standard framework. To learn more about which standard frameworks are eligible for sharing, see [Framework sharing eligibility](#) in the *AWS Audit Manager User Guide*.

Request Syntax

```
POST /assessmentFrameworks/frameworkId/shareRequests HTTP/1.1
Content-type: application/json
```

```
{
  "comment": "string",
  "destinationAccount": "string",
  "destinationRegion": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

frameworkId

The unique identifier for the custom framework to be shared.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

comment

An optional comment from the sender about the share request.

Type: String

Length Constraints: Maximum length of 500.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

destinationAccount

The AWS account of the recipient.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: Yes

destinationRegion

The AWS Region of the recipient.

Type: String

Pattern: `^[a-z]{2}-[a-z]+-[0-9]{1}$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "assessmentFrameworkShareRequest": {
    "comment": "string",
    "complianceType": "string",
    "creationTime": number,
    "customControlsCount": number,
    "destinationAccount": "string",
    "destinationRegion": "string",
    "expirationTime": number,
    "frameworkDescription": "string",
    "frameworkId": "string",
    "frameworkName": "string",
    "id": "string",
    "lastUpdated": number,
    "sourceAccount": "string",
    "standardControlsCount": number,
```

```
    "status": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[assessmentFrameworkShareRequest](#)

The share request that's created by the `StartAssessmentFrameworkShare` API.

Type: [AssessmentFrameworkShareRequest](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Tags the specified resource in AWS Audit Manager.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:auditmanager:.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

The tags that are associated with the resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._: /]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.{0,255}`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes a tag from a resource in AWS Audit Manager.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the specified resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:auditmanager:.*`

Required: Yes

tagKeys

The name or key of the tag.

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAssessment

Edits an Audit Manager assessment.

Request Syntax

```
PUT /assessments/assessmentId HTTP/1.1  
Content-type: application/json
```

```
{  
  "assessmentDescription": "string",  
  "assessmentName": "string",  
  "assessmentReportsDestination": {  
    "destination": "string",  
    "destinationType": "string"  
  },  
  "roles": [  
    {  
      "roleArn": "string",  
      "roleType": "string"  
    }  
  ],  
  "scope": {  
    "awsAccounts": [  
      {  
        "emailAddress": "string",  
        "id": "string",  
        "name": "string"  
      }  
    ],  
    "awsServices": [  
      {  
        "serviceName": "string"  
      }  
    ]  
  }  
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

assessmentDescription

The description of the assessment.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

assessmentName

The name of the assessment to be updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\\]*$`

Required: No

assessmentReportsDestination

The assessment report storage destination for the assessment that's being updated.

Type: [AssessmentReportsDestination](#) object

Required: No

roles

The list of roles for the assessment.

Type: Array of [Role](#) objects

Required: No

scope

The scope of the assessment.

Type: [Scope](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "assessment": {
    "arn": "string",
    "awsAccount": {
      "emailAddress": "string",
      "id": "string",
      "name": "string"
    },
    "framework": {
      "arn": "string",
      "controlSets": [
        {
          "controls": [
            {
              "assessmentReportEvidenceCount": number,
              "comments": [
                {
                  "authorName": "string",
                  "commentBody": "string",
                  "postedDate": number
                }
              ]
            }
          ]
        }
      ],
      "description": "string",
```

```
        "evidenceCount": number,
        "evidenceSources": [ "string" ],
        "id": "string",
        "name": "string",
        "response": "string",
        "status": "string"
    }
],
"delegations": [
    {
        "assessmentId": "string",
        "assessmentName": "string",
        "comment": "string",
        "controlSetId": "string",
        "createdBy": "string",
        "creationTime": number,
        "id": "string",
        "lastUpdated": number,
        "roleArn": "string",
        "roleType": "string",
        "status": "string"
    }
],
"description": "string",
"id": "string",
"manualEvidenceCount": number,
"roles": [
    {
        "roleArn": "string",
        "roleType": "string"
    }
],
"status": "string",
"systemEvidenceCount": number
}
],
"metadata": {
    "complianceType": "string",
    "description": "string",
    "logo": "string",
    "name": "string"
}
},
```

```
"metadata": {
  "assessmentReportsDestination": {
    "destination": "string",
    "destinationType": "string"
  },
  "complianceType": "string",
  "creationTime": number,
  "delegations": [
    {
      "assessmentId": "string",
      "assessmentName": "string",
      "comment": "string",
      "controlSetId": "string",
      "createdBy": "string",
      "creationTime": number,
      "id": "string",
      "lastUpdated": number,
      "roleArn": "string",
      "roleType": "string",
      "status": "string"
    }
  ],
  "description": "string",
  "id": "string",
  "lastUpdated": number,
  "name": "string",
  "roles": [
    {
      "roleArn": "string",
      "roleType": "string"
    }
  ],
  "scope": {
    "awsAccounts": [
      {
        "emailAddress": "string",
        "id": "string",
        "name": "string"
      }
    ],
    "awsServices": [
      {
        "serviceName": "string"
      }
    ]
  }
}
```



```
    ]
  },
  "status": "string"
},
"tags": {
  "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessment

The response object for the UpdateAssessment API. This is the name of the updated assessment.

Type: [Assessment](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAssessmentControl

Updates a control within an assessment in AWS Audit Manager.

Request Syntax

```
PUT /assessments/assessmentId/controlSets/controlSetId/controls/controlId HTTP/1.1
Content-type: application/json
```

```
{
  "commentBody": "string",
  "controlStatus": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlId

The unique identifier for the control.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlSetId

The unique identifier for the control set.

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^\[\w\W\s\S]*$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

commentBody

The comment body text for the control.

Type: String

Length Constraints: Maximum length of 500.

Pattern: `^\[\w\W\s\S]*$`

Required: No

controlStatus

The status of the control.

Type: String

Valid Values: UNDER_REVIEW | REVIEWED | INACTIVE

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "control": {
    "assessmentReportEvidenceCount": number,
    "comments": [
      {
        "authorName": "string",
```

```
        "commentBody": "string",
        "postedDate": number
    }
],
"description": "string",
"evidenceCount": number,
"evidenceSources": [ "string" ],
"id": "string",
"name": "string",
"response": "string",
"status": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

control

The name of the updated control set that the UpdateAssessmentControl API returned.

Type: [AssessmentControl](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAssessmentControlSetStatus

Updates the status of a control set in an Audit Manager assessment.

Request Syntax

```
PUT /assessments/assessmentId/controlSets/controlSetId/status HTTP/1.1
Content-type: application/json

{
  "comment": "string",
  "status": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

controlSetId

The unique identifier for the control set.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

comment

The comment that's related to the status update.

Type: String

Length Constraints: Maximum length of 350.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: Yes

status

The status of the control set that's being updated.

Type: String

Valid Values: ACTIVE | UNDER_REVIEW | REVIEWED

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "controlSet": {
    "controls": [
      {
        "assessmentReportEvidenceCount": number,
        "comments": [
          {
            "authorName": "string",
            "commentBody": "string",
            "postedDate": number
          }
        ],
        "description": "string",
        "evidenceCount": number,
        "evidenceSources": [ "string" ],
        "id": "string",
        "name": "string",
```



```
    "response": "string",
    "status": "string"
  }
],
"delegations": [
  {
    "assessmentId": "string",
    "assessmentName": "string",
    "comment": "string",
    "controlSetId": "string",
    "createdBy": "string",
    "creationTime": number,
    "id": "string",
    "lastUpdated": number,
    "roleArn": "string",
    "roleType": "string",
    "status": "string"
  }
],
"description": "string",
"id": "string",
"manualEvidenceCount": number,
"roles": [
  {
    "roleArn": "string",
    "roleType": "string"
  }
],
"status": "string",
"systemEvidenceCount": number
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

controlSet

The name of the updated control set that the `UpdateAssessmentControlSetStatus` API returned.

Type: [AssessmentControlSet](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAssessmentFramework

Updates a custom framework in AWS Audit Manager.

Request Syntax

```
PUT /assessmentFrameworks/frameworkId HTTP/1.1
Content-type: application/json
```

```
{
  "complianceType": "string",
  "controlSets": [
    {
      "controls": [
        {
          "id": "string"
        }
      ],
      "id": "string",
      "name": "string"
    }
  ],
  "description": "string",
  "name": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

frameworkId

The unique identifier for the framework.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

complianceType

The compliance type that the new custom framework supports, such as CIS or HIPAA.

Type: String

Length Constraints: Maximum length of 100.

Pattern: `^[\w\W\s\S]*$`

Required: No

controlSets

The control sets that are associated with the framework.

Type: Array of [UpdateAssessmentFrameworkControlSet](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

description

The description of the updated framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[\w\W\s\S]*$`

Required: No

name

The name of the framework to be updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\\]*$`

Required: Yes

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "framework": {
    "arn": "string",
    "complianceType": "string",
    "controlSets": [
      {
        "controls": [
          {
            "actionPlanInstructions": "string",
            "actionPlanTitle": "string",
            "arn": "string",
            "controlMappingSources": [
              {
                "sourceDescription": "string",
                "sourceFrequency": "string",
                "sourceId": "string",
                "sourceKeyword": {
                  "keywordInputType": "string",
                  "keywordValue": "string"
                },
                "sourceName": "string",
                "sourceSetUpOption": "string",
                "sourceType": "string",
                "troubleshootingText": "string"
              }
            ],
            "controlSources": "string",
            "createdAt": number,
            "createdBy": "string",
            "description": "string",
            "id": "string",
            "lastUpdatedAt": number,
            "lastUpdatedBy": "string",
            "name": "string",
```

```
        "state": "string",
        "tags": {
            "string" : "string"
        },
        "testingInformation": "string",
        "type": "string"
    }
],
"controlSources": "string",
"createdAt": number,
"createdBy": "string",
"description": "string",
"id": "string",
"lastUpdatedAt": number,
"lastUpdatedBy": "string",
"logo": "string",
"name": "string",
"tags": {
    "string" : "string"
},
"type": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

framework

The name of the framework.

Type: [Framework](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAssessmentFrameworkShare

Updates a share request for a custom framework in AWS Audit Manager.

Request Syntax

```
PUT /assessmentFrameworkShareRequests/requestId HTTP/1.1
Content-type: application/json

{
  "action": "string",
  "requestType": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

requestId

The unique identifier for the share request.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

action

Specifies the update action for the share request.

Type: String

Valid Values: ACCEPT | DECLINE | REVOKE

Required: Yes

requestType

Specifies whether the share request is a sent request or a received request.

Type: String

Valid Values: SENT | RECEIVED

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "assessmentFrameworkShareRequest": {
    "comment": "string",
    "complianceType": "string",
    "creationTime": number,
    "customControlsCount": number,
    "destinationAccount": "string",
    "destinationRegion": "string",
    "expirationTime": number,
    "frameworkDescription": "string",
    "frameworkId": "string",
    "frameworkName": "string",
    "id": "string",
    "lastUpdated": number,
    "sourceAccount": "string",
    "standardControlsCount": number,
    "status": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[assessmentFrameworkShareRequest](#)

The updated share request that's returned by the `UpdateAssessmentFrameworkShare` operation.

Type: [AssessmentFrameworkShareRequest](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

You've reached your account quota for this resource type. To perform the requested action, delete some existing resources or [request a quota increase](#) from the Service Quotas console. For a list of Audit Manager service quotas, see [Quotas and restrictions for AWS Audit Manager](#).

HTTP Status Code: 402

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAssessmentStatus

Updates the status of an assessment in AWS Audit Manager.

Request Syntax

```
PUT /assessments/assessmentId/status HTTP/1.1
Content-type: application/json

{
  "status": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

assessmentId

The unique identifier for the assessment.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

status

The current status of the assessment.

Type: String

Valid Values: ACTIVE | INACTIVE

Required: Yes

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "assessment": {
    "arn": "string",
    "awsAccount": {
      "emailAddress": "string",
      "id": "string",
      "name": "string"
    },
    "framework": {
      "arn": "string",
      "controlSets": [
        {
          "controls": [
            {
              "assessmentReportEvidenceCount": number,
              "comments": [
                {
                  "authorName": "string",
                  "commentBody": "string",
                  "postedDate": number
                }
              ],
              "description": "string",
              "evidenceCount": number,
              "evidenceSources": [ "string" ],
              "id": "string",
              "name": "string",
              "response": "string",
              "status": "string"
            }
          ],
          "delegations": [
            {
              "assessmentId": "string",
              "assessmentName": "string",
              "comment": "string",
              "controlSetId": "string",
              "createdBy": "string",
```

```
        "creationTime": number,
        "id": "string",
        "lastUpdated": number,
        "roleArn": "string",
        "roleType": "string",
        "status": "string"
      }
    ],
    "description": "string",
    "id": "string",
    "manualEvidenceCount": number,
    "roles": [
      {
        "roleArn": "string",
        "roleType": "string"
      }
    ],
    "status": "string",
    "systemEvidenceCount": number
  }
],
"id": "string",
"metadata": {
  "complianceType": "string",
  "description": "string",
  "logo": "string",
  "name": "string"
}
},
"metadata": {
  "assessmentReportsDestination": {
    "destination": "string",
    "destinationType": "string"
  },
  "complianceType": "string",
  "creationTime": number,
  "delegations": [
    {
      "assessmentId": "string",
      "assessmentName": "string",
      "comment": "string",
      "controlSetId": "string",
      "createdBy": "string",
      "creationTime": number,
```

```
        "id": "string",
        "lastUpdated": number,
        "roleArn": "string",
        "roleType": "string",
        "status": "string"
    }
],
"description": "string",
"id": "string",
"lastUpdated": number,
"name": "string",
"roles": [
    {
        "roleArn": "string",
        "roleType": "string"
    }
],
"scope": {
    "awsAccounts": [
        {
            "emailAddress": "string",
            "id": "string",
            "name": "string"
        }
    ],
    "awsServices": [
        {
            "serviceName": "string"
        }
    ]
},
"status": "string"
},
"tags": {
    "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

assessment

The name of the updated assessment that the UpdateAssessmentStatus API returned.

Type: [Assessment](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerErrorException

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

You've reached your account quota for this resource type. To perform the requested action, delete some existing resources or [request a quota increase](#) from the Service Quotas console. For a list of Audit Manager service quotas, see [Quotas and restrictions for AWS Audit Manager](#).

HTTP Status Code: 402

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateControl

Updates a custom control in AWS Audit Manager.

Request Syntax

```
PUT /controls/controlId HTTP/1.1
Content-type: application/json

{
  "actionPlanInstructions": "string",
  "actionPlanTitle": "string",
  "controlMappingSources": [
    {
      "sourceDescription": "string",
      "sourceFrequency": "string",
      "sourceId": "string",
      "sourceKeyword": {
        "keywordInputType": "string",
        "keywordValue": "string"
      },
      "sourceName": "string",
      "sourceSetUpOption": "string",
      "sourceType": "string",
      "troubleshootingText": "string"
    }
  ],
  "description": "string",
  "name": "string",
  "testingInformation": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

controlId

The identifier for the control.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

[actionPlanInstructions](#)

The recommended actions to carry out if the control isn't fulfilled.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

[actionPlanTitle](#)

The title of the action plan for remediating the control.

Type: String

Length Constraints: Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

[controlMappingSources](#)

The data mapping sources for the control.

Type: Array of [ControlMappingSource](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

[description](#)

The optional description of the control.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

name

The name of the updated control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\\]*$`

Required: Yes

testingInformation

The steps that you should follow to determine if the control is met.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "control": {
    "actionPlanInstructions": "string",
    "actionPlanTitle": "string",
    "arn": "string",
    "controlMappingSources": [
      {
        "sourceDescription": "string",
        "sourceFrequency": "string",
        "sourceId": "string",
```

```
    "sourceKeyword": {
      "keywordInputType": "string",
      "keywordValue": "string"
    },
    "sourceName": "string",
    "sourceSetUpOption": "string",
    "sourceType": "string",
    "troubleshootingText": "string"
  }
],
"controlSources": "string",
"createdAt": number,
"createdBy": "string",
"description": "string",
"id": "string",
"lastUpdatedAt": number,
"lastUpdatedBy": "string",
"name": "string",
"state": "string",
"tags": {
  "string" : "string"
},
"testingInformation": "string",
"type": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

control

The name of the updated control set that the UpdateControl API returned.

Type: [Control](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateSettings

Updates Audit Manager settings for the current account.

Request Syntax

```
PUT /settings HTTP/1.1
Content-type: application/json

{
  "defaultAssessmentReportsDestination": {
    "destination": "string",
    "destinationType": "string"
  },
  "defaultExportDestination": {
    "destination": "string",
    "destinationType": "string"
  },
  "defaultProcessOwners": [
    {
      "roleArn": "string",
      "roleType": "string"
    }
  ],
  "deregistrationPolicy": {
    "deleteResources": "string"
  },
  "evidenceFinderEnabled": boolean,
  "kmsKey": "string",
  "snsTopic": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

defaultAssessmentReportsDestination

The default S3 destination bucket for storing assessment reports.

Type: [AssessmentReportsDestination](#) object

Required: No

defaultExportDestination

The default S3 destination bucket for storing evidence finder exports.

Type: [DefaultExportDestination](#) object

Required: No

defaultProcessOwners

A list of the default audit owners.

Type: Array of [Role](#) objects

Required: No

deregistrationPolicy

The deregistration policy for your Audit Manager data. You can use this attribute to determine how your data is handled when you deregister Audit Manager.

Type: [DeregistrationPolicy](#) object

Required: No

evidenceFinderEnabled

Specifies whether the evidence finder feature is enabled. Change this attribute to enable or disable evidence finder.

Important

When you use this attribute to disable evidence finder, Audit Manager deletes the event data store that's used to query your evidence data. As a result, you can't re-enable evidence finder and use the feature again. Your only alternative is to [deregister](#) and then [re-register](#) Audit Manager.

Type: Boolean

Required: No

kmsKey

The AWS KMS key details.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 2048.

Pattern: `^arn:.*:kms:.*|DEFAULT`

Required: No

snsTopic

The Amazon Simple Notification Service (Amazon SNS) topic that AWS Audit Manager sends notifications to.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 2048.

Pattern: `^arn:.*:sns:.*|NONE`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "settings": {
    "defaultAssessmentReportsDestination": {
      "destination": "string",
      "destinationType": "string"
    },
    "defaultExportDestination": {
      "destination": "string",
      "destinationType": "string"
    }
  }
}
```

```
    },
    "defaultProcessOwners": [
      {
        "roleArn": "string",
        "roleType": "string"
      }
    ],
    "deregistrationPolicy": {
      "deleteResources": "string"
    },
    "evidenceFinderEnablement": {
      "backfillStatus": "string",
      "enablementStatus": "string",
      "error": "string",
      "eventDataStoreArn": "string"
    },
    "isAwsOrgEnabled": boolean,
    "kmsKey": "string",
    "snsTopic": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

settings

The current list of settings.

Type: [Settings](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

Examples

Enabling evidence finder

This is an example response for the `GetSettings` API operation, where the `evidenceFinderEnabled` parameter was used to enable evidence finder.

This response returns the following `evidenceFinderEnablement` data:

- `enablementStatus` shows the current status of evidence finder. In this case, `ENABLE_IN_PROGRESS` indicates that you requested to enable evidence finder, and an event data store is being created to support evidence finder queries.
- `backfillStatus` shows the current status of the evidence data backfill. In this case, `NOT_STARTED` indicates that the backfill hasn't started yet.

Sample Response

```
{
  "settings": {
    "isAwsOrgEnabled": false,
    "snsTopic": "arn:aws:sns:us-east-1:111122223333:my-assessment-topic",
    "defaultAssessmentReportsDestination": {
      "destinationType": "S3",
      "destination": "s3://my-assessment-report-destination"
    },
    "defaultProcessOwners": [
      {
```

```
        "roleType": "PROCESS_OWNER",
        "roleArn": "arn:aws:iam::111122223333:role/Administrator"
    }
],
"kmsKey": "DEFAULT",
"evidenceFinderEnablement": {
    "enablementStatus": "ENABLE_IN_PROGRESS",
    "backfillStatus": "NOT_STARTED"
}
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ValidateAssessmentReportIntegrity

Validates the integrity of an assessment report in AWS Audit Manager.

Request Syntax

```
POST /assessmentReports/integrity HTTP/1.1
Content-type: application/json
```

```
{
  "s3RelativePath": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

s3RelativePath

The relative path of the Amazon S3 bucket that the assessment report is stored in.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^(S|s)3:\V/[a-zA-Z0-9\-\.\(\)\'*_\!\/]+`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "signatureAlgorithm": "string",
  "signatureDateTime": "string",
}
```

```
"signatureKeyId": "string",  
"signatureValid": boolean,  
"validationErrors": [ "string" ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

signatureAlgorithm

The signature algorithm that's used to code sign the assessment report file.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

signatureDateTime

The date and time signature that specifies when the assessment report was created.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

signatureKeyId

The unique identifier for the validation signature key.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

signatureValid

Specifies whether the signature key is valid.

Type: Boolean

validationErrors

Represents any errors that occurred when validating the assessment report.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: .*\\S.*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Your account isn't registered with AWS Audit Manager. Check the delegated administrator setup on the Audit Manager settings page, and try again.

HTTP Status Code: 403

InternalServerError

An internal service error occurred during the processing of your request. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource that's specified in the request can't be found.

HTTP Status Code: 404

ValidationException

The request has invalid or missing parameters.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Audit Manager API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [Assessment](#)
- [AssessmentControl](#)
- [AssessmentControlSet](#)
- [AssessmentEvidenceFolder](#)
- [AssessmentFramework](#)
- [AssessmentFrameworkMetadata](#)
- [AssessmentFrameworkShareRequest](#)
- [AssessmentMetadata](#)
- [AssessmentMetadataItem](#)
- [AssessmentReport](#)
- [AssessmentReportEvidenceError](#)
- [AssessmentReportMetadata](#)
- [AssessmentReportsDestination](#)
- [AWSAccount](#)
- [AWSService](#)
- [BatchCreateDelegationByAssessmentError](#)
- [BatchDeleteDelegationByAssessmentError](#)
- [BatchImportEvidenceToAssessmentControlError](#)
- [ChangeLog](#)
- [Control](#)

- [ControlComment](#)
- [ControlDomainInsights](#)
- [ControlInsightsMetadataByAssessmentItem](#)
- [ControlInsightsMetadataItem](#)
- [ControlMappingSource](#)
- [ControlMetadata](#)
- [ControlSet](#)
- [CreateAssessmentFrameworkControl](#)
- [CreateAssessmentFrameworkControlSet](#)
- [CreateControlMappingSource](#)
- [CreateDelegationRequest](#)
- [DefaultExportDestination](#)
- [Delegation](#)
- [DelegationMetadata](#)
- [DeregistrationPolicy](#)
- [Evidence](#)
- [EvidenceFinderEnablement](#)
- [EvidenceInsights](#)
- [Framework](#)
- [FrameworkMetadata](#)
- [Insights](#)
- [InsightsByAssessment](#)
- [ManualEvidence](#)
- [Notification](#)
- [Resource](#)
- [Role](#)
- [Scope](#)
- [ServiceMetadata](#)
- [Settings](#)
- [SourceKeyword](#)

- [UpdateAssessmentFrameworkControlSet](#)
- [URL](#)
- [ValidationExceptionField](#)

Assessment

An entity that defines the scope of audit evidence collected by AWS Audit Manager. An Audit Manager assessment is an implementation of an Audit Manager framework.

Contents

arn

The Amazon Resource Name (ARN) of the assessment.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:auditmanager:.*`

Required: No

awsAccount

The AWS account that's associated with the assessment.

Type: [AWSAccount](#) object

Required: No

framework

The framework that the assessment was created from.

Type: [AssessmentFramework](#) object

Required: No

metadata

The metadata for the assessment.

Type: [AssessmentMetadata](#) object

Required: No

tags

The tags that are associated with the assessment.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.{0,255}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentControl

The control entity that represents a standard control or a custom control in an Audit Manager assessment.

Contents

assessmentReportEvidenceCount

The amount of evidence in the assessment report.

Type: Integer

Required: No

comments

The list of comments that's attached to the control.

Type: Array of [ControlComment](#) objects

Required: No

description

The description of the control.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

evidenceCount

The amount of evidence that's collected for the control.

Type: Integer

Required: No

evidenceSources

The list of data sources for the evidence.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Required: No

id

The identifier for the control.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

name

The name of the control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

response

The response of the control.

Type: String

Valid Values: MANUAL | AUTOMATE | DEFER | IGNORE

Required: No

status

The status of the control.

Type: String

Valid Values: UNDER_REVIEW | REVIEWED | INACTIVE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentControlSet

Represents a set of controls in an Audit Manager assessment.

Contents

controls

The list of controls that's contained with the control set.

Type: Array of [AssessmentControl](#) objects

Required: No

delegations

The delegations that are associated with the control set.

Type: Array of [Delegation](#) objects

Required: No

description

The description for the control set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Required: No

id

The identifier of the control set in the assessment. This is the control set name in a plain string format.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

manualEvidenceCount

The total number of evidence objects that are uploaded manually to the control set.

Type: Integer

Required: No

roles

The roles that are associated with the control set.

Type: Array of [Role](#) objects

Required: No

status

The current status of the control set.

Type: String

Valid Values: ACTIVE | UNDER_REVIEW | REVIEWED

Required: No

systemEvidenceCount

The total number of evidence objects that are retrieved automatically for the control set.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentEvidenceFolder

The folder where AWS Audit Manager stores evidence for an assessment.

Contents

assessmentId

The identifier for the assessment.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

assessmentReportSelectionCount

The total count of evidence that's included in the assessment report.

Type: Integer

Required: No

author

The name of the user who created the evidence folder.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

controlId

The unique identifier for the control.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

controlName

The name of the control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

controlSetId

The identifier for the control set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

dataSource

The AWS service that the evidence was collected from.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

date

The date when the first evidence was added to the evidence folder.

Type: Timestamp

Required: No

evidenceAwsServiceSourceCount

The total number of AWS resources that were assessed to generate the evidence.

Type: Integer

Required: No

evidenceByTypeComplianceCheckCount

The number of evidence that falls under the compliance check category. This evidence is collected from AWS Config or AWS Security Hub.

Type: Integer

Required: No

evidenceByTypeComplianceCheckIssuesCount

The total number of issues that were reported directly from AWS Security Hub, AWS Config, or both.

Type: Integer

Required: No

evidenceByTypeConfigurationDataCount

The number of evidence that falls under the configuration data category. This evidence is collected from configuration snapshots of other AWS services such as Amazon EC2, Amazon S3, or IAM.

Type: Integer

Required: No

evidenceByTypeManualCount

The number of evidence that falls under the manual category. This evidence is imported manually.

Type: Integer

Required: No

evidenceByTypeUserActivityCount

The number of evidence that falls under the user activity category. This evidence is collected from AWS CloudTrail logs.

Type: Integer

Required: No

evidenceResourcesIncludedCount

The amount of evidence that's included in the evidence folder.

Type: Integer

Required: No

id

The identifier for the folder that the evidence is stored in.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

name

The name of the evidence folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

totalEvidence

The total amount of evidence in the evidence folder.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentFramework

The file used to structure and automate AWS Audit Manager assessments for a given compliance standard.

Contents

arn

The Amazon Resource Name (ARN) of the framework.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:auditmanager:.*`

Required: No

controlSets

The control sets that are associated with the framework.

Type: Array of [AssessmentControlSet](#) objects

Required: No

id

The unique identifier for the framework.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

metadata

The metadata of a framework, such as the name, ID, or description.

Type: [FrameworkMetadata](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentFrameworkMetadata

The metadata that's associated with a standard framework or a custom framework.

Contents

arn

The Amazon Resource Name (ARN) of the framework.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:auditmanager:.*`

Required: No

complianceType

The compliance type that the new custom framework supports, such as CIS or HIPAA.

Type: String

Length Constraints: Maximum length of 100.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

controlsCount

The number of controls that are associated with the framework.

Type: Integer

Required: No

controlSetsCount

The number of control sets that are associated with the framework.

Type: Integer

Required: No

createdAt

The time when the framework was created.

Type: Timestamp

Required: No

description

The description of the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

id

The unique identifier for the framework.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdatedAt

The time when the framework was most recently updated.

Type: Timestamp

Required: No

logo

The logo that's associated with the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^\[\w, \s-\]+\.[A-Za-z]+\`

Required: No

name

The name of the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\]\]*\`

Required: No

type

The framework type, such as a standard framework or a custom framework.

Type: String

Valid Values: Standard | Custom

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentFrameworkShareRequest

Represents a share request for a custom framework in AWS Audit Manager.

Contents

comment

An optional comment from the sender about the share request.

Type: String

Length Constraints: Maximum length of 500.

Pattern: `^[\w\W\s\S]*$`

Required: No

complianceType

The compliance type that the shared custom framework supports, such as CIS or HIPAA.

Type: String

Length Constraints: Maximum length of 100.

Pattern: `^[\w\W\s\S]*$`

Required: No

creationTime

The time when the share request was created.

Type: Timestamp

Required: No

customControlsCount

The number of custom controls that are part of the shared custom framework.

Type: Integer

Required: No

destinationAccount

The AWS account of the recipient.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: No

destinationRegion

The AWS Region of the recipient.

Type: String

Pattern: `^[a-z]{2}-[a-z]+-[0-9]{1}$`

Required: No

expirationTime

The time when the share request expires.

Type: Timestamp

Required: No

frameworkDescription

The description of the shared custom framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

frameworkId

The unique identifier for the shared custom framework.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

frameworkName

The name of the custom framework that the share request is for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

id

The unique identifier for the share request.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdated

Specifies when the share request was last updated.

Type: Timestamp

Required: No

sourceAccount

The AWS account of the sender.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: No

standardControlsCount

The number of standard controls that are part of the shared custom framework.

Type: Integer

Required: No

status

The status of the share request.

Type: String

Valid Values: ACTIVE | REPLICATING | SHARED | EXPIRING | FAILED | EXPIRED | DECLINED | REVOKED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentMetadata

The metadata that's associated with the specified assessment.

Contents

assessmentReportsDestination

The destination that evidence reports are stored in for the assessment.

Type: [AssessmentReportsDestination](#) object

Required: No

complianceType

The name of the compliance standard that's related to the assessment, such as PCI-DSS.

Type: String

Length Constraints: Maximum length of 100.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

creationTime

Specifies when the assessment was created.

Type: Timestamp

Required: No

delegations

The delegations that are associated with the assessment.

Type: Array of [Delegation](#) objects

Required: No

description

The description of the assessment.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

id

The unique identifier for the assessment.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdated

The time of the most recent update.

Type: Timestamp

Required: No

name

The name of the assessment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\\]*$`

Required: No

roles

The roles that are associated with the assessment.

Type: Array of [Role](#) objects

Required: No

scope

The wrapper of AWS accounts and services that are in scope for the assessment.

Type: [Scope](#) object

Required: No

status

The overall status of the assessment.

Type: String

Valid Values: ACTIVE | INACTIVE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentMetadataItem

A metadata object that's associated with an assessment in AWS Audit Manager.

Contents

complianceType

The name of the compliance standard that's related to the assessment, such as PCI-DSS.

Type: String

Length Constraints: Maximum length of 100.

Pattern: `^[\w\W\s\S]*$`

Required: No

creationTime

Specifies when the assessment was created.

Type: Timestamp

Required: No

delegations

The delegations that are associated with the assessment.

Type: Array of [Delegation](#) objects

Required: No

id

The unique identifier for the assessment.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdated

The time of the most recent update.

Type: Timestamp

Required: No

name

The name of the assessment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

roles

The roles that are associated with the assessment.

Type: Array of [Role](#) objects

Required: No

status

The current status of the assessment.

Type: String

Valid Values: ACTIVE | INACTIVE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentReport

A finalized document that's generated from an Audit Manager assessment. These reports summarize the relevant evidence that was collected for your audit, and link to the relevant evidence folders. These evidence folders are named and organized according to the controls that are specified in your assessment.

Contents

assessmentId

The identifier for the specified assessment.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

assessmentName

The name of the associated assessment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

author

The name of the user who created the assessment report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[a-zA-Z0-9-_()\s\+=, .@]+$`

Required: No

awsAccountId

The identifier for the specified AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: No

creationTime

Specifies when the assessment report was created.

Type: Timestamp

Required: No

description

The description of the specified assessment report.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

id

The unique identifier for the assessment report.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

name

The name that's given to the assessment report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[a-zA-Z0-9-_\.\.]+$`

Required: No

status

The current status of the specified assessment report.

Type: String

Valid Values: COMPLETE | IN_PROGRESS | FAILED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentReportEvidenceError

An error entity for assessment report evidence errors. This is used to provide more meaningful errors than a simple string message.

Contents

errorCode

The error code that was returned.

Type: String

Length Constraints: Fixed length of 3.

Pattern: `[0-9]{3}`

Required: No

errorMessage

The error message that was returned.

Type: String

Length Constraints: Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

evidenceId

The identifier for the evidence.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentReportMetadata

The metadata objects that are associated with the specified assessment report.

Contents

assessmentId

The unique identifier for the associated assessment.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

assessmentName

The name of the associated assessment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\\]*$`

Required: No

author

The name of the user who created the assessment report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[a-zA-Z0-9-_()\s\+=, .@]+$`

Required: No

creationTime

Specifies when the assessment report was created.

Type: Timestamp

Required: No

description

The description of the assessment report.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

id

The unique identifier for the assessment report.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

name

The name of the assessment report.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[a-zA-Z0-9-_.]+$`

Required: No

status

The current status of the assessment report.

Type: String

Valid Values: COMPLETE | IN_PROGRESS | FAILED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssessmentReportsDestination

The location where AWS Audit Manager saves assessment reports for the given assessment.

Contents

destination

The destination bucket where Audit Manager stores assessment reports.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^(S|s)3:\V/[a-zA-Z0-9\-\.\(\)\'*_\!\/]+`

Required: No

destinationType

The destination type, such as Amazon S3.

Type: String

Valid Values: S3

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AWSAccount

The wrapper of AWS account details, such as account ID or email address.

Contents

emailAddress

The email address that's associated with the AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 320.

Pattern: `^.*@.*$`

Required: No

id

The identifier for the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: No

name

The name of the AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[^\u0020-\u007E]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AWSService

An AWS service such as Amazon S3 or AWS CloudTrail.

For an example of how to find an AWS service name and how to define it in your assessment scope, see the following:

- [Finding an AWS service name to use in your assessment scope](#)
- [Defining an AWS service name in your assessment scope](#)

Contents

serviceName

The name of the AWS service.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 40.

Pattern: `^[a-zA-Z0-9-\s().]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BatchCreateDelegationByAssessmentError

An error entity for the BatchCreateDelegationByAssessment API. This is used to provide more meaningful errors than a simple string message.

Contents

createDelegationRequest

The API request to batch create delegations in AWS Audit Manager.

Type: [CreateDelegationRequest](#) object

Required: No

errorCode

The error code that the BatchCreateDelegationByAssessment API returned.

Type: String

Length Constraints: Fixed length of 3.

Pattern: `[0-9]{3}`

Required: No

errorMessage

The error message that the BatchCreateDelegationByAssessment API returned.

Type: String

Length Constraints: Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BatchDeleteDelegationByAssessmentError

An error entity for the BatchDeleteDelegationByAssessment API. This is used to provide more meaningful errors than a simple string message.

Contents

delegationId

The identifier for the delegation.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

errorCode

The error code that the BatchDeleteDelegationByAssessment API returned.

Type: String

Length Constraints: Fixed length of 3.

Pattern: `[0-9]{3}`

Required: No

errorMessage

The error message that the BatchDeleteDelegationByAssessment API returned.

Type: String

Length Constraints: Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

BatchImportEvidenceToAssessmentControlError

An error entity for the `BatchImportEvidenceToAssessmentControl` API. This is used to provide more meaningful errors than a simple string message.

Contents

errorCode

The error code that the `BatchImportEvidenceToAssessmentControl` API returned.

Type: String

Length Constraints: Fixed length of 3.

Pattern: `[0-9]{3}`

Required: No

errorMessage

The error message that the `BatchImportEvidenceToAssessmentControl` API returned.

Type: String

Length Constraints: Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

manualEvidence

Manual evidence that can't be collected automatically by Audit Manager.

Type: [ManualEvidence](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ChangeLog

The record of a change within AWS Audit Manager. For example, this could be the status change of an assessment or the delegation of a control set.

Contents

action

The action that was performed.

Type: String

Valid Values: CREATE | UPDATE_METADATA | ACTIVE | INACTIVE | DELETE | UNDER_REVIEW | REVIEWED | IMPORT_EVIDENCE

Required: No

createdAt

The time when the action was performed and the changelog record was created.

Type: Timestamp

Required: No

createdBy

The user or role that performed the action.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:iam:.*`

Required: No

objectName

The name of the object that changed. This could be the name of an assessment, control, or control set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Required: No

objectType

The object that was changed, such as an assessment, control, or control set.

Type: String

Valid Values: ASSESSMENT | CONTROL_SET | CONTROL | DELEGATION | ASSESSMENT_REPORT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Control

A control in AWS Audit Manager.

Contents

actionPlanInstructions

The recommended actions to carry out if the control isn't fulfilled.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\w\W\s\S]*$`

Required: No

actionPlanTitle

The title of the action plan for remediating the control.

Type: String

Length Constraints: Maximum length of 300.

Pattern: `^[\w\W\s\S]*$`

Required: No

arn

The Amazon Resource Name (ARN) of the control.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:auditmanager:.*`

Required: No

controlMappingSources

The data mapping sources for the control.

Type: Array of [ControlMappingSource](#) objects

Array Members: Minimum number of 1 item.

Required: No

controlSources

The data source types that determine where Audit Manager collects evidence from for the control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z_0-9-\s.,]+`

Required: No

createdAt

The time when the control was created.

Type: Timestamp

Required: No

createdBy

The user or role that created the control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z0-9\s-_(\)\[\]]+$`

Required: No

description

The description of the control.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

id

The unique identifier for the control.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdatedAt

The time when the control was most recently updated.

Type: Timestamp

Required: No

lastUpdatedBy

The user or role that most recently updated the control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z0-9\\s-_(\\)]+$`

Required: No

name

The name of the control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\\]*$`

Required: No

state

The state of the control. The `END_OF_SUPPORT` state is applicable to standard controls only. This state indicates that the standard control can still be used to collect evidence, but Audit Manager is no longer updating or maintaining that control.

Type: String

Valid Values: `ACTIVE` | `END_OF_SUPPORT`

Required: No

tags

The tags associated with the control.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.{0,255}`

Required: No

testingInformation

The steps that you should follow to determine if the control has been satisfied.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

type

Specifies whether the control is a standard control or a custom control.

Type: String

Valid Values: Standard | Custom | Core

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ControlComment

A comment that's posted by a user on a control. This includes the author's name, the comment text, and a timestamp.

Contents

authorName

The name of the user who authored the comment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[a-zA-Z0-9-_()\s\+=, .@]+$`

Required: No

commentBody

The body text of a control comment.

Type: String

Length Constraints: Maximum length of 500.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

postedDate

The time when the comment was posted.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ControlDomainInsights

A summary of the latest analytics data for a specific control domain.

Control domain insights are grouped by control domain, and ranked by the highest total count of non-compliant evidence.

Contents

controlsCountByNoncompliantEvidence

The number of controls in the control domain that collected non-compliant evidence on the `lastUpdated` date.

Type: Integer

Required: No

evidenceInsights

A breakdown of the compliance check status for the evidence that's associated with the control domain.

Type: [EvidenceInsights](#) object

Required: No

id

The unique identifier for the control domain. Audit Manager supports the control domains that are provided by AWS Control Catalog. For information about how to find a list of available control domains, see [ListDomains](#) in the AWS Control Catalog API Reference.

Type: String

Length Constraints: Minimum length of 13. Maximum length of 2048.

Pattern: `^arn:.*:controlcatalog:.*:.*:domain/.*|UNCATEGORIZED|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdated

The time when the control domain insights were last updated.

Type: Timestamp

Required: No

name

The name of the control domain.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

totalControlsCount

The total number of controls in the control domain.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ControlInsightsMetadataByAssessmentItem

A summary of the latest analytics data for a specific control in a specific active assessment.

Control insights are grouped by control domain, and ranked by the highest total count of non-compliant evidence.

Contents

controlSetName

The name of the control set that the assessment control belongs to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Required: No

evidenceInsights

A breakdown of the compliance check status for the evidence that's associated with the assessment control.

Type: [EvidenceInsights](#) object

Required: No

id

The unique identifier for the assessment control.

Type: String

Length Constraints: Minimum length of 13. Maximum length of 2048.

Pattern: `^arn:.*:controlcatalog:.*:.*:domain/.*|UNCATEGORIZED|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdated

The time when the assessment control insights were last updated.

Type: Timestamp

Required: No

name

The name of the assessment control.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ControlInsightsMetadataItem

A summary of the latest analytics data for a specific control.

This data reflects the total counts for the specified control across all active assessments. Control insights are grouped by control domain, and ranked by the highest total count of non-compliant evidence.

Contents

evidenceInsights

A breakdown of the compliance check status for the evidence that's associated with the control.

Type: [EvidenceInsights](#) object

Required: No

id

The unique identifier for the control.

Type: String

Length Constraints: Minimum length of 13. Maximum length of 2048.

Pattern: `^arn:.*:controlcatalog:.*:.*:domain/.*|UNCATEGORIZED|^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdated

The time when the control insights were last updated.

Type: Timestamp

Required: No

name

The name of the control.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ControlMappingSource

The data source that determines where AWS Audit Manager collects evidence from for the control.

Contents

sourceDescription

The description of the source.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

sourceFrequency

Specifies how often evidence is collected from the control mapping source.

Type: String

Valid Values: DAILY | WEEKLY | MONTHLY

Required: No

sourceId

The unique identifier for the source.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

sourceKeyword

A keyword that relates to the control data source.

For manual evidence, this keyword indicates if the manual evidence is a file or text.

For automated evidence, this keyword identifies a specific CloudTrail event, AWS Config rule, Security Hub control, or AWS API name.

To learn more about the supported keywords that you can use when mapping a control data source, see the following pages in the *AWS Audit Manager User Guide*:

- [AWS Config rules supported by AWS Audit Manager](#)
- [AWS Security Hub controls supported by AWS Audit Manager](#)
- [API calls supported by AWS Audit Manager](#)
- [AWS CloudTrail event names supported by AWS Audit Manager](#)

Type: [SourceKeyword](#) object

Required: No

sourceName

The name of the source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

sourceSetUpOption

The setup option for the data source. This option reflects if the evidence collection method is automated or manual. If you don't provide a value for `sourceSetUpOption`, AWS Audit Manager automatically infers and populates the correct value based on the `sourceType` that you specify.

Type: String

Valid Values: `System_Controls_Mapping` | `Procedural_Controls_Mapping`

Required: No

sourceType

Specifies which type of data source is used to collect evidence.

- The source can be an individual data source type, such as `AWS_Cloudtrail`, `AWS_Config`, `AWS_Security_Hub`, `AWS_API_Call`, or `MANUAL`.

- The source can also be a managed grouping of data sources, such as a `Core_Control` or a `Common_Control`.

Type: String

Valid Values: `AWS_Cloudtrail` | `AWS_Config` | `AWS_Security_Hub` | `AWS_API_Call` | `MANUAL` | `Common_Control` | `Core_Control`

Required: No

troubleshootingText

The instructions for troubleshooting the control.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ControlMetadata

The metadata that's associated with the standard control or custom control.

Contents

arn

The Amazon Resource Name (ARN) of the control.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:auditmanager:.*`

Required: No

controlSources

The data source that determines where Audit Manager collects evidence from for the control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z_0-9-\s.,]+$`

Required: No

createdAt

The time when the control was created.

Type: Timestamp

Required: No

id

The unique identifier for the control.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdatedAt

The time when the control was most recently updated.

Type: Timestamp

Required: No

name

The name of the control.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ControlSet

A set of controls in AWS Audit Manager.

Contents

controls

The list of controls within the control set.

Type: Array of [Control](#) objects

Array Members: Minimum number of 1 item.

Required: No

id

The identifier of the control set in the assessment. This is the control set name in a plain string format.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

name

The name of the control set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^_]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateAssessmentFrameworkControl

The control entity attributes that uniquely identify an existing control to be added to a framework in AWS Audit Manager.

Contents

id

The unique identifier of the control.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateAssessmentFrameworkControlSet

A controlSet entity that represents a collection of controls in AWS Audit Manager. This doesn't contain the control set ID.

Contents

name

The name of the control set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s_]*$`

Required: Yes

controls

The list of controls within the control set. This doesn't contain the control set ID.

Type: Array of [CreateAssessmentFrameworkControl](#) objects

Array Members: Minimum number of 1 item.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateControlMappingSource

The mapping attributes that determine the evidence source for a given control, along with related parameters and metadata. This doesn't contain mappingID.

Contents

sourceDescription

The description of the data source that determines where Audit Manager collects evidence from for the control.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

sourceFrequency

Specifies how often evidence is collected from the control mapping source.

Type: String

Valid Values: DAILY | WEEKLY | MONTHLY

Required: No

sourceKeyword

A keyword that relates to the control data source.

For manual evidence, this keyword indicates if the manual evidence is a file or text.

For automated evidence, this keyword identifies a specific CloudTrail event, AWS Config rule, Security Hub control, or AWS API name.

To learn more about the supported keywords that you can use when mapping a control data source, see the following pages in the *AWS Audit Manager User Guide*:

- [AWS Config rules supported by AWS Audit Manager](#)

- [AWS Security Hub controls supported by AWS Audit Manager](#)
- [API calls supported by AWS Audit Manager](#)
- [AWS CloudTrail event names supported by AWS Audit Manager](#)

Type: [SourceKeyword](#) object

Required: No

sourceName

The name of the control mapping data source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Required: No

sourceSetUpOption

The setup option for the data source. This option reflects if the evidence collection method is automated or manual. If you don't provide a value for `sourceSetUpOption`, AWS Audit Manager automatically infers and populates the correct value based on the `sourceType` that you specify.

Type: String

Valid Values: `System_Controls_Mapping` | `Procedural_Controls_Mapping`

Required: No

sourceType

Specifies which type of data source is used to collect evidence.

- The source can be an individual data source type, such as `AWS_Cloudtrail`, `AWS_Config`, `AWS_Security_Hub`, `AWS_API_Call`, or `MANUAL`.
- The source can also be a managed grouping of data sources, such as a `Core_Control` or a `Common_Control`.

Type: String

Valid Values: `AWS_Cloudtrail` | `AWS_Config` | `AWS_Security_Hub` | `AWS_API_Call` | `MANUAL` | `Common_Control` | `Core_Control`

Required: No

troubleshootingText

The instructions for troubleshooting the control.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateDelegationRequest

A collection of attributes that's used to create a delegation for an assessment in AWS Audit Manager.

Contents

comment

A comment that's related to the delegation request.

Type: String

Length Constraints: Maximum length of 350.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

controlSetId

The unique identifier for the control set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

roleArn

The Amazon Resource Name (ARN) of the IAM role.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:iam:.*`

Required: No

roleType

The type of customer persona.

Note

In `CreateAssessment`, `roleType` can only be `PROCESS_OWNER`.

In `UpdateSettings`, `roleType` can only be `PROCESS_OWNER`.

In `BatchCreateDelegationByAssessment`, `roleType` can only be `RESOURCE_OWNER`.

Type: String

Valid Values: `PROCESS_OWNER` | `RESOURCE_OWNER`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DefaultExportDestination

The default s3 bucket where Audit Manager saves the files that you export from evidence finder.

Contents

destination

The destination bucket where Audit Manager stores exported files.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^(S|s)3:\V/[a-zA-Z0-9\-\.\(\)\'*_\!\/]+`

Required: No

destinationType

The destination type, such as Amazon S3.

Type: String

Valid Values: S3

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Delegation

The assignment of a control set to a delegate for review.

Contents

assessmentId

The identifier for the assessment that's associated with the delegation.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

assessmentName

The name of the assessment that's associated with the delegation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

comment

The comment that's related to the delegation.

Type: String

Length Constraints: Maximum length of 350.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

controlSetId

The identifier for the control set that's associated with the delegation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

createdBy

The user or role that created the delegation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z0-9\\s-_(\\)]+$`

Required: No

creationTime

Specifies when the delegation was created.

Type: Timestamp

Required: No

id

The unique identifier for the delegation.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdated

Specifies when the delegation was last updated.

Type: Timestamp

Required: No

roleArn

The Amazon Resource Name (ARN) of the IAM role.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:iam:.*`

Required: No

roleType

The type of customer persona.

Note

In `CreateAssessment`, `roleType` can only be `PROCESS_OWNER`.

In `UpdateSettings`, `roleType` can only be `PROCESS_OWNER`.

In `BatchCreateDelegationByAssessment`, `roleType` can only be `RESOURCE_OWNER`.

Type: String

Valid Values: `PROCESS_OWNER` | `RESOURCE_OWNER`

Required: No

status

The status of the delegation.

Type: String

Valid Values: `IN_PROGRESS` | `UNDER_REVIEW` | `COMPLETE`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DelegationMetadata

The metadata that's associated with the delegation.

Contents

assessmentId

The unique identifier for the assessment.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

assessmentName

The name of the associated assessment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

controlSetName

Specifies the name of the control set that was delegated for review.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Required: No

creationTime

Specifies when the delegation was created.

Type: Timestamp

Required: No

id

The unique identifier for the delegation.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

roleArn

The Amazon Resource Name (ARN) of the IAM role.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:iam:.*`

Required: No

status

The current status of the delegation.

Type: String

Valid Values: IN_PROGRESS | UNDER_REVIEW | COMPLETE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeregistrationPolicy

The deregistration policy for the data that's stored in AWS Audit Manager. You can use this attribute to determine how your data is handled when you [deregister Audit Manager](#).

By default, Audit Manager retains evidence data for two years from the time of its creation. Other Audit Manager resources (including assessments, custom controls, and custom frameworks) remain in Audit Manager indefinitely, and are available if you [re-register Audit Manager](#) in the future. For more information about data retention, see [Data Protection](#) in the *AWS Audit Manager User Guide*.

Important

If you choose to delete all data, this action permanently deletes all evidence data in your account within seven days. It also deletes all of the Audit Manager resources that you created, including assessments, custom controls, and custom frameworks. Your data will not be available if you re-register Audit Manager in the future.

Contents

deleteResources

Specifies which Audit Manager data will be deleted when you deregister Audit Manager.

- If you set the value to ALL, all of your data is deleted within seven days of deregistration.
- If you set the value to DEFAULT, none of your data is deleted at the time of deregistration. However, keep in mind that the Audit Manager data retention policy still applies. As a result, any evidence data will be deleted two years after its creation date. Your other Audit Manager resources will continue to exist indefinitely.

Type: String

Valid Values: ALL | DEFAULT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Evidence

A record that contains the information needed to demonstrate compliance with the requirements specified by a control. Examples of evidence include change activity invoked by a user, or a system configuration snapshot.

Contents

assessmentReportSelection

Specifies whether the evidence is included in the assessment report.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: . *

Required: No

attributes

The names and values that are used by the evidence event. This includes an attribute name (such as `allowUsersToChangePassword`) and value (such as `true` or `false`).

Type: String to string map

Key Length Constraints: Maximum length of 100.

Key Pattern: `^[\\w\\W\\s\\S]*$`

Value Length Constraints: Maximum length of 200.

Value Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

awsAccountId

The identifier for the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: No

awsOrganization

The AWS account that the evidence is collected from, and its organization path.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

complianceCheck

The evaluation status for automated evidence that falls under the compliance check category.

- Audit Manager classes evidence as non-compliant if Security Hub reports a *Fail* result, or if AWS Config reports a *Non-compliant* result.
- Audit Manager classes evidence as compliant if Security Hub reports a *Pass* result, or if AWS Config reports a *Compliant* result.
- If a compliance check isn't available or applicable, then no compliance evaluation can be made for that evidence. This is the case if the evidence uses AWS Config or Security Hub as the underlying data source type, but those services aren't enabled. This is also the case if the evidence uses an underlying data source type that doesn't support compliance checks (such as manual evidence, AWS API calls, or CloudTrail).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

dataSource

The data source where the evidence was collected from.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

eventName

The name of the evidence event.

Type: String

Length Constraints: Maximum length of 100.

Pattern: ^[\w\W\s\S]*\$

Required: No

eventSource

The AWS service that the evidence is collected from.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 40.

Pattern: ^[a-zA-Z0-9-\s()\.]+\$

Required: No

evidenceAwsAccountId

The identifier for the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: ^[0-9]{12}\$

Required: No

evidenceByType

The type of automated evidence.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

evidenceFolderId

The identifier for the folder that the evidence is stored in.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

iamId

The unique identifier for the user or role that's associated with the evidence.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:iam:.*`

Required: No

id

The identifier for the evidence.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

resourcesIncluded

The list of resources that are assessed to generate the evidence.

Type: Array of [Resource](#) objects

Required: No

time

The timestamp that represents when the evidence was collected.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EvidenceFinderEnablement

The settings object that specifies whether evidence finder is enabled. This object also describes the related event data store, and the backfill status for populating the event data store with evidence data.

Contents

backfillStatus

The current status of the evidence data backfill process.

The backfill starts after you enable evidence finder. During this task, Audit Manager populates an event data store with your past two years' worth of evidence data so that your evidence can be queried.

- `NOT_STARTED` means that the backfill hasn't started yet.
- `IN_PROGRESS` means that the backfill is in progress. This can take up to 7 days to complete, depending on the amount of evidence data.
- `COMPLETED` means that the backfill is complete. All of your past evidence is now queryable.

Type: String

Valid Values: `NOT_STARTED` | `IN_PROGRESS` | `COMPLETED`

Required: No

enablementStatus

The current status of the evidence finder feature and the related event data store.

- `ENABLE_IN_PROGRESS` means that you requested to enable evidence finder. An event data store is currently being created to support evidence finder queries.
- `ENABLED` means that an event data store was successfully created and evidence finder is enabled. We recommend that you wait 7 days until the event data store is backfilled with your past two years' worth of evidence data. You can use evidence finder in the meantime, but not all data might be available until the backfill is complete.
- `DISABLE_IN_PROGRESS` means that you requested to disable evidence finder, and your request is pending the deletion of the event data store.
- `DISABLED` means that you have permanently disabled evidence finder and the event data store has been deleted. You can't re-enable evidence finder after this point.

Type: String

Valid Values: ENABLED | DISABLED | ENABLE_IN_PROGRESS | DISABLE_IN_PROGRESS

Required: No

error

Represents any errors that occurred when enabling or disabling evidence finder.

Type: String

Length Constraints: Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

eventDataStoreArn

The Amazon Resource Name (ARN) of the CloudTrail Lake event data store that's used by evidence finder. The event data store is the lake of evidence data that evidence finder runs queries against.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:cloudtrail:.*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EvidenceInsights

A breakdown of the latest compliance check status for the evidence in your Audit Manager assessments.

Contents

compliantEvidenceCount

The number of compliance check evidence that Audit Manager classified as compliant. This includes evidence that was collected from AWS Security Hub with a *Pass* ruling, or collected from AWS Config with a *Compliant* ruling.

Type: Integer

Required: No

inconclusiveEvidenceCount

The number of evidence that a compliance check ruling isn't available for. Evidence is inconclusive when the associated control uses AWS Security Hub or AWS Config as a data source but you didn't enable those services. This is also the case when a control uses a data source that doesn't support compliance checks (for example, manual evidence, API calls, or AWS CloudTrail).

Note

If evidence has a compliance check status of *not applicable* in the console, it's classified as *inconclusive* in EvidenceInsights data.

Type: Integer

Required: No

noncompliantEvidenceCount

The number of compliance check evidence that Audit Manager classified as non-compliant. This includes evidence that was collected from AWS Security Hub with a *Fail* ruling, or collected from AWS Config with a *Non-compliant* ruling.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Framework

The file that's used to structure and automate AWS Audit Manager assessments for a given compliance standard.

Contents

arn

The Amazon Resource Name (ARN) of the framework.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:auditmanager:.*`

Required: No

complianceType

The compliance type that the framework supports, such as CIS or HIPAA.

Type: String

Length Constraints: Maximum length of 100.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

controlSets

The control sets that are associated with the framework.

Type: Array of [ControlSet](#) objects

Array Members: Minimum number of 1 item.

Required: No

controlSources

The control data sources where Audit Manager collects evidence from.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z_0-9-\s.,]+$`

Required: No

createdAt

The time when the framework was created.

Type: Timestamp

Required: No

createdBy

The user or role that created the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z0-9\s-_(\)\[\]]+$`

Required: No

description

The description of the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

id

The unique identifier for the framework.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

lastUpdatedAt

The time when the framework was most recently updated.

Type: Timestamp

Required: No

lastUpdatedBy

The user or role that most recently updated the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z0-9\s-_\(\)\[\]]+$`

Required: No

logo

The logo that's associated with the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[\\w, \\s-]+\\. [A-Za-z]+$`

Required: No

name

The name of the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\\]*$`

Required: No

tags

The tags that are associated with the framework.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.{0,255}`

Required: No

type

Specifies whether the framework is a standard framework or a custom framework.

Type: String

Valid Values: `Standard` | `Custom`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FrameworkMetadata

The metadata of a framework, such as the name, ID, or description.

Contents

complianceType

The compliance standard that's associated with the framework. For example, this could be PCI DSS or HIPAA.

Type: String

Length Constraints: Maximum length of 100.

Pattern: `^[\w\W\s\S]*$`

Required: No

description

The description of the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: `^[\w\W\s\S]*$`

Required: No

logo

The logo that's associated with the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[\w, \s-]+\.[A-Za-z]+$`

Required: No

name

The name of the framework.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Insights

A summary of the latest analytics data for all your active assessments.

This summary is a snapshot of the data that your active assessments collected on the `lastUpdated` date. It's important to understand that the following totals are daily counts based on this date — they aren't a total sum to date.

The `Insights` data is eventually consistent. This means that, when you read data from `Insights`, the response might not instantly reflect the results of a recently completed write or update operation. If you repeat your read request after a few hours, the response should return the latest data.

Note

If you delete an assessment or change its status to inactive, `InsightsByAssessment` includes data for that assessment as follows.

- **Inactive assessments** - If Audit Manager collected evidence for your assessment before you changed it inactive, that evidence is included in the `InsightsByAssessment` counts for that day.
- **Deleted assessments** - If Audit Manager collected evidence for your assessment before you deleted it, that evidence isn't included in the `InsightsByAssessment` counts for that day.

Contents

`activeAssessmentsCount`

The number of active assessments in Audit Manager.

Type: Integer

Required: No

`assessmentControlsCountByNoncompliantEvidence`

The number of assessment controls that collected non-compliant evidence on the `lastUpdated` date.

Type: Integer

Required: No

compliantEvidenceCount

The number of compliance check evidence that Audit Manager classified as compliant on the `lastUpdated` date. This includes evidence that was collected from AWS Security Hub with a *Pass* ruling, or collected from AWS Config with a *Compliant* ruling.

Type: Integer

Required: No

inconclusiveEvidenceCount

The number of evidence without a compliance check ruling. Evidence is inconclusive when the associated control uses AWS Security Hub or AWS Config as a data source but you didn't enable those services. This is also the case when a control uses a data source that doesn't support compliance checks (for example: manual evidence, API calls, or AWS CloudTrail).

Note

If evidence has a compliance check status of *not applicable*, it's classed as *inconclusive* in Insights data.

Type: Integer

Required: No

lastUpdated

The time when the cross-assessment insights were last updated.

Type: Timestamp

Required: No

noncompliantEvidenceCount

The number of compliance check evidence that Audit Manager classified as non-compliant on the `lastUpdated` date. This includes evidence that was collected from AWS Security Hub with a *Fail* ruling, or collected from AWS Config with a *Non-compliant* ruling.

Type: Integer

Required: No

totalAssessmentControlsCount

The total number of controls across all active assessments.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InsightsByAssessment

A summary of the latest analytics data for a specific active assessment.

This summary is a snapshot of the data that was collected on the `lastUpdated` date. It's important to understand that the totals in `InsightsByAssessment` are daily counts based on this date — they aren't a total sum to date.

The `InsightsByAssessment` data is eventually consistent. This means that when you read data from `InsightsByAssessment`, the response might not instantly reflect the results of a recently completed write or update operation. If you repeat your read request after a few hours, the response returns the latest data.

Note

If you delete an assessment or change its status to inactive, `InsightsByAssessment` includes data for that assessment as follows.

- **Inactive assessments** - If Audit Manager collected evidence for your assessment before you changed it inactive, that evidence is included in the `InsightsByAssessment` counts for that day.
- **Deleted assessments** - If Audit Manager collected evidence for your assessment before you deleted it, that evidence isn't included in the `InsightsByAssessment` counts for that day.

Contents

`assessmentControlsCountByNoncompliantEvidence`

The number of assessment controls that collected non-compliant evidence on the `lastUpdated` date.

Type: Integer

Required: No

compliantEvidenceCount

The number of compliance check evidence that Audit Manager classified as compliant. This includes evidence that was collected from AWS Security Hub with a *Pass* ruling, or collected from AWS Config with a *Compliant* ruling.

Type: Integer

Required: No

inconclusiveEvidenceCount

The amount of evidence without a compliance check ruling. Evidence is inconclusive if the associated control uses AWS Security Hub or AWS Config as a data source and you didn't enable those services. This is also the case if a control uses a data source that doesn't support compliance checks (for example, manual evidence, API calls, or AWS CloudTrail).

Note

If evidence has a compliance check status of *not applicable*, it's classified as *inconclusive* in `InsightsByAssessment` data.

Type: Integer

Required: No

lastUpdated

The time when the assessment insights were last updated.

Type: Timestamp

Required: No

noncompliantEvidenceCount

The number of compliance check evidence that Audit Manager classified as non-compliant. This includes evidence that was collected from AWS Security Hub with a *Fail* ruling, or collected from AWS Config with a *Non-compliant* ruling.

Type: Integer

Required: No

totalAssessmentControlsCount

The total number of controls in the assessment.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManualEvidence

Evidence that's manually added to a control in AWS Audit Manager. `manualEvidence` can be one of the following: `evidenceFileName`, `s3ResourcePath`, or `textResponse`.

Contents

evidenceFileName

The name of the file that's uploaded as manual evidence. This name is populated using the `evidenceFileName` value from the [GetEvidenceFileUploadUrl](#) API response.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `[\^\/]*`

Required: No

s3ResourcePath

The S3 URL of the object that's imported as manual evidence.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^(S|s)3:\^\/[a-zA-Z0-9\-\.\(\)\'*_\!\/]+`

Required: No

textResponse

The plain text response that's entered and saved as manual evidence.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[\\w\\W\\s\\S]*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Notification

The notification that informs a user of an update in AWS Audit Manager. For example, this includes the notification that's sent when a control set is delegated for review.

Contents

assessmentId

The identifier for the assessment.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

assessmentName

The name of the related assessment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^\s]*$`

Required: No

controlSetId

The identifier for the control set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[\\w\\W\\s\\S]*$`

Required: No

controlSetName

Specifies the name of the control set that the notification is about.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: .*S.*

Required: No

description

The description of the notification.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: .*S.*

Required: No

eventTime

The time when the notification was sent.

Type: Timestamp

Required: No

id

The unique identifier for the notification.

Type: String

Length Constraints: Minimum length of 47. Maximum length of 50.

Pattern: `^[0-9]{10,13}_[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

source

The sender of the notification.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Resource

A system asset that's evaluated in an Audit Manager assessment.

Contents

arn

The Amazon Resource Name (ARN) for the resource.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*`

Required: No

complianceCheck

The evaluation status for a resource that was assessed when collecting compliance check evidence.

- Audit Manager classes the resource as non-compliant if Security Hub reports a *Fail* result, or if AWS Config reports a *Non-compliant* result.
- Audit Manager classes the resource as compliant if Security Hub reports a *Pass* result, or if AWS Config reports a *Compliant* result.
- If a compliance check isn't available or applicable, then no compliance evaluation can be made for that resource. This is the case if a resource assessment uses AWS Config or Security Hub as the underlying data source type, but those services aren't enabled. This is also the case if the resource assessment uses an underlying data source type that doesn't support compliance checks (such as manual evidence, AWS API calls, or CloudTrail).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

value

The value of the resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Role

The wrapper that contains the Audit Manager role information of the current user. This includes the role type and IAM Amazon Resource Name (ARN).

Contents

roleArn

The Amazon Resource Name (ARN) of the IAM role.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:iam:.*`

Required: Yes

roleType

The type of customer persona.

Note

In `CreateAssessment`, `roleType` can only be `PROCESS_OWNER`.

In `UpdateSettings`, `roleType` can only be `PROCESS_OWNER`.

In `BatchCreateDelegationByAssessment`, `roleType` can only be `RESOURCE_OWNER`.

Type: String

Valid Values: `PROCESS_OWNER` | `RESOURCE_OWNER`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Scope

The wrapper that contains the AWS accounts that are in scope for the assessment.

Note

You no longer need to specify which AWS services are in scope when you create or update an assessment. Audit Manager infers the services in scope by examining your assessment controls and their data sources, and then mapping this information to the relevant AWS services.

If an underlying data source changes for your assessment, we automatically update the services scope as needed to reflect the correct AWS services. This ensures that your assessment collects accurate and comprehensive evidence about all of the relevant services in your AWS environment.

Contents

awsAccounts

The AWS accounts that are included in the scope of the assessment.

Type: Array of [AWSAccount](#) objects

Array Members: Minimum number of 1 item. Maximum number of 200 items.

Required: No

awsServices

This member has been deprecated.

The AWS services that are included in the scope of the assessment.

Important

This API parameter is no longer supported. If you use this parameter to specify one or more AWS services, Audit Manager ignores this input. Instead, the value for `awsServices` will show as empty.

Type: Array of [AWSService](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServiceMetadata

The metadata that's associated with the AWS service.

Contents

category

The category that the AWS service belongs to, such as compute, storage, or database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Required: No

description

The description of the AWS service.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Required: No

displayName

The display name of the AWS service.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `.*\S.*`

Required: No

name

The name of the AWS service.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 40.

Pattern: `^[a-zA-Z0-9-\s().]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Settings

The settings object that holds all supported Audit Manager settings.

Contents

defaultAssessmentReportsDestination

The default S3 destination bucket for storing assessment reports.

Type: [AssessmentReportsDestination](#) object

Required: No

defaultExportDestination

The default S3 destination bucket for storing evidence finder exports.

Type: [DefaultExportDestination](#) object

Required: No

defaultProcessOwners

The designated default audit owners.

Type: Array of [Role](#) objects

Required: No

deregistrationPolicy

The deregistration policy for your Audit Manager data. You can use this attribute to determine how your data is handled when you deregister Audit Manager.

Type: [DeregistrationPolicy](#) object

Required: No

evidenceFinderEnablement

The current evidence finder status and event data store details.

Type: [EvidenceFinderEnablement](#) object

Required: No

isAwsOrgEnabled

Specifies whether AWS Organizations is enabled.

Type: Boolean

Required: No

kmsKey

The AWS KMS key details.

Type: String

Length Constraints: Minimum length of 7. Maximum length of 2048.

Pattern: `^arn:.*:kms:.*|DEFAULT`

Required: No

snsTopic

The designated Amazon Simple Notification Service (Amazon SNS) topic.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9-_\(\)\[\]]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceKeyword

A keyword that relates to the control data source.

For manual evidence, this keyword indicates if the manual evidence is a file or text.

For automated evidence, this keyword identifies a specific CloudTrail event, AWS Config rule, Security Hub control, or AWS API name.

To learn more about the supported keywords that you can use when mapping a control data source, see the following pages in the *AWS Audit Manager User Guide*:

- [AWS Config rules supported by AWS Audit Manager](#)
- [AWS Security Hub controls supported by AWS Audit Manager](#)
- [API calls supported by AWS Audit Manager](#)
- [AWS CloudTrail event names supported by AWS Audit Manager](#)

Contents

keywordInputType

The input method for the keyword.

- `SELECT_FROM_LIST` is used when mapping a data source for automated evidence.
 - When `keywordInputType` is `SELECT_FROM_LIST`, a keyword must be selected to collect automated evidence. For example, this keyword can be a CloudTrail event name, a rule name for AWS Config, a Security Hub control, or the name of an AWS API call.
- `UPLOAD_FILE` and `INPUT_TEXT` are only used when mapping a data source for manual evidence.
 - When `keywordInputType` is `UPLOAD_FILE`, a file must be uploaded as manual evidence.
 - When `keywordInputType` is `INPUT_TEXT`, text must be entered as manual evidence.

Type: String

Valid Values: `SELECT_FROM_LIST` | `UPLOAD_FILE` | `INPUT_TEXT`

Required: No

keywordValue

The value of the keyword that's used when mapping a control data source. For example, this can be a CloudTrail event name, a rule name for AWS Config, a Security Hub control, or the name of an AWS API call.

If you're mapping a data source to a rule in AWS Config, the `keywordValue` that you specify depends on the type of rule:

- For [managed rules](#), you can use the rule identifier as the `keywordValue`. You can find the rule identifier from the [list of AWS Config managed rules](#). For some rules, the rule identifier is different from the rule name. For example, the rule name `restricted-ssh` has the following rule identifier: `INCOMING_SSH_DISABLED`. Make sure to use the rule identifier, not the rule name.

Keyword example for managed rules:

- Managed rule name: [s3-bucket-acl-prohibited](#)

`keywordValue: S3_BUCKET_ACL_PROHIBITED`

- For [custom rules](#), you form the `keywordValue` by adding the `Custom_` prefix to the rule name. This prefix distinguishes the custom rule from a managed rule.

Keyword example for custom rules:

- Custom rule name: `my-custom-config-rule`

`keywordValue: Custom_my-custom-config-rule`

- For [service-linked rules](#), you form the `keywordValue` by adding the `Custom_` prefix to the rule name. In addition, you remove the suffix ID that appears at the end of the rule name.

Keyword examples for service-linked rules:

- Service-linked rule name: `CustomRuleForAccount-conformance-pack-szsm1uv0w`

`keywordValue: Custom_CustomRuleForAccount-conformance-pack`

- Service-linked rule name: `OrgConfigRule-s3-bucket-versioning-enabled-dbgzf8ba`

`keywordValue: Custom_OrgConfigRule-s3-bucket-versioning-enabled`

⚠ Important

The `keywordValue` is case sensitive. If you enter a value incorrectly, Audit Manager might not recognize the data source mapping. As a result, you might not successfully collect evidence from that data source as intended.

Keep in mind the following requirements, depending on the data source type that you're using.

1. For AWS Config:

- For managed rules, make sure that the `keywordValue` is the rule identifier in ALL_CAPS_WITH_UNDERSCORES. For example, `CLOUDWATCH_LOG_GROUP_ENCRYPTED`. For accuracy, we recommend that you reference the list of [supported AWS Config managed rules](#).
- For custom rules, make sure that the `keywordValue` has the `Custom_` prefix followed by the custom rule name. The format of the custom rule name itself may vary. For accuracy, we recommend that you visit the [AWS Config console](#) to verify your custom rule name.

2. For Security Hub: The format varies for Security Hub control names. For accuracy, we recommend that you reference the list of [supported AWS Security Hub controls](#).**3. For AWS API calls:** Make sure that the `keywordValue` is written as `serviceprefix_ActionName`. For example, `iam_ListGroups`. For accuracy, we recommend that you reference the list of [supported API calls](#).**4. For CloudTrail:** Make sure that the `keywordValue` is written as `serviceprefix_ActionName`. For example, `cloudtrail_StartLogging`. For accuracy, we recommend that you review the AWS service prefix and action names in the [Service Authorization Reference](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z_0-9-\s().:\|/]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateAssessmentFrameworkControlSet

A `controlSet` entity that represents a collection of controls in AWS Audit Manager. This doesn't contain the control set ID.

Contents

controls

The list of controls that are contained within the control set.

Type: Array of [CreateAssessmentFrameworkControl](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

name

The name of the control set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^_]*$`

Required: Yes

id

The unique identifier for the control set.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 300.

Pattern: `^[^_]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

URL

Short for uniform resource locator. A URL is used as a unique identifier to locate a resource on the internet.

Contents

hyperlinkName

The name or word that's used as a hyperlink to the URL.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 200.

Pattern: `^\w\W\s\S]*$`

Required: No

link

The unique identifier for the internet resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 8192.

Pattern: `^(https?:\/\/)?(www\.)?[a-zA-Z0-9-]+([\.]|[a-zA-Z])+\w*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationExceptionField

Indicates that the request has invalid or missing parameters for the field.

Contents

message

The body of the error message.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: Yes

name

The name of the validation error.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400