



Welcome

# Amazon CodeCatalyst



**API Version 2022-09-28**

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

# Amazon CodeCatalyst: Welcome

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>Welcome</b> .....	<b>1</b>
<b>Actions</b> .....	<b>4</b>
CreateAccessToken .....	6
Request Syntax .....	6
URI Request Parameters .....	6
Request Body .....	6
Response Syntax .....	7
Response Elements .....	7
Errors .....	8
See Also .....	9
CreateDevEnvironment .....	10
Request Syntax .....	10
URI Request Parameters .....	11
Request Body .....	11
Response Syntax .....	13
Response Elements .....	14
Errors .....	15
See Also .....	16
CreateProject .....	17
Request Syntax .....	17
URI Request Parameters .....	17
Request Body .....	17
Response Syntax .....	18
Response Elements .....	18
Errors .....	19
See Also .....	20
CreateSourceRepository .....	21
Request Syntax .....	21
URI Request Parameters .....	21
Request Body .....	22
Response Syntax .....	22
Response Elements .....	22
Errors .....	23
Examples .....	24

---

See Also .....	25
CreateSourceRepositoryBranch .....	26
Request Syntax .....	26
URI Request Parameters .....	26
Request Body .....	27
Response Syntax .....	27
Response Elements .....	28
Errors .....	28
See Also .....	29
DeleteAccessToken .....	31
Request Syntax .....	31
URI Request Parameters .....	31
Request Body .....	31
Response Syntax .....	31
Response Elements .....	31
Errors .....	31
Examples .....	32
See Also .....	33
DeleteDevEnvironment .....	34
Request Syntax .....	34
URI Request Parameters .....	34
Request Body .....	35
Response Syntax .....	35
Response Elements .....	35
Errors .....	36
See Also .....	37
DeleteProject .....	38
Request Syntax .....	38
URI Request Parameters .....	38
Request Body .....	38
Response Syntax .....	38
Response Elements .....	39
Errors .....	39
Examples .....	40
See Also .....	41
DeleteSourceRepository .....	42

---

Request Syntax .....	42
URI Request Parameters .....	42
Request Body .....	43
Response Syntax .....	43
Response Elements .....	43
Errors .....	44
Examples .....	45
See Also .....	46
DeleteSpace .....	47
Request Syntax .....	47
URI Request Parameters .....	47
Request Body .....	47
Response Syntax .....	47
Response Elements .....	48
Errors .....	48
Examples .....	49
See Also .....	50
GetDevEnvironment .....	51
Request Syntax .....	51
URI Request Parameters .....	51
Request Body .....	52
Response Syntax .....	52
Response Elements .....	52
Errors .....	55
See Also .....	56
GetProject .....	57
Request Syntax .....	57
URI Request Parameters .....	57
Request Body .....	57
Response Syntax .....	57
Response Elements .....	58
Errors .....	58
See Also .....	59
GetSourceRepository .....	61
Request Syntax .....	61
URI Request Parameters .....	61

---

Request Body .....	62
Response Syntax .....	62
Response Elements .....	62
Errors .....	63
Examples .....	64
See Also .....	65
GetSourceRepositoryCloneUrls .....	66
Request Syntax .....	66
URI Request Parameters .....	66
Request Body .....	67
Response Syntax .....	67
Response Elements .....	67
Errors .....	67
See Also .....	68
GetSpace .....	70
Request Syntax .....	70
URI Request Parameters .....	70
Request Body .....	70
Response Syntax .....	70
Response Elements .....	70
Errors .....	71
See Also .....	72
GetSubscription .....	74
Request Syntax .....	74
URI Request Parameters .....	74
Request Body .....	74
Response Syntax .....	74
Response Elements .....	75
Errors .....	75
See Also .....	76
GetUserDetails .....	78
Request Syntax .....	78
URI Request Parameters .....	78
Request Body .....	78
Response Syntax .....	78
Response Elements .....	79

---

Errors .....	79
See Also .....	80
GetWorkflow .....	82
Request Syntax .....	82
URI Request Parameters .....	82
Request Body .....	82
Response Syntax .....	83
Response Elements .....	83
Errors .....	85
Examples .....	86
See Also .....	88
GetWorkflowRun .....	89
Request Syntax .....	89
URI Request Parameters .....	89
Request Body .....	89
Response Syntax .....	90
Response Elements .....	90
Errors .....	92
Examples .....	93
See Also .....	95
ListAccessTokens .....	97
Request Syntax .....	97
URI Request Parameters .....	97
Request Body .....	97
Response Syntax .....	98
Response Elements .....	98
Errors .....	98
Examples .....	99
See Also .....	100
ListDevEnvironments .....	102
Request Syntax .....	102
URI Request Parameters .....	102
Request Body .....	102
Response Syntax .....	103
Response Elements .....	104
Errors .....	105

---

See Also .....	106
ListDevEnvironmentSessions .....	107
Request Syntax .....	107
URI Request Parameters .....	107
Request Body .....	108
Response Syntax .....	108
Response Elements .....	109
Errors .....	109
See Also .....	110
ListEventLogs .....	111
Request Syntax .....	111
URI Request Parameters .....	111
Request Body .....	112
Response Syntax .....	113
Response Elements .....	114
Errors .....	114
Examples .....	115
See Also .....	117
ListProjects .....	118
Request Syntax .....	118
URI Request Parameters .....	118
Request Body .....	118
Response Syntax .....	119
Response Elements .....	120
Errors .....	120
See Also .....	121
ListSourceRepositories .....	122
Request Syntax .....	122
URI Request Parameters .....	122
Request Body .....	122
Response Syntax .....	123
Response Elements .....	123
Errors .....	124
See Also .....	125
ListSourceRepositoryBranches .....	126
Request Syntax .....	126



---

URI Request Parameters .....	126
Request Body .....	127
Response Syntax .....	127
Response Elements .....	128
Errors .....	128
See Also .....	129
ListSpaces .....	131
Request Syntax .....	131
URI Request Parameters .....	131
Request Body .....	131
Response Syntax .....	131
Response Elements .....	132
Errors .....	132
See Also .....	133
ListWorkflowRuns .....	135
Request Syntax .....	135
URI Request Parameters .....	135
Request Body .....	136
Response Syntax .....	136
Response Elements .....	137
Errors .....	137
Examples .....	138
See Also .....	140
ListWorkflows .....	142
Request Syntax .....	142
URI Request Parameters .....	142
Request Body .....	143
Response Syntax .....	143
Response Elements .....	144
Errors .....	144
Examples .....	145
See Also .....	147
StartDevEnvironment .....	149
Request Syntax .....	149
URI Request Parameters .....	149
Request Body .....	150

---

Response Syntax .....	151
Response Elements .....	151
Errors .....	152
See Also .....	153
StartDevEnvironmentSession .....	154
Request Syntax .....	154
URI Request Parameters .....	154
Request Body .....	155
Response Syntax .....	155
Response Elements .....	155
Errors .....	157
See Also .....	158
StartWorkflowRun .....	159
Request Syntax .....	159
URI Request Parameters .....	159
Request Body .....	160
Response Syntax .....	160
Response Elements .....	160
Errors .....	161
Examples .....	162
See Also .....	163
StopDevEnvironment .....	165
Request Syntax .....	165
URI Request Parameters .....	165
Request Body .....	166
Response Syntax .....	166
Response Elements .....	166
Errors .....	167
See Also .....	168
StopDevEnvironmentSession .....	169
Request Syntax .....	169
URI Request Parameters .....	169
Request Body .....	170
Response Syntax .....	170
Response Elements .....	170
Errors .....	171

---

See Also .....	172
UpdateDevEnvironment .....	174
Request Syntax .....	174
URI Request Parameters .....	174
Request Body .....	175
Response Syntax .....	176
Response Elements .....	177
Errors .....	179
See Also .....	180
UpdateProject .....	181
Request Syntax .....	181
URI Request Parameters .....	181
Request Body .....	181
Response Syntax .....	182
Response Elements .....	182
Errors .....	183
Examples .....	184
See Also .....	185
UpdateSpace .....	186
Request Syntax .....	186
URI Request Parameters .....	186
Request Body .....	186
Response Syntax .....	187
Response Elements .....	187
Errors .....	188
Examples .....	189
See Also .....	189
VerifySession .....	191
Request Syntax .....	191
URI Request Parameters .....	191
Request Body .....	191
Response Syntax .....	191
Response Elements .....	191
Errors .....	192
See Also .....	193
<b>Data Types .....</b>	<b>194</b>

---

AccessTokenSummary .....	196
Contents .....	196
See Also .....	196
DevEnvironmentAccessDetails .....	198
Contents .....	198
See Also .....	198
DevEnvironmentRepositorySummary .....	199
Contents .....	199
See Also .....	199
DevEnvironmentSessionConfiguration .....	200
Contents .....	200
See Also .....	200
DevEnvironmentSessionSummary .....	201
Contents .....	201
See Also .....	202
DevEnvironmentSummary .....	203
Contents .....	203
See Also .....	206
EmailAddress .....	207
Contents .....	207
See Also .....	207
EventLogEntry .....	208
Contents .....	208
See Also .....	210
EventPayload .....	211
Contents .....	211
See Also .....	211
ExecuteCommandSessionConfiguration .....	212
Contents .....	212
See Also .....	212
Filter .....	213
Contents .....	213
See Also .....	213
Ide .....	214
Contents .....	214
See Also .....	214

---

IdeConfiguration .....	215
Contents .....	215
See Also .....	215
ListSourceRepositoriesItem .....	217
Contents .....	217
See Also .....	218
ListSourceRepositoryBranchesItem .....	219
Contents .....	219
See Also .....	220
PersistentStorage .....	221
Contents .....	221
See Also .....	221
PersistentStorageConfiguration .....	222
Contents .....	222
See Also .....	222
ProjectInformation .....	223
Contents .....	223
See Also .....	223
ProjectListFilter .....	224
Contents .....	224
See Also .....	224
ProjectSummary .....	226
Contents .....	226
See Also .....	226
RepositoryInput .....	227
Contents .....	227
See Also .....	227
SpaceSummary .....	228
Contents .....	228
See Also .....	229
UserIdentity .....	230
Contents .....	230
See Also .....	230
WorkflowDefinition .....	232
Contents .....	232
See Also .....	232

---

WorkflowDefinitionSummary .....	233
Contents .....	233
See Also .....	233
WorkflowRunSortCriteria .....	234
Contents .....	234
See Also .....	234
WorkflowRunStatusReason .....	235
Contents .....	235
See Also .....	235
WorkflowRunSummary .....	236
Contents .....	236
See Also .....	237
WorkflowSortCriteria .....	239
Contents .....	239
See Also .....	239
WorkflowSummary .....	240
Contents .....	240
See Also .....	242

# Welcome

Welcome to the Amazon CodeCatalyst API reference. This reference provides descriptions of operations and data types for Amazon CodeCatalyst. You can use the Amazon CodeCatalyst API to work with the following objects.

Spaces, by calling the following:

- [DeleteSpace](#), which deletes a space.
- [GetSpace](#), which returns information about a space.
- [GetSubscription](#), which returns information about the AWS account used for billing purposes and the billing plan for the space.
- [ListSpaces](#), which retrieves a list of spaces.
- [UpdateSpace](#), which changes one or more values for a space.

Projects, by calling the following:

- [CreateProject](#) which creates a project in a specified space.
- [GetProject](#), which returns information about a project.
- [ListProjects](#), which retrieves a list of projects in a space.

Users, by calling the following:

- [GetUserDetails](#), which returns information about a user in Amazon CodeCatalyst.

Source repositories, by calling the following:

- [CreateSourceRepository](#), which creates an empty Git-based source repository in a specified project.
- [CreateSourceRepositoryBranch](#), which creates a branch in a specified repository where you can work on code.
- [DeleteSourceRepository](#), which deletes a source repository.
- [GetSourceRepository](#), which returns information about a source repository.
- [GetSourceRepositoryCloneUrls](#), which returns information about the URLs that can be used with a Git client to clone a source repository.

- [ListSourceRepositories](#), which retrieves a list of source repositories in a project.
- [ListSourceRepositoryBranches](#), which retrieves a list of branches in a source repository.

Dev Environments and the AWS Toolkits, by calling the following:

- [CreateDevEnvironment](#), which creates a Dev Environment, where you can quickly work on the code stored in the source repositories of your project.
- [DeleteDevEnvironment](#), which deletes a Dev Environment.
- [GetDevEnvironment](#), which returns information about a Dev Environment.
- [ListDevEnvironments](#), which retrieves a list of Dev Environments in a project.
- [ListDevEnvironmentSessions](#), which retrieves a list of active Dev Environment sessions in a project.
- [StartDevEnvironment](#), which starts a specified Dev Environment and puts it into an active state.
- [StartDevEnvironmentSession](#), which starts a session to a specified Dev Environment.
- [StopDevEnvironment](#), which stops a specified Dev Environment and puts it into an stopped state.
- [StopDevEnvironmentSession](#), which stops a session for a specified Dev Environment.
- [UpdateDevEnvironment](#), which changes one or more values for a Dev Environment.

Workflows, by calling the following:


- [GetWorkflow](#), which returns information about a workflow.
- [GetWorkflowRun](#), which returns information about a specified run of a workflow.
- [ListWorkflowRuns](#), which retrieves a list of runs of a specified workflow.
- [ListWorkflows](#), which retrieves a list of workflows in a specified project.
- [StartWorkflowRun](#), which starts a run of a specified workflow.

Security, activity, and resource management in Amazon CodeCatalyst, by calling the following:

- [CreateAccessToken](#), which creates a personal access token (PAT) for the current user.
- [DeleteAccessToken](#), which deletes a specified personal access token (PAT).
- [ListAccessTokens](#), which lists all personal access tokens (PATs) associated with a user.
- [ListEventLogs](#), which retrieves a list of events that occurred during a specified time period in a space.



- [VerifySession](#), which verifies whether the calling user has a valid Amazon CodeCatalyst login and session.

 **Note**

If you are using the Amazon CodeCatalyst APIs with an SDK or the AWS CLI, you must configure your computer to work with Amazon CodeCatalyst and single sign-on (SSO). For more information, see [Setting up to use the AWS CLI with Amazon CodeCatalyst](#) and the SSO documentation for your SDK.

This document was last published on July 2, 2024.

# Actions

The following actions are supported:

- [CreateAccessToken](#)
- [CreateDevEnvironment](#)
- [CreateProject](#)
- [CreateSourceRepository](#)
- [CreateSourceRepositoryBranch](#)
- [DeleteAccessToken](#)
- [DeleteDevEnvironment](#)
- [DeleteProject](#)
- [DeleteSourceRepository](#)
- [DeleteSpace](#)
- [GetDevEnvironment](#)
- [GetProject](#)
- [GetSourceRepository](#)
- [GetSourceRepositoryCloneUrls](#)
- [GetSpace](#)
- [GetSubscription](#)
- [GetUserDetails](#)
- [GetWorkflow](#)
- [GetWorkflowRun](#)
- [ListAccessTokens](#)
- [ListDevEnvironments](#)
- [ListDevEnvironmentSessions](#)
- [ListEventLogs](#)
- [ListProjects](#)
- [ListSourceRepositories](#)
- [ListSourceRepositoryBranches](#)
- [ListSpaces](#)

- [ListWorkflowRuns](#)
- [ListWorkflows](#)
- [StartDevEnvironment](#)
- [StartDevEnvironmentSession](#)
- [StartWorkflowRun](#)
- [StopDevEnvironment](#)
- [StopDevEnvironmentSession](#)
- [UpdateDevEnvironment](#)
- [UpdateProject](#)
- [UpdateSpace](#)
- [VerifySession](#)

# CreateAccessToken

Creates a personal access token (PAT) for the current user. A personal access token (PAT) is similar to a password. It is associated with your user identity for use across all spaces and projects in Amazon CodeCatalyst. You use PATs to access CodeCatalyst from resources that include integrated development environments (IDEs) and Git-based source repositories. PATs represent you in Amazon CodeCatalyst and you can manage them in your user settings. For more information, see [Managing personal access tokens in Amazon CodeCatalyst](#).

## Request Syntax

```
PUT /v1/accessTokens HTTP/1.1
Content-type: application/json

{
  "expiresTime": "string",
  "name": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### [expiresTime](#)

The date and time the personal access token expires, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: No

### [name](#)

The friendly name of the personal access token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "accessTokenId": "string",
  "expiresTime": "string",
  "name": "string",
  "secret": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### accessTokenId

The system-generated unique ID of the access token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

### expiresTime

The date and time the personal access token expires, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#). If not specified, the default is one year from creation.

Type: Timestamp

### name

The friendly name of the personal access token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

### secret

The secret value of the personal access token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4000.

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateDevEnvironment

Creates a Dev Environment in Amazon CodeCatalyst, a cloud-based development environment that you can use to quickly work on the code stored in the source repositories of your project.

## Note

When created in the Amazon CodeCatalyst console, by default a Dev Environment is configured to have a 2 core processor, 4GB of RAM, and 16GB of persistent storage. None of these defaults apply to a Dev Environment created programmatically.

## Request Syntax

```
PUT /v1/spaces/spaceName/projects/projectName/devEnvironments HTTP/1.1
Content-type: application/json
```

```
{
  "alias": "string",
  "clientToken": "string",
  "ides": [
    {
      "name": "string",
      "runtime": "string"
    }
  ],
  "inactivityTimeoutMinutes": number,
  "instanceType": "string",
  "persistentStorage": {
    "sizeInGiB": number
  },
  "repositories": [
    {
      "branchName": "string",
      "repositoryName": "string"
    }
  ],
  "vpcConnectionName": "string"
}
```



## URI Request Parameters

The request uses the following URI parameters.

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### alias

The user-defined alias for a Dev Environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: No

### clientToken

A user-specified idempotency token. Idempotency ensures that an API request completes only once. With an idempotent request, if the original request completes successfully, the

subsequent retries return the result from the original successful request and have no additional effect.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

## ides

Information about the integrated development environment (IDE) configured for a Dev Environment.

### Note

An IDE is required to create a Dev Environment. For Dev Environment creation, this field contains configuration information and must be provided.

Type: Array of [IdeConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

## inactivityTimeoutMinutes

The amount of time the Dev Environment will run without any activity detected before stopping, in minutes. Only whole integers are allowed. Dev Environments consume compute minutes when running.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1200.

Required: No

## instanceType

The Amazon EC2 instance type to use for the Dev Environment.

Type: String

Valid Values: `dev.standard1.small` | `dev.standard1.medium` |  
`dev.standard1.large` | `dev.standard1.xlarge`

Required: Yes

### [persistentStorage](#)

Information about the amount of storage allocated to the Dev Environment.

#### **Note**

By default, a Dev Environment is configured to have 16GB of persistent storage when created from the Amazon CodeCatalyst console, but there is no default when programmatically creating a Dev Environment. Valid values for persistent storage are based on memory sizes in 16GB increments. Valid values are 16, 32, and 64.

Type: [PersistentStorageConfiguration](#) object

Required: Yes

### [repositories](#)

The source repository that contains the branch to clone into the Dev Environment.

Type: Array of [RepositoryInput](#) objects

Required: No

### [vpcConnectionName](#)

The name of the connection that will be used to connect to Amazon VPC, if any.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: No

## Response Syntax

```
HTTP/1.1 201
```

```
Content-type: application/json

{
  "id": "string",
  "projectName": "string",
  "spaceName": "string",
  "vpcConnectionName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### id

The system-generated unique ID of the Dev Environment.

Type: String

Pattern: [0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

## vpcConnectionName

The name of the connection used to connect to Amazon VPC used when the Dev Environment was created, if any.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.]?[a-zA-Z0-9]+)*`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateProject

Creates a project in a specified space.

## Request Syntax

```
PUT /v1/spaces/spaceName/projects HTTP/1.1
Content-type: application/json

{
  "description": "string",
  "displayName": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### description

The description of the project. This description will be displayed to all users of the project. We recommend providing a brief description of the project and its intended purpose.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 200.

Pattern: `[a-zA-Z0-9]+(?:[-_a-zA-Z0-9.,;:/\+=?&$% ])*`

Required: No

### displayName

The friendly name of the project that will be displayed to users.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\. ] [a-zA-Z0-9]+)*`

Required: Yes

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "description": "string",
  "displayName": "string",
  "name": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### description

The description of the project.

Type: String

### displayName

The friendly name of the project.



Type: String

### name

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateSourceRepository

Creates an empty Git-based source repository in a specified project. The repository is created with an initial empty commit with a default branch named `main`.

## Request Syntax

```
PUT /v1/spaces/spaceName/projects/projectName/sourceRepositories/name HTTP/1.1
Content-type: application/json

{
  "description": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the source repository. For more information about name requirements, see [Quotas for source repositories](#).

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `(?!.*[.]git$)[\w\-.]*`

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### description

The description of the source repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "description": "string",
  "name": "string",
  "projectName": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### description

The description of the source repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### name

The name of the source repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[.]git\$)[\w\-.]\*

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **Examples**

### **Example**

The following example illustrates using `CreateSourceRepository` to create a repository named *MyDemoRepo* with a description of *A place for us to collaborate on our project code.* in the *MyDemoProject* project that is part of the *ExampleCorp* space.

### **Sample Request**

```
PUT https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/MyDemoProject/
sourceRepositories/MyDemoRepo
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/
codecatalyst.create-source-repository
```

```
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE

{"description": "A place for us to collaborate on our project code."}
```

## Sample Response

```
200 OK 411b
Content-Type: application/json; charset=utf-8
Date: Wed, 07 Jun 2023 19:43:09 GMT

{
  "spaceName": "ExampleCorp",
  "projectName": "MyDemoProject",
  "name": "MyDemoRepo",
  "id": "EXAMPLE1-1a2b-345c-6789-de6f1EXAMPLE",
  "description": "A place for us to collaborate on our project code."
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateSourceRepositoryBranch

Creates a branch in a specified source repository in Amazon CodeCatalyst.

## Note

This API only creates a branch in a source repository hosted in Amazon CodeCatalyst. You cannot use this API to create a branch in a linked repository.

## Request Syntax

```
PUT /v1/spaces/spaceName/projects/projectName/sourceRepositories/sourceRepositoryName/
branches/name HTTP/1.1
Content-type: application/json

{
  "headCommitId": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name for the branch you're creating.

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes



## sourceRepositoryName

The name of the repository where you want to create a branch.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[.]git\$)[\w\-.]\*

Required: Yes

## spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.]?[a-zA-Z0-9]+)\*

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### headCommitId

The commit ID in an existing branch from which you want to create the new branch.

Type: String

Required: No

## Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "headCommitId": "string",
  "lastUpdatedTime": "string",
  "name": "string",
  "ref": "string"
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

### headCommitId

The commit ID of the tip of the newly created branch.

Type: String

### lastUpdatedTime

The time the branch was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

### name

The name of the newly created branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

### ref

The Git reference name of the branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteAccessToken

Deletes a specified personal access token (PAT). A personal access token can only be deleted by the user who created it.

## Request Syntax

```
DELETE /v1/accessTokens/id HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The ID of the personal access token to delete. You can find the IDs of all PATs associated with your AWS Builder ID in a space by calling [ListAccessTokens](#).

Length Constraints: Minimum length of 1. Maximum length of 36.

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **Examples**

### **Example**

The following example illustrates using `DeleteAccessToken` to delete the personal access token with the ID of `a1b2c3d4-5678-90ab-cdef-EXAMPLEbbbbbb`. To get the ID of a personal access token, use [ListAccessTokens](#).

## Sample Request

```
DELETE https://codecatalyst.global.api.aws/v1/accessTokens/a1b2c3d4-5678-90ab-cdef-EXAMPLEbbbbbb
Host: codecatalyst.global.api.aws
Accept-Encoding: identity
User-Agent: aws-cli/2.7.31 Python/3.10.8 Darwin/21.6.0 source/x86_64 prompt/off
  command/codecatalyst.delete-access-token
Content-Type: application/x-amz-json-1.1
Authorization: Bearer AKIAI44QH8DHBEXAMPLE
Content-Length: 0
```

## Sample Response

```
200 OK 2b
Content-Type: application/json; charset=utf-8
Date: Sat, 05 Nov 2022 13:20:05 GMT

{}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteDevEnvironment

Deletes a Dev Environment.

## Request Syntax

```
DELETE /v1/spaces/spaceName/projects/projectName/devEnvironments/id HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The system-generated unique ID of the Dev Environment you want to delete. To retrieve a list of Dev Environment IDs, use [ListDevEnvironments](#).

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes



## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "id": "string",
  "projectName": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### id

The system-generated unique ID of the deleted Dev Environment.

Type: String

Pattern: [0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

### ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteProject

Deletes a project in a space.

## Request Syntax

```
DELETE /v1/spaces/spaceName/projects/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the project in the space. To retrieve a list of project names, use [ListProjects](#).

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "displayName": "string",
  "name": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### displayName

The friendly name displayed to users of the project in Amazon CodeCatalyst.

Type: String

### name

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **Examples**

### **Example**

The following example illustrates using `DeleteProject` to delete a project named *MyDemoProject* from a space named *ExampleCorp*.

## Sample Request

```
DELETE https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/MyDemoProject
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/
codecatalyst.delete-project
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE
```

## Sample Response

```
200 OK 411b
Content-Type: application/json; charset=utf-8
Date: Wed, 07 Jun 2023 19:43:09 GMT

{"spaceName":"ExampleCorp" ,"name":"MyDemoProject"}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteSourceRepository

Deletes a source repository in Amazon CodeCatalyst. You cannot use this API to delete a linked repository. It can only be used to delete a Amazon CodeCatalyst source repository.

## Request Syntax

```
DELETE /v1/spaces/spaceName/projects/projectName/sourceRepositories/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the source repository.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[.]git\$)[\w\-.]\*

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.] [a-zA-Z0-9]+)\*

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.] [a-zA-Z0-9]+)\*

Required: Yes



## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "name": "string",
  "projectName": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### name

The name of the repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[.]git\$)[\w\-.]\*

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## Examples

### Example

The following example illustrates using `DeleteSourceRepository` to delete a repository named `MyDemoRepo` in the `MyDemoProject` project that is part of the `ExampleCorp` space.

### Sample Request

```
DELETE https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/
MyDemoProject/sourceRepositories/MyDemoRepo
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/
codecatalyst.delete-source-repository
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE

{}
```

### Sample Response

```
200 OK 411b
Content-Type: application/json; charset=utf-8
Date: Wed, 07 Jun 2023 19:43:09 GMT

{
  "spaceName": "ExampleCorp",
  "projectName": "MyDemoProject",
  "name": "MyDemoRepo"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteSpace

Deletes a space.

## Important

Deleting a space cannot be undone. Additionally, since space names must be unique across Amazon CodeCatalyst, you cannot reuse names of deleted spaces.

## Request Syntax

```
DELETE /v1/spaces/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the space. To retrieve a list of space names, use [ListSpaces](#).

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "displayName": "string",
  "name": "string"
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### displayName

The friendly name of the space displayed to users of the space in Amazon CodeCatalyst.

Type: String

### name

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **Examples**

### **Example**

The following example illustrates using `DeleteSpace` to delete a space named *ExampleCorp*.

#### **Sample Request**

```
DELETE https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/
codecatalyst.delete-space
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE
```

#### **Sample Response**

```
200 OK 411b
Content-Type: application/json; charset=utf-8
Date: Wed, 07 Jun 2023 19:43:09 GMT
```

```
{  
  "name": "ExampleCorp",  
  "displayName": "Example_Corp"  
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# GetDevEnvironment

Returns information about a Dev Environment for a source repository in a project. Dev Environments are specific to the user who creates them.

## Request Syntax

```
GET /v1/spaces/spaceName/projects/projectName/devEnvironments/id HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The system-generated unique ID of the Dev Environment for which you want to view information. To retrieve a list of Dev Environment IDs, use [ListDevEnvironments](#).

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "alias": "string",
  "creatorId": "string",
  "id": "string",
  "ides": [
    {
      "name": "string",
      "runtime": "string"
    }
  ],
  "inactivityTimeoutMinutes": number,
  "instanceType": "string",
  "lastUpdatedTime": "string",
  "persistentStorage": {
    "sizeInGiB": number
  },
  "projectName": "string",
  "repositories": [
    {
      "branchName": "string",
      "repositoryName": "string"
    }
  ],
  "spaceName": "string",
  "status": "string",
  "statusReason": "string",
  "vpcConnectionName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## alias

The user-specified alias for the Dev Environment.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

## creatorId

The system-generated unique ID of the user who created the Dev Environment.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

## id

The system-generated unique ID of the Dev Environment.

Type: String

Pattern: [0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}

## ides

Information about the integrated development environment (IDE) configured for the Dev Environment.

Type: Array of [Ide](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

## inactivityTimeoutMinutes

The amount of time the Dev Environment will run without any activity detected before stopping, in minutes.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1200.

## instanceType

The Amazon EC2 instace type to use for the Dev Environment.

Type: String

Valid Values: `dev.standard1.small` | `dev.standard1.medium` |  
`dev.standard1.large` | `dev.standard1.xlarge`

### lastUpdatedTime

The time when the Dev Environment was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

### persistentStorage

Information about the amount of storage allocated to the Dev Environment. By default, a Dev Environment is configured to have 16GB of persistent storage.

Type: [PersistentStorage](#) object

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

### repositories

The source repository that contains the branch cloned into the Dev Environment.

Type: Array of [DevEnvironmentRepositorySummary](#) objects

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

### status

The current status of the Dev Environment.

Type: String

Valid Values: PENDING | RUNNING | STARTING | STOPPING | STOPPED | FAILED | DELETING | DELETED

### statusReason

The reason for the status.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

### vpcConnectionName

The name of the connection used to connect to Amazon VPC used when the Dev Environment was created, if any.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetProject

Returns information about a project.

## Request Syntax

```
GET /v1/spaces/spaceName/projects/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "description": "string",
```

```
"displayName": "string",  
"name": "string",  
"spaceName": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### description

The description of the project.

Type: String

### displayName

The friendly name of the project displayed to users in Amazon CodeCatalyst.

Type: String

### name

The name of the project in the space.

Type: String

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.



HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSourceRepository

Returns information about a source repository.

## Request Syntax

```
GET /v1/spaces/spaceName/projects/projectName/sourceRepositories/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the source repository.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[.]git\$)[\w\-.]\*

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "createdTime": "string",
  "description": "string",
  "lastUpdatedTime": "string",
  "name": "string",
  "projectName": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### createdTime

The time the source repository was created, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

### description

The description of the source repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

### lastUpdatedTime

The time the source repository was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

### name

The name of the source repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[.]git\$)[\w\-.]\*

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **Examples**

### **Example**

The following example illustrates using `GetSourceRepository` to retrieve information about a repository named *MyDemoRepo* in the *MyDemoProject* project that is part of the *ExampleCorp* space.

### **Sample Request**

```
GET https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/MyDemoProject/
sourceRepositories/MyDemoRepo
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/
codecatalyst.get-source-repository
```

```
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE
```

## Sample Response

```
200 OK 411b
Content-Type: application/json; charset=utf-8
Date: Wed, 07 Jun 2023 19:43:09 GMT

{
  "spaceName": "ExampleCorp",
  "projectName": "MyDemoProject",
  "name": "MyDemoRepo",
  "id": "EXAMPLE1-1a2b-345c-6789-de6f1EXAMPLE",
  "description": "A place for us to collaborate on our project code.",
  "createdTime": "2023-06-27T21:33:28+00:00"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSourceRepositoryCloneUrls

Returns information about the URLs that can be used with a Git client to clone a source repository.

## Request Syntax

```
GET /v1/spaces/spaceName/projects/projectName/sourceRepositories/sourceRepositoryName/cloneUrls HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### sourceRepositoryName

The name of the source repository.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `(?!.*[.]git$)[\w\-.]*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes



## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "https": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [https](#)

The HTTPS URL to use when cloning the source repository.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

## ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# GetSpace

Returns information about an space.

## Request Syntax

```
GET /v1/spaces/name HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "description": "string",
  "displayName": "string",
  "name": "string",
  "regionName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### description

The description of the space.

Type: String

### displayName

The friendly name of the space displayed to users.

Type: String

### name

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

### regionName

The AWS Region where the space exists.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 16.

Pattern: `(us(?:-gov)?|af|ap|ca|cn|eu|sa)-(central|(?:north|south)?(?:east|west)?)-(\d+)`

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

## ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

## ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetSubscription

Returns information about the AWS account used for billing purposes and the billing plan for the space.

## Request Syntax

```
GET /v1/spaces/spaceName/subscription HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "awsAccountName": "string",
  "pendingSubscriptionStartTime": "string",
  "pendingSubscriptionType": "string",
  "subscriptionType": "string"
}
```



## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### awsAccountName

The display name of the AWS account used for billing for the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

### pendingSubscriptionStartTime

The day and time the pending change will be applied to the space, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

### pendingSubscriptionType

The type of the billing plan that the space will be changed to at the start of the next billing cycle. This applies only to changes that reduce the functionality available for the space. Billing plan changes that increase functionality are applied immediately. For more information, see [Pricing](#).

Type: String

### subscriptionType

The type of the billing plan for the space.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetUserDetails

Returns information about a user.

## Request Syntax

```
GET /userDetails?id=id&userName=userName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The system-generated unique ID of the user.

Length Constraints: Minimum length of 1. Maximum length of 256.

### userName

The name of the user as displayed in Amazon CodeCatalyst.

Length Constraints: Minimum length of 3. Maximum length of 100.

Pattern: `[a-zA-Z0-9_.-]{3,100}`

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "displayName": "string",
  "primaryEmail": {
    "email": "string",
    "verified": boolean
  },
  "userId": "string",
```

```
"userName": "string",  
"version": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [displayName](#)

The friendly name displayed for the user in Amazon CodeCatalyst.

Type: String

### [primaryEmail](#)

The email address provided by the user when they signed up.

Type: [EmailAddress](#) object

### [userId](#)

The system-generated unique ID of the user.

Type: String

### [userName](#)

The name of the user as displayed in Amazon CodeCatalyst.

Type: String

### [version](#)

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetWorkflow

Returns information about a workflow.

## Request Syntax

```
GET /v1/spaces/spaceName/projects/projectName/workflows/id HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The ID of the workflow. To retrieve a list of workflow IDs, use [ListWorkflows](#).

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.



## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "createdTime": "string",
  "definition": {
    "path": "string"
  },
  "id": "string",
  "lastUpdatedTime": "string",
  "name": "string",
  "projectName": "string",
  "runMode": "string",
  "sourceBranchName": "string",
  "sourceRepositoryName": "string",
  "spaceName": "string",
  "status": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### createdTime

The date and time the workflow was created, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#)

Type: Timestamp

### definition

Information about the workflow definition file for the workflow.

Type: [WorkflowDefinition](#) object

### id

The ID of the workflow.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

### lastUpdatedTime

The date and time the workflow was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#)

Type: Timestamp

### name

The name of the workflow.

Type: String

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

### runMode

The behavior to use when multiple workflows occur at the same time. For more information, see <https://docs.aws.amazon.com/codecatalyst/latest/userguide/workflows-configure-runs.html> in the Amazon CodeCatalyst User Guide.

Type: String

Valid Values: QUEUED | PARALLEL | SUPERSEDED

### sourceBranchName

The name of the branch that contains the workflow YAML.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

## sourceRepositoryName

The name of the source repository where the workflow YAML is stored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[\.]git\$)[\w\-.]\*

## spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.]?[a-zA-Z0-9]+)\*

## status

The status of the workflow.

Type: String

Valid Values: INVALID | ACTIVE

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

## ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## Examples

### Example

The following example illustrates using `GetWorkflow` to retrieve information about a workflow named *MyDemoWorkflow* in the *MyDemoProject* project that is part of the *ExampleCorp* space.

### Sample Request

```
GET https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/MyDemoProject/workflows/MyDemoWorkflow
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/codecatalyst.get-workflow
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE
```

```
{}
```

## Sample Response

```
200 OK 642b
```

```
Content-Type: application/json; charset=utf-8
```

```
Date: Tue, 01 Aug 2023 19:31:23 GMT
```

```
{
  "spaceName": "ExampleCorp",
  "projectName": "MyDemoProject",
  "name": "MyDemoWorkflow",
  "sourceRepository": {
    "name": "MyDemoRepo",
    "defaultBranch": "main",
    "metadata": null
  },
  "sourceBranch": {
    "branchName": "refs/heads/main",
    "headCommitId": "12345678EXAMPLE"
  },
  "definition": {
    "definition": "...",
    "path": ".codecatalyst/workflows/MyDemoWorkflow.yaml",
    "format": "YAML"
  },
  "createdTime": "2022-10-27T22:34:57.734Z",
  "lastUpdatedTime": "2022-10-31T16:48:35.623Z"
  "runMode": "QUEUED",
  "status": "ACTIVE"
  "latestRuns": {
    "items": [
      {
        "workflowVersion": 1,
        "id": "example-workflow-run-id-123abc"
      }
    ]
  }
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetWorkflowRun

Returns information about a specified run of a workflow.

## Request Syntax

```
GET /v1/spaces/spaceName/projects/projectName/workflowRuns/id HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The ID of the workflow run. To retrieve a list of workflow run IDs, use [ListWorkflowRuns](#).

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "endTime": "string",
  "id": "string",
  "lastUpdatedTime": "string",
  "projectName": "string",
  "spaceName": "string",
  "startTime": "string",
  "status": "string",
  "statusReasons": [
    {
    }
  ],
  "workflowId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### endTime

The date and time the workflow run ended, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

### id

The ID of the workflow run.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`



## lastUpdatedTime

The date and time the workflow run status was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#)

Type: Timestamp

## projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## startTime

The date and time the workflow run began, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#)

Type: Timestamp

## status

The status of the workflow run.

Type: String

Valid Values: SUCCEEDED | FAILED | STOPPED | SUPERSEDED | CANCELLED | NOT\_RUN | VALIDATING | PROVISIONING | IN\_PROGRESS | STOPPING | ABANDONED

## statusReasons

Information about the reasons for the status of the workflow run.

Type: Array of [WorkflowRunStatusReason](#) objects

## workflowId

The ID of the workflow.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## Examples

### Example

The following example illustrates using `GetWorkflowRun` to retrieve information about a workflow run with the ID `example-workflow-run-id-123abc` in the `MyDemoProject` project that is part of the `ExampleCorp` space.

### Sample Request

```
GET https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/MyDemoProject/workflowRuns/example-workflow-run-id-123abc
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/codecatalyst.get-workflow-run
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE

{}
```

### Sample Response

```
200 OK 642b
Content-Type: application/json; charset=utf-8
Date: Tue, 01 Aug 2023 19:31:23 GMT

{
  "spaceName": "ExampleCorp",
  "projectName": "MyDemoProject",
  "id": "example-workflow-run-id-123abc",
  "workflowId": "my-demo-workflow-id-123abc"
  "status": "SUCCEEDED",
  "statusReasons": []
}
```

```
"startTime": "2022-10-31T16:48:41.123Z",
"endTime": "2022-10-31T16:52:06.559Z",
"lastUpdatedTime": "2022-10-31T16:48:35.623Z",
"actionRuns": {
  "items": [
    {
      "name": "myAction",
      "status": "SUCCEEDED",
      "id": "example-action-run-id-123abc",
      "startTime": "2022-11-21T19:34:10.909Z",
      "endTime": "2022-11-21T19:34:13.084Z",
      "summary": {
        "summaryMessage": {
          "text": "ExampleSummaryMessage",
          "label": "ExampleLabel"
        }
      },
      "actionRunMessages": [],
      "outputArtifacts": [
        {
          "name": "MyOutputArtifact"
        }
      ],
      "outputVariables": [
        {
          "name": "MyOutputVariable",
          "value": "ExampleValue"
        }
      ]
    }
  ]
}
}
"workflow": {
  "version": 3,
  "id": "a1b2c3d4-5678-90ab-cdef-EXAMPLE11111",
  "name": "MyDemoWorkflow",
  "runMode": "PARALLEL",
  "sourceRepository": {
    "name": "MyDemoRepo",
    "defaultBranch": "main",
    "metadata": null
  },
  "sourceBranch": {
    "branchName": "refs/heads/main",
```

```
    "headCommitId": "12345678EXAMPLE"
  },
  "definition": {
    "definition": "Name: MyDemoWorkflow\nSchemaVersion: 1.0\nRunMode: PARALLEL\n\nActions:\n Example1:\n   Identifier: aws/workflows-example@v1\n   Outputs:\n   Artifacts:\n     - Name:\n       outputJar\n     Files:\n     -\n     \"example.txt\"\n   Configuration:\n     Result: \"Succeed\"",
    "path": ".codecatalyst/workflows/MyDemoWorkflow.yaml"
  },
  "status": "ACTIVE",
  "statusReasons": [],
  "sourceBranchName": "main",
  "lastUpdatedTime": "2022-10-24T19:21:15.222Z",
  "createdTime": "2022-10-19T17:42:29.412Z",
  "latestRuns": {
    "items": [
      {
        "workflowVersion": 3,
        "id": "a1b2c3d4-5678-90ab-cdef-EXAMPLE22222"
      }
    ]
  }
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# ListAccessTokens

Lists all personal access tokens (PATs) associated with the user who calls the API. You can only list PATs associated with your AWS Builder ID.

## Request Syntax

```
POST /v1/accessTokens HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "nextToken": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### maxResults

The maximum number of results to show in a single call to this API. If the number of results is larger than the number you specified, the response will include a NextToken element, which you can use to obtain additional results.

Type: Integer

Valid Range: Maximum value of 10.

Required: No

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "expiresTime": "string",
      "id": "string",
      "name": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

A list of personal access tokens (PATs) associated with the calling user identity.

Type: Array of [AccessTokenSummary](#) objects

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.



HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **Examples**

### **Example**

This example illustrates one usage of ListAccessTokens.

### **Sample Request**

```
POST https://codecatalyst.global.api.aws/v1/accessTokens
```

```
Host: codecatalyst.global.api.aws
Accept-Encoding: identity
User-Agent: aws-cli/2.7.31 Python/3.10.8 Darwin/21.6.0 source/x86_64 prompt/off
command/codecatalyst.list-access-tokens
Content-Type: application/x-amz-json-1.1
Authorization: Bearer AKIAI44QH8DHBEXAMPLE
```

## Sample Response

```
200 OK 411b
Content-Type: application/json; charset=utf-8
Date: Sat, 05 Nov 2022 13:16:05 GMT

{
  "items": [
    {
      "accessTokenId": "a1b2c3d4-5678-90ab-cdef-EXAMPLEaaaaa",
      "expiresTime": "2023-02-16T14:50:02.114Z",
      "id": "a1b2c3d4-5678-90ab-cdef-EXAMPLEaaaaa",
      "issued": "2022-02-16T14:50:03.863Z",
      "name": "marymajor-22222EXAMPLE"
    },
    {
      "accessTokenId": "a1b2c3d4-5678-90ab-cdef-EXAMPLEbbbbbb",
      "expiresTime": "2023-02-16T14:50:02.114Z",
      "id": "a1b2c3d4-5678-90ab-cdef-EXAMPLEbbbbbb",
      "issued": "2022-03-16T14:50:03.863Z",
      "name": "marymajor-11111EXAMPLE"
    }
  ]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListDevEnvironments

Retrieves a list of Dev Environments in a project.

## Request Syntax

```
POST /v1/spaces/spaceName/devEnvironments HTTP/1.1
Content-type: application/json
```

```
{
  "filters": [
    {
      "comparisonOperator": "string",
      "key": "string",
      "values": [ "string" ]
    }
  ],
  "maxResults": number,
  "nextToken": "string",
  "projectName": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

## filters

Information about filters to apply to narrow the results returned in the list.

Type: Array of [Filter](#) objects

Required: No

## maxResults

The maximum number of results to show in a single call to this API. If the number of results is larger than the number you specified, the response will include a NextToken element, which you can use to obtain additional results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

## nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "items": [
    {
      "alias": "string",
      "creatorId": "string",
      "id": "string",
      "ides": [
        {
          "name": "string",
          "runtime": "string"
        }
      ],
      "inactivityTimeoutMinutes": number,
      "instanceType": "string",
      "lastUpdatedTime": "string",
      "persistentStorage": {
        "sizeInGiB": number
      },
      "projectName": "string",
      "repositories": [
        {
          "branchName": "string",
          "repositoryName": "string"
        }
      ],
      "spaceName": "string",
      "status": "string",
      "statusReason": "string",
      "vpcConnectionName": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

Information about the Dev Environments in a project.

Type: Array of [DevEnvironmentSummary](#) objects

### [nextToken](#)

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# ListDevEnvironmentSessions

Retrieves a list of active sessions for a Dev Environment in a project.

## Request Syntax

```
POST /v1/spaces/spaceName/projects/projectName/devEnvironments/devEnvironmentId/
sessions HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "nextToken": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### devEnvironmentId

The system-generated unique ID of the Dev Environment.

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### maxResults

The maximum number of results to show in a single call to this API. If the number of results is larger than the number you specified, the response will include a `NextToken` element, which you can use to obtain additional results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 200.

Required: No

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "devEnvironmentId": "string",
      "id": "string",
      "projectName": "string",
      "spaceName": "string",
      "startedTime": "string"
    }
  ]
}
```

```
    }  
  ],  
  "nextToken": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

Information about each session retrieved in the list.

Type: Array of [DevEnvironmentSessionSummary](#) objects

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListEventLogs

Retrieves a list of events that occurred during a specific time in a space. You can use these events to audit user and system activity in a space. For more information, see [Monitoring](#) in the *Amazon CodeCatalyst User Guide*.

## Note

ListEventLogs guarantees events for the last 30 days in a given space. You can also view and retrieve a list of management events over the last 90 days for Amazon CodeCatalyst in the AWS CloudTrail console by viewing Event history, or by creating a trail to create and maintain a record of events that extends past 90 days. For more information, see [Working with CloudTrail Event History](#) and [Working with CloudTrail trails](#).

## Request Syntax

```
POST /v1/spaces/spaceName/eventLogs HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "endTime": "string",
  "eventName": "string",
  "maxResults": number,
  "nextToken": "string",
  "startTime": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### endTime

The time after which you do not want any events retrieved, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: Yes

### eventName

The name of the event.

Type: String

Required: No

### maxResults

The maximum number of results to show in a single call to this API. If the number of results is larger than the number you specified, the response will include a NextToken element, which you can use to obtain additional results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 250.

Required: No

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## startTime

The date and time when you want to start retrieving events, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "errorCode": "string",
      "eventCategory": "string",
      "eventName": "string",
      "eventSource": "string",
      "eventTime": "string",
      "eventType": "string",
      "id": "string",
      "operationType": "string",
      "projectInformation": {
        "name": "string",
        "projectId": "string"
      },
      "requestId": "string",
      "requestPayload": {
        "contentType": "string",
        "data": "string"
      },
      "responsePayload": {
        "contentType": "string",
        "data": "string"
      },
      "sourceIpAddress": "string",
      "userAgent": "string",
      "userIdentity": {
```

```
        "awsAccountId": "string",
        "principalId": "string",
        "userName": "string",
        "userType": "string"
    }
}
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

Information about each event retrieved in the list.

Type: Array of [EventLogEntry](#) objects

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.



HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **Examples**

### **Example**

This example illustrates one usage of ListEventLogs.

### **Sample Request**

```
POST https://codecatalyst.global.api.aws/v1/ExampleCorp/eventLogs
{
  "startTime": "2022-11-30",
  "endTime": "2022-12-01",
  "maxResults": 2,
  "nextToken": "EXAMPLE"
}
```

## Sample Response

```
200 OK 411b
Content-Type: application/json; charset=utf-8
Date: Fri Dec 2 2022 13:16:05 GMT

{
  "nextToken": "EXAMPLE",
  "items": [
    {
      "id": "a1b2c3d4-5678-90ab-cdef-EXAMPLE11111",
      "eventName": "listEventLogs",
      "eventType": "AwsApiCall",
      "eventCategory": "MANAGEMENT",
      "eventSource": "manage",
      "eventTime": "2022-12-01T22:47:24.605000+00:00",
      "operationType": "READONLY",
      "userIdentity": {
        "userType": "USER",
        "principalId": "a1b2c3d4e5-678fgh90-1a2b-3c4d-e5f6-EXAMPLE11111"
        "userName": "MaryMajor"
      },
      "requestId": "a1b2c3d4-5678-90ab-cdef-EXAMPLE22222",
      "requestPayload": {
        "contentType": "application/json",
        "data": "{\"spaceName\":\"ExampleCorp\",\"startTime\":
\"2022-12-01T00:00:00Z\",\"endTime\":\"2022-12-10T00:00:00Z\",\"maxResults\":\"2\"}"
      },
      "sourceIpAddress": "127.0.0.1",
      "userAgent": "aws-cli/2.9.0 Python/3.9.11 Darwin/21.3.0 exe/x86_64 prompt/
off command/codecatalyst.list-event-logs"
    },
    {
      "id": "a1b2c3d4-5678-90ab-cdef-EXAMPLEEaaaaa",
      "eventName": "createProject",
      "eventType": "AwsApiCall",
      "eventCategory": "MANAGEMENT",
      "eventSource": "manage",
      "eventTime": "2022-12-01T09:15:32.068000+00:00",
      "operationType": "MUTATION",
      "userIdentity": {
        "userType": "USER",
        "principalId": "a1b2c3d4e5-678fgh90-1a2b-3c4d-e5f6-EXAMPLE11111",
        "userName": "MaryMajor"
      }
    }
  ]
}
```

```
    },
    "requestId": "a1b2c3d4-5678-90ab-cdef-EXAMPLE33333",
    "requestPayload": {
      "contentType": "application/json",
      "data": "{\"spaceName\":\"ExampleCorp\",\"name\":\"MyFirstProject\",
\"displayName\":\"MyFirstProject\"}"
    },
    "responsePayload": {
      "contentType": "application/json",
      "data": "{\"spaceName\":\"ExampleCorp\",\"name\":\"MyFirstProject\",
\"displayName\":\"MyFirstProject\",\"id\":\"a1b2c3d4-5678-90ab-cdef-EXAMPLE4444\"}"
    },
    "sourceIpAddress": "192.0.2.23",
    "userAgent": "Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:102.0)
Gecko/20100101 Firefox/102.0"
  }
]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListProjects

Retrieves a list of projects.

## Request Syntax

```
POST /v1/spaces/spaceName/projects HTTP/1.1
Content-type: application/json
```

```
{
  "filters": [
    {
      "comparisonOperator": "string",
      "key": "string",
      "values": [ "string" ]
    }
  ],
  "maxResults": number,
  "nextToken": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### filters

Information about filters to apply to narrow the results returned in the list.

Type: Array of [ProjectListFilter](#) objects

Required: No

### [maxResults](#)

The maximum number of results to show in a single call to this API. If the number of results is larger than the number you specified, the response will include a NextToken element, which you can use to obtain additional results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

### [nextToken](#)

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "items": [
    {
      "description": "string",
      "displayName": "string",
      "name": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

Information about the projects.

Type: Array of [ProjectSummary](#) objects

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListSourceRepositories

Retrieves a list of source repositories in a project.

## Request Syntax

```
POST /v1/spaces/spaceName/projects/projectName/sourceRepositories HTTP/1.1
Content-type: application/json
```

```
{
  "maxResults": number,
  "nextToken": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.



## maxResults

The maximum number of results to show in a single call to this API. If the number of results is larger than the number you specified, the response will include a NextToken element, which you can use to obtain additional results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 200.

Required: No

## nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "createdTime": "string",
      "description": "string",
      "id": "string",
      "lastUpdatedTime": "string",
      "name": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

Information about the source repositories.

Type: Array of [ListSourceRepositoriesItem](#) objects

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListSourceRepositoryBranches

Retrieves a list of branches in a specified source repository.

## Request Syntax

```
POST /v1/spaces/spaceName/projects/projectName/sourceRepositories/sourceRepositoryName/
branches HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "nextToken": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### sourceRepositoryName

The name of the source repository.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `(?!.*[.]git$)[\w\-.]*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### maxResults

The maximum number of results to show in a single call to this API. If the number of results is larger than the number you specified, the response will include a `NextToken` element, which you can use to obtain additional results.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "headCommitId": "string",
```

```
    "lastUpdatedTime": "string",
    "name": "string",
    "ref": "string"
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

Information about the source branches.

Type: Array of [ListSourceRepositoryBranchesItem](#) objects

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

## ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)



# ListSpaces

Retrieves a list of spaces.

## Request Syntax

```
POST /v1/spaces HTTP/1.1
Content-type: application/json

{
  "nextToken": "string"
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "description": "string",
```

```
    "displayName": "string",
    "name": "string",
    "regionName": "string"
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

Information about the spaces.

Type: Array of [SpaceSummary](#) objects

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

## ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# ListWorkflowRuns

Retrieves a list of workflow runs of a specified workflow.

## Request Syntax

```
POST /v1/spaces/spaceName/projects/projectName/workflowRuns?  
maxResults=maxResults&nextToken=nextToken&workflowId=workflowId HTTP/1.1  
Content-type: application/json
```

```
{  
  "sortBy": [  
    {  
    }  
  ]  
}
```

## URI Request Parameters

The request uses the following URI parameters.

### [maxResults](#)

The maximum number of results to show in a single call to this API. If the number of results is larger than the number you specified, the response will include a `NextToken` element, which you can use to obtain additional results.

Valid Range: Minimum value of 1. Maximum value of 50.

### [nextToken](#)

A token returned from a call to this API to indicate the next batch of results to return, if any.

Length Constraints: Minimum length of 1. Maximum length of 2048.

### [projectName](#)

The name of the project in the space.

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### workflowId

The ID of the workflow. To retrieve a list of workflow IDs, use [ListWorkflows](#).

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

## Request Body

The request accepts the following data in JSON format.

### sortBy

Information used to sort the items in the returned list.

Type: Array of [WorkflowRunSortCriteria](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
```

```
    "endTime": "string",
    "id": "string",
    "lastUpdatedTime": "string",
    "startTime": "string",
    "status": "string",
    "statusReasons": [
      {
      }
    ],
    "workflowId": "string",
    "workflowName": "string"
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

Information about the runs of a workflow.

Type: Array of [WorkflowRunSummary](#) objects

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

## ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

## ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## Examples

### Example

The following example illustrates using `ListWorkflowRun` to retrieve information about a workflow with the ID `my-demo-workflow-id-123abc` in the `MyDemoProject` project that is part of the `ExampleCorp` space. The request specifies that a maximum of 5 workflow runs be returned in the response, and that the workflow runs will be sorted by the time the workflow run started. In the example response, only one workflow run is found.



## Sample Request

```
POST https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/MyDemoProject/workflowRuns
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/codecatalyst.list-workflow-runs
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE

{
  "workflowId": "my-demo-workflow-id-123abc"
  "nextToken": "EXAMPLE"
  "maxResults": 5
  "sortBy": {
    "key": "START_TIME"
    "direction": "ASCENDING"
  }
}
```

## Sample Response

```
200 OK 642b
Content-Type: application/json; charset=utf-8
Date: Tue, 01 Aug 2023 19:31:23 GMT

{
  "spaceName": "ExampleCorp",
  "projectName": "MyDemoProject",
  "nextToken": "EXAMPLE"
  "totalCount": 1
  "items": [
    {
      "id": "example-workflow-run-id-123abc",
      "workflowId": "my-demo-workflow-id-123abc"
      "status": "SUCCEEDED",
      "statusReasons": []
      "startTime": "2022-10-31T16:48:41.123Z",
      "endTime": "2022-10-31T16:52:06.559Z",
      "lastUpdatedTime": "2022-10-31T16:48:35.623Z",
      "actionRuns": {
```

```
    "items": [
      {
        "name": "myAction",
        "status": "SUCCEEDED",
        "id": "example-action-run-id-123abc",
        "startTime": "2022-11-21T19:34:10.909Z",
        "endTime": "2022-11-21T19:34:13.084Z",
        "summary": {
          "summaryMessage": {
            "text": "MySummaryMessage",
            "label": "ExampleLabel"
          }
        },
        "actionRunMessages": [],
        "outputArtifacts": [
          {
            "name": "MyOutputArtifact"
          }
        ],
        "outputVariables": [
          {
            "name": "MyOutputVariable",
            "value": "ExampleValue"
          }
        ]
      }
    ]
  }
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListWorkflows

Retrieves a list of workflows in a specified project.

## Request Syntax

```
POST /v1/spaces/spaceName/projects/projectName/workflows?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1  
Content-type: application/json
```

```
{  
  "sortBy": [  
    {  
    }  
  ]  
}
```

## URI Request Parameters

The request uses the following URI parameters.

### [maxResults](#)

The maximum number of results to show in a single call to this API. If the number of results is larger than the number you specified, the response will include a NextToken element, which you can use to obtain additional results.

Valid Range: Minimum value of 1. Maximum value of 100.

### [nextToken](#)

A token returned from a call to this API to indicate the next batch of results to return, if any.

Length Constraints: Minimum length of 1. Maximum length of 2048.

### [projectName](#)

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### sortBy

Information used to sort the items in the returned list.

Type: Array of [WorkflowSortCriteria](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "items": [
    {
      "createdTime": "string",
      "definition": {
        "path": "string"
      },
      "id": "string",
      "lastUpdatedTime": "string",
      "name": "string",
      "runMode": "string",
```

```
    "sourceBranchName": "string",
    "sourceRepositoryName": "string",
    "status": "string"
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### items

Information about the workflows in a project.

Type: Array of [WorkflowSummary](#) objects

### nextToken

A token returned from a call to this API to indicate the next batch of results to return, if any.

Type: String

## Errors

### **AccessDeniedException**

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

## ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## Examples

### Example

The following example illustrates using `ListWorkflows` to retrieve information about workflows in the *MyDemoProject* project that is part of the *ExampleCorp* space. The request specifies that a maximum of 5 workflows be returned in the response, and that the workflows will be sorted by the time the workflow was created. In the example response, only two workflows are found.

### Sample Request

```
POST https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/MyDemoProject/workflows
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/codecatalyst.list-workflows
```

```
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE
```

```
{
  "nextToken": "EXAMPLE"
  "maxResults": 5
  "sortBy": {
    "key": "START_TIME"
    "direction": "ASCENDING"
  }
}
```

## Sample Response

```
200 OK 642b
Content-Type: application/json; charset=utf-8
Date: Tue, 01 Aug 2023 19:31:23 GMT
```

```
{
  "spaceName": "ExampleCorp",
  "projectName": "MyDemoProject",
  "nextToken": "EXAMPLE"
  "totalCount": 2
  "items": [
    {
      "id": "my-demo-workflow-id-123abc",
      "name": "MyDemoWorkflow"
      "runMode": "QUEUED",
      "sourceRepository": {
        "name": "MyDemoRepo",
        "defaultBranch": "main",
        "metadata": null
      },
      "sourceBranch": {
        "branchName": "refs/heads/main",
        "headCommitId": "12345678EXAMPLE"
      },
      "status": "ACTIVE",
      "statusReasons": [],
      "definition": {
        "path": ".codecatalyst/workflows/myWorkflowName.yaml"
      }
    }
  ]
}
```



```
    },
    "lastUpdatedTime": "2022-10-31T16:48:35.623Z",
    "createdTime": "2022-10-27T22:34:57.734Z"
  },
  {
    "id": "an-example-workflow-id-123abc",
    "name": "ADemoWorkflow",
    "runMode": "QUEUED",
    "sourceRepository": {
      "name": "MyDemoRepo",
      "defaultBranch": "main",
      "metadata": null
    },
    "sourceBranch": {
      "branchName": "refs/heads/test",
      "headCommitId": "01234567EXAMPLE"
    },
    "status": "ACTIVE",
    "statusReasons": [],
    "definition": {
      "path": ".codecatalyst/workflows/ADemoWorkflow.yaml"
    },
    "lastUpdatedTime": "2022-10-31T16:48:35.623Z",
    "createdTime": "2022-10-27T22:34:57.734Z"
  }
]
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartDevEnvironment

Starts a specified Dev Environment and puts it into an active state.

## Request Syntax

```
PUT /v1/spaces/spaceName/projects/projectName/devEnvironments/id/start HTTP/1.1
Content-type: application/json

{
  "ides": [
    {
      "name": "string",
      "runtime": "string"
    }
  ],
  "inactivityTimeoutMinutes": number,
  "instanceType": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The system-generated unique ID of the Dev Environment.

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### ides

Information about the integrated development environment (IDE) configured for a Dev Environment.

Type: Array of [IdeConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

### inactivityTimeoutMinutes

The amount of time the Dev Environment will run without any activity detected before stopping, in minutes. Only whole integers are allowed. Dev Environments consume compute minutes when running.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1200.

Required: No

### instanceType

The Amazon EC2 instance type to use for the Dev Environment.

Type: String

Valid Values: `dev.standard1.small` | `dev.standard1.medium` |  
`dev.standard1.large` | `dev.standard1.xlarge`

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "id": "string",
  "projectName": "string",
  "spaceName": "string",
  "status": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### id

The system-generated unique ID of the Dev Environment.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## status

The status of the Dev Environment.

Type: String

Valid Values: PENDING | RUNNING | STARTING | STOPPING | STOPPED | FAILED | DELETING | DELETED

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartDevEnvironmentSession

Starts a session for a specified Dev Environment.

## Request Syntax

```
PUT /v1/spaces/spaceName/projects/projectName/devEnvironments/id/session HTTP/1.1
Content-type: application/json
```

```
{
  "sessionConfiguration": {
    "executeCommandSessionConfiguration": {
      "arguments": [ "string" ],
      "command": "string"
    },
    "sessionType": "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The system-generated unique ID of the Dev Environment.

Pattern: [0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

Required: Yes



## spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.]?[a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### sessionConfiguration

Information about the configuration of a Dev Environment session.

Type: [DevEnvironmentSessionConfiguration](#) object

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "accessDetails": {
    "streamUrl": "string",
    "tokenValue": "string"
  },
  "id": "string",
  "projectName": "string",
  "sessionId": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### accessDetails

Information about connection details for a Dev Environment.

Type: [DevEnvironmentAccessDetails](#) object

### id

The system-generated unique ID of the Dev Environment.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

### sessionId

The system-generated unique ID of the Dev Environment session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 96.

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

### ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartWorkflowRun

Begins a run of a specified workflow.

## Request Syntax

```
PUT /v1/spaces/spaceName/projects/projectName/workflowRuns?workflowId=workflowId
HTTP/1.1
Content-type: application/json

{
  "clientToken": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### workflowId

The system-generated unique ID of the workflow. To retrieve a list of workflow IDs, use [ListWorkflows](#).

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### clientToken

A user-specified idempotency token. Idempotency ensures that an API request completes only once. With an idempotent request, if the original request completes successfully, the subsequent retries return the result from the original successful request and have no additional effect.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "id": "string",
  "projectName": "string",
  "spaceName": "string",
  "workflowId": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## id

The system-generated unique ID of the workflow run.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

## projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## workflowId

The system-generated unique ID of the workflow.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### **ConflictException**

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### **ResourceNotFoundException**

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### **ServiceQuotaExceededException**

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **Examples**

### **Example**

The following example illustrates using `StartWorkflowRun` to start a run of a workflow with the ID of `my-demo-workflow-id-123abc` in `MyDemoProject` project that is part of the `ExampleCorp` space.



## Sample Request

```
POST https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/MyDemoProject/workflowRuns
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/codecatalyst.list-workflows
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE

{
  "workflowId": "my-demo-workflow-id-123abc"
  "clientToken": "ExampleClientToken"
}
```

## Sample Response

```
200 OK 642b
Content-Type: application/json; charset=utf-8
Date: Tue, 01 Aug 2023 19:31:23 GMT

{
  "spaceName": "ExampleCorp",
  "projectName": "MyDemoProject",
  "id": "example-workflow-run-id-123abc"
  "workflowId": "my-demo-workflow-id-123abc"
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopDevEnvironment

Pauses a specified Dev Environment and places it in a non-running state. Stopped Dev Environments do not consume compute minutes.

## Request Syntax

```
PUT /v1/spaces/spaceName/projects/projectName/devEnvironments/id/stop HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The system-generated unique ID of the Dev Environment.

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "id": "string",
  "projectName": "string",
  "spaceName": "string",
  "status": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### id

The system-generated unique ID of the Dev Environment.

Type: String

Pattern: [0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## status

The status of the Dev Environment.

Type: String

Valid Values: PENDING | RUNNING | STARTING | STOPPING | STOPPED | FAILED | DELETING | DELETED

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### **ThrottlingException**

The request was denied due to request throttling.

HTTP Status Code: 429

### **ValidationException**

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopDevEnvironmentSession

Stops a session for a specified Dev Environment.

## Request Syntax

```
DELETE /v1/spaces/spaceName/projects/projectName/devEnvironments/id/session/sessionId
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The system-generated unique ID of the Dev Environment. To obtain this ID, use [ListDevEnvironments](#).

Pattern: [0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

Required: Yes

### sessionId

The system-generated unique ID of the Dev Environment session. This ID is returned by [StartDevEnvironmentSession](#).

Length Constraints: Minimum length of 1. Maximum length of 96.

Required: Yes

## spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "id": "string",
  "projectName": "string",
  "sessionId": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### id

The system-generated unique ID of the Dev Environment.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`



## projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## sessionId

The system-generated unique ID of the Dev Environment session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 96.

## spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

## ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# UpdateDevEnvironment

Changes one or more values for a Dev Environment. Updating certain values of the Dev Environment will cause a restart.

## Request Syntax

```
PATCH /v1/spaces/spaceName/projects/projectName/devEnvironments/id HTTP/1.1  
Content-type: application/json
```

```
{  
  "alias": "string",  
  "clientToken": "string",  
  "ides": [  
    {  
      "name": "string",  
      "runtime": "string"  
    }  
  ],  
  "inactivityTimeoutMinutes": number,  
  "instanceType": "string"  
}
```

## URI Request Parameters

The request uses the following URI parameters.

### id

The system-generated unique ID of the Dev Environment.

Pattern: [0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}

Required: Yes

### projectName

The name of the project in the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: [a-zA-Z0-9]+(?:[-\_\.][a-zA-Z0-9]+)\*

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### alias

The user-specified alias for the Dev Environment. Changing this value will not cause a restart.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: `$|^[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: No

### clientToken

A user-specified idempotency token. Idempotency ensures that an API request completes only once. With an idempotent request, if the original request completes successfully, the subsequent retries return the result from the original successful request and have no additional effect.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

### ides

Information about the integrated development environment (IDE) configured for a Dev Environment.

Type: Array of [IdeConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

### [inactivityTimeoutMinutes](#)

The amount of time the Dev Environment will run without any activity detected before stopping, in minutes. Only whole integers are allowed. Dev Environments consume compute minutes when running.

#### **Note**

Changing this value will cause a restart of the Dev Environment if it is running.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1200.

Required: No

### [instanceType](#)

The Amazon EC2 instace type to use for the Dev Environment.

#### **Note**

Changing this value will cause a restart of the Dev Environment if it is running.

Type: String

Valid Values: `dev.standard1.small` | `dev.standard1.medium` | `dev.standard1.large` | `dev.standard1.xlarge`

Required: No

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "alias": "string",
  "clientToken": "string",
  "id": "string",
  "ides": [
    {
      "name": "string",
      "runtime": "string"
    }
  ],
  "inactivityTimeoutMinutes": number,
  "instanceType": "string",
  "projectName": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### alias

The user-specified alias for the Dev Environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

### clientToken

A user-specified idempotency token. Idempotency ensures that an API request completes only once. With an idempotent request, if the original request completes successfully, the subsequent retries return the result from the original successful request and have no additional effect.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

## id

The system-generated unique ID of the Dev Environment.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

## ides

Information about the integrated development environment (IDE) configured for the Dev Environment.

Type: Array of [IdeConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

## inactivityTimeoutMinutes

The amount of time the Dev Environment will run without any activity detected before stopping, in minutes.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1200.

## instanceType

The Amazon EC2 instace type to use for the Dev Environment.

Type: String

Valid Values: `dev.standard1.small` | `dev.standard1.medium` | `dev.standard1.large` | `dev.standard1.xlarge`

## projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`



## spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateProject

Changes one or more values for a project.

## Request Syntax

```
PATCH /v1/spaces/spaceName/projects/name HTTP/1.1  
Content-type: application/json
```

```
{  
  "description": "string"  
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the project.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

## description

The description of the project.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 200.

Pattern: `[a-zA-Z0-9]+(?:[-_a-zA-Z0-9.,;:/\+=?&$% ])*`

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "description": "string",
  "displayName": "string",
  "name": "string",
  "spaceName": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### description

The description of the project.

Type: String

### displayName

The friendly name of the project displayed to users in Amazon CodeCatalyst.

Type: String

## name

The name of the project.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

## ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

## ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

## ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## Examples

### Example

The following example illustrates using `UpdateProject` to change the value of the description of the `MyDemoProject` project to *My project for the August demonstration..*

### Sample Request

```
PATCH https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp/projects/MyDemoProject
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/
codecatalyst.update-project
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE

{"description": "My project for the August demonstration."}
```

### Sample Response

```
200 OK 411b
Content-Type: application/json; charset=utf-8
```

```
Date: Wed, 07 Jun 2023 19:43:09 GMT
```

```
{
  "spaceName": "ExampleCorp",
  "name": "MyDemoProject",
  "displayName": "My demonstration project",
  "description": "My project for the August demonstration."
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateSpace

Changes one or more values for a space.

## Request Syntax

```
PATCH /v1/spaces/name HTTP/1.1
Content-type: application/json

{
  "description": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### name

The name of the space.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### description

The description of the space.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 200.

Pattern: `[a-zA-Z0-9]+(?:[-_a-zA-Z0-9.,;:/\+=?&$% ])*`



Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "description": "string",
  "displayName": "string",
  "name": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### description

The description of the space.

Type: String

### displayName

The friendly name of the space displayed to users in Amazon CodeCatalyst.

Type: String

### name

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

### ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

# Examples

## Example

The following example illustrates using UpdateSpace to change the value of the description of the *ExampleCorp* space to *A place for us to work together on code.*.

### Sample Request

```
PATCH https://codecatalyst.global.api.aws/v1/spaces/ExampleCorp
Host: codecatalyst.global.api.aws
User-Agent: aws-cli/2.9.12 Python/3.9.11 Darwin/21.6.0 exe/x86_64 prompt/off command/
codecatalyst.update-space
Content-Type: application/json
Authorization: Bearer AKIAI44QH8DHBEXAMPLE

{"description": "A place for us to work together on code."}
```

### Sample Response

```
200 OK 411b
Content-Type: application/json; charset=utf-8
Date: Wed, 07 Jun 2023 19:43:09 GMT

{
  "name": "ExampleCorp",
  "displayName": "Example_Corp",
  "description": "A place for us to work together on code."
}
```

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# VerifySession

Verifies whether the calling user has a valid Amazon CodeCatalyst login and session. If successful, this returns the ID of the user in Amazon CodeCatalyst.

## Request Syntax

```
GET /session HTTP/1.1
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "identity": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### identity

The system-generated unique ID of the user in Amazon CodeCatalyst.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

## Errors

### AccessDeniedException

The request was denied because you don't have sufficient access to perform this action. Verify that you are a member of a role that allows this action.

HTTP Status Code: 403

### ConflictException

The request was denied because the requested operation would cause a conflict with the current state of a service resource associated with the request. Another user might have updated the resource. Reload, make sure you have the latest data, and then try again.

HTTP Status Code: 409

### ResourceNotFoundException

The request was denied because the specified resource was not found. Verify that the spelling is correct and that you have access to the resource.

HTTP Status Code: 404

### ServiceQuotaExceededException

The request was denied because one or more resources has reached its limits for the tier the space belongs to. Either reduce the number of resources, or change the tier if applicable.

HTTP Status Code: 402

### ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

### ValidationException

The request was denied because an input failed to satisfy the constraints specified by the service. Check the spelling and input requirements, and then try again.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The Amazon CodeCatalyst API contains several data types that various actions use. This section describes each data type in detail.

## Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AccessTokenSummary](#)
- [DevEnvironmentAccessDetails](#)
- [DevEnvironmentRepositorySummary](#)
- [DevEnvironmentSessionConfiguration](#)
- [DevEnvironmentSessionSummary](#)
- [DevEnvironmentSummary](#)
- [EmailAddress](#)
- [EventLogEntry](#)
- [EventPayload](#)
- [ExecuteCommandSessionConfiguration](#)
- [Filter](#)
- [Ide](#)
- [IdeConfiguration](#)
- [ListSourceRepositoriesItem](#)
- [ListSourceRepositoryBranchesItem](#)
- [PersistentStorage](#)
- [PersistentStorageConfiguration](#)
- [ProjectInformation](#)
- [ProjectListFilter](#)
- [ProjectSummary](#)



- [RepositoryInput](#)
- [SpaceSummary](#)
- [UserIdentity](#)
- [WorkflowDefinition](#)
- [WorkflowDefinitionSummary](#)
- [WorkflowRunSortCriteria](#)
- [WorkflowRunStatusReason](#)
- [WorkflowRunSummary](#)
- [WorkflowSortCriteria](#)
- [WorkflowSummary](#)

# AccessTokenSummary

Information about a specified personal access token (PAT).

## Contents

### id

The system-generated ID of the personal access token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Required: Yes

### name

The friendly name of the personal access token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

### expiresTime

The date and time when the personal access token will expire, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# DevEnvironmentAccessDetails

Information about connection details for a Dev Environment.

## Contents

### streamUrl

The URL used to send commands to and from the Dev Environment.

Type: String

Required: Yes

### tokenValue

An encrypted token value that contains session and caller information used to authenticate the connection.

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DevEnvironmentRepositorySummary

Information about the source repository for a Dev Environment.

## Contents

### repositoryName

The name of the source repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[\.]git\$)[\w\-.]\*

Required: Yes

### branchName

The name of the branch in a source repository cloned into the Dev Environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DevEnvironmentSessionConfiguration

Information about the configuration of a Dev Environment session.

## Contents

### sessionType

The type of the session.

Type: String

Valid Values: SSM | SSH

Required: Yes

### executeCommandSessionConfiguration

Information about optional commands that will be run on the Dev Environment when the SSH session begins.

Type: [ExecuteCommandSessionConfiguration](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DevEnvironmentSessionSummary

Information about active sessions for a Dev Environment.

## Contents

### devEnvironmentId

The system-generated unique ID of the Dev Environment.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### id

The system-generated unique ID of the Dev Environment session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 96.

Required: Yes

### projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### **startedTime**

The date and time the session started, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#)

Type: Timestamp

Required: Yes

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# DevEnvironmentSummary

Information about a Dev Environment.

## Contents

### **creatorId**

The system-generated unique ID of the user who created the Dev Environment.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: Yes

### **id**

The system-generated unique ID for the Dev Environment.

Type: String

Pattern: [0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}

Required: Yes

### **inactivityTimeoutMinutes**

The amount of time the Dev Environment will run without any activity detected before stopping, in minutes. Dev Environments consume compute minutes when running.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 1200.

Required: Yes

### **instanceType**

The Amazon EC2 instace type used for the Dev Environment.

Type: String

Valid Values: `dev.standard1.small` | `dev.standard1.medium` |  
`dev.standard1.large` | `dev.standard1.xlarge`

Required: Yes

### **lastUpdatedTime**

The time when the Dev Environment was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: Yes

### **persistentStorage**

Information about the configuration of persistent storage for the Dev Environment.

Type: [PersistentStorage](#) object

Required: Yes

### **repositories**

Information about the repositories that will be cloned into the Dev Environment. If no `rvalue` is specified, no repository is cloned.

Type: Array of [DevEnvironmentRepositorySummary](#) objects

Required: Yes

### **status**

The status of the Dev Environment.

Type: String

Valid Values: `PENDING` | `RUNNING` | `STARTING` | `STOPPING` | `STOPPED` | `FAILED` |  
`DELETING` | `DELETED`

Required: Yes

### **alias**

The user-specified alias for the Dev Environment.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Required: No

## ides

Information about the integrated development environment (IDE) configured for a Dev Environment.

Type: Array of [Ide](#) objects

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Required: No

## projectName

The name of the project in the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: No

## spaceName

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: No

## statusReason

The reason for the status.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

### **vpcConnectionName**

The name of the connection used to connect to Amazon VPC used when the Dev Environment was created, if any.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EmailAddress

Information about an email address.

## Contents

### email

The email address.

Type: String

Required: No

### verified

Whether the email address has been verified.

Type: Boolean

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EventLogEntry

Information about an entry in an event log of Amazon CodeCatalyst activity.

## Contents

### eventCategory

The category for the event.

Type: String

Required: Yes

### eventName

The name of the event.

Type: String

Required: Yes

### eventSource

The source of the event.

Type: String

Required: Yes

### eventTime

The time the event took place, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: Yes

### eventType

The type of the event.

Type: String

Required: Yes

**id**

The system-generated unique ID of the event.

Type: String

Required: Yes

**operationType**

The type of the event.

Type: String

Valid Values: READONLY | MUTATION

Required: Yes

**userIdentity**

The system-generated unique ID of the user whose actions are recorded in the event.

Type: [UserIdentity](#) object

Required: Yes

**errorCode**

The code of the error, if any.

Type: String

Required: No

**projectInformation**

Information about the project where the event occurred.

Type: [ProjectInformation](#) object

Required: No

**requestId**

The system-generated unique ID of the request.

Type: String

Required: No

### **requestPayload**

Information about the payload of the request.

Type: [EventPayload](#) object

Required: No

### **responsePayload**

Information about the payload of the response, if any.

Type: [EventPayload](#) object

Required: No

### **sourceIpAddress**

The IP address of the user whose actions are recorded in the event.

Type: String

Required: No

### **userAgent**

The user agent whose actions are recorded in the event.

Type: String

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# EventPayload

Information about the payload of an event recording Amazon CodeCatalyst activity.

## Contents

### **contentType**

The type of content in the event payload.

Type: String

Required: No

### **data**

The data included in the event payload.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ExecuteCommandSessionConfiguration

Information about the commands that will be run on a Dev Environment when an SSH session begins.

## Contents

### command

The command used at the beginning of the SSH session to a Dev Environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

### arguments

An array of arguments containing arguments and members.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Filter

Information about a filter used to limit results of a query.

## Contents

### key

A key that can be used to sort results.

Type: String

Required: Yes

### values

The values of the key.

Type: Array of strings

Required: Yes

### comparisonOperator

The operator used to compare the fields.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Ide

Information about an integrated development environment (IDE) used in a Dev Environment.

## Contents

### name

The name of the IDE.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

### runtime

A link to the IDE runtime image.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 400.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# IdeConfiguration

Information about the configuration of an integrated development environment (IDE) for a Dev Environment.

## Contents

### name

The name of the IDE. Valid values include Cloud9, IntelliJ, PyCharm, GoLand, and VSCode.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

### runtime

A link to the IDE runtime image.

#### Note

This parameter is not required for VSCode.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 400.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ListSourceRepositoriesItem

Information about a source repository returned in a list of source repositories.

## Contents

### createdTime

The time the source repository was created, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: Yes

### id

The system-generated unique ID of the source repository.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### lastUpdatedTime

The time the source repository was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: Yes

### name

The name of the source repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `(?!.*[.]git$)[\w\-.]*`

Required: Yes

### **description**

The description of the repository, if any.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ListSourceRepositoryBranchesItem

Information about a branch of a source repository returned in a list of branches.

## Contents

### headCommitId

The commit ID of the tip of the branch at the time of the request, also known as the head commit.

Type: String

Required: No

### lastUpdatedTime

The time the branch was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: No

### name

The name of the branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

### ref

The Git reference name of the branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PersistentStorage

Information about the persistent storage for a Dev Environment.

## Contents

### sizeInGiB

The size of the persistent storage in gigabytes (specifically GiB).

#### Note

Valid values for storage are based on memory sizes in 16GB increments. Valid values are 16, 32, and 64.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 64.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PersistentStorageConfiguration

Information about the configuration of persistent storage for a Dev Environment.

## Contents

### sizeInGiB

The size of the persistent storage in gigabytes (specifically GiB).

#### Note

Valid values for storage are based on memory sizes in 16GB increments. Valid values are 16, 32, and 64.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 64.

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ProjectInformation

Information about a project in a space.

## Contents

### name

The name of the project in the space.

Type: String

Required: No

### projectId

The system-generated unique ID of the project.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ProjectListFilter

Information about the filter used to narrow the results returned in a list of projects.

## Contents

### key

A key that can be used to sort results.

Type: String

Valid Values: hasAccessTo | name

Required: Yes

### values

The values of the key.

Type: Array of strings

Required: Yes

### comparisonOperator

The operator used to compare the fields.

Type: String

Valid Values: EQ | GT | GE | LT | LE | BEGINS\_WITH

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ProjectSummary

Information about a project.

## Contents

### name

The name of the project in the space.

Type: String

Required: Yes

### description

The description of the project.

Type: String

Required: No

### displayName

The friendly name displayed to users of the project in Amazon CodeCatalyst.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# RepositoryInput

Information about a repository that will be cloned to a Dev Environment.

## Contents

### repositoryName

The name of the source repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[\.]git\$)[\w\-.]\*

Required: Yes

### branchName

The name of the branch in a source repository.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SpaceSummary

Information about an space.

## Contents

### name

The name of the space.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[a-zA-Z0-9]+(?:[-_\.][a-zA-Z0-9]+)*`

Required: Yes

### regionName

The AWS Region where the space exists.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 16.

Pattern: `(us(?:-gov)?|af|ap|ca|cn|eu|sa)-(central|(?:north|south)?(?:east|west)?)-(\d+)`

Required: Yes

### description

The description of the space.

Type: String

Required: No

### displayName

The friendly name of the space displayed to users.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# UserIdentity

Information about a user whose activity is recorded in an event for a space.

## Contents

### **principalId**

The ID of the Amazon CodeCatalyst service principal.

Type: String

Required: Yes

### **userType**

The role assigned to the user in a Amazon CodeCatalyst space or project when the event occurred.

Type: String

Valid Values: USER | AWS\_ACCOUNT | UNKNOWN

Required: Yes

### **awsAccountId**

The AWS account number of the user in AWS, if any.

Type: String

Required: No

### **userName**

The display name of the user in Amazon CodeCatalyst.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WorkflowDefinition

Information about a workflow definition file.

## Contents

### path

The path to the workflow definition file stored in the source repository for the project, including the file name.

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WorkflowDefinitionSummary

Information about a workflow definition.

## Contents

### path

The path to the workflow definition file stored in the source repository for the project, including the file name.

Type: String

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WorkflowRunSortCriteria

Information used to sort workflow runs in the returned list.

## Contents

The members of this exception structure are context-dependent.

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# WorkflowRunStatusReason

Information about the status of a workflow run.

## Contents

The members of this exception structure are context-dependent.

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WorkflowRunSummary

Information about a workflow run.

## Contents

### id

The system-generated unique ID of the workflow run.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### lastUpdatedTime

The date and time the workflow was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#)

Type: Timestamp

Required: Yes

### startTime

The date and time the workflow run began, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#).

Type: Timestamp

Required: Yes

### status

The status of the workflow run.

Type: String

Valid Values: SUCCEEDED | FAILED | STOPPED | SUPERSEDED | CANCELLED | NOT\_RUN | VALIDATING | PROVISIONING | IN\_PROGRESS | STOPPING | ABANDONED

Required: Yes

### **workflowId**

The system-generated unique ID of the workflow.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### **workflowName**

The name of the workflow.

Type: String

Required: Yes

### **endTime**

The date and time the workflow run ended, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#)

Type: Timestamp

Required: No

### **statusReasons**

The reasons for the workflow run status.

Type: Array of [WorkflowRunStatusReason](#) objects

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WorkflowSortCriteria

Information used to sort workflows in the returned list.

## Contents

The members of this exception structure are context-dependent.

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WorkflowSummary

Information about a workflow.

## Contents

### createdTime

The date and time the workflow was created, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#)

Type: Timestamp

Required: Yes

### definition

Information about the workflow definition file.

Type: [WorkflowDefinitionSummary](#) object

Required: Yes

### id

The system-generated unique ID of a workflow.

Type: String

Pattern: `[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}`

Required: Yes

### lastUpdatedTime

The date and time the workflow was last updated, in coordinated universal time (UTC) timestamp format as specified in [RFC 3339](#)

Type: Timestamp

Required: Yes

### name

The name of the workflow.

Type: String

Required: Yes

### **runMode**

The run mode of the workflow.

Type: String

Valid Values: QUEUED | PARALLEL | SUPERSEDED

Required: Yes

### **sourceBranchName**

The name of the branch of the source repository where the workflow definition file is stored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

### **sourceRepositoryName**

The name of the source repository where the workflow definition file is stored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: (?!.\*[.]git\$)[\w\-.]\*

Required: Yes

### **status**

The status of the workflow.

Type: String

Valid Values: INVALID | ACTIVE

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)