



API Reference

Amazon DevOps Guru



API Version 2020-12-01

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon DevOps Guru: API Reference

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AddNotificationChannel	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	5
Response Elements	5
Errors	5
See Also	6
DeleteInsight	8
Request Syntax	8
URI Request Parameters	8
Request Body	8
Response Syntax	8
Response Elements	8
Errors	8
See Also	9
DescribeAccountHealth	11
Request Syntax	11
URI Request Parameters	11
Request Body	11
Response Syntax	11
Response Elements	11
Errors	12
See Also	13
DescribeAccountOverview	14
Request Syntax	14
URI Request Parameters	14
Request Body	14
Response Syntax	15
Response Elements	15
Errors	15
See Also	16

DescribeAnomaly	18
Request Syntax	18
URI Request Parameters	18
Request Body	18
Response Syntax	18
Response Elements	24
Errors	24
See Also	25
DescribeEventSourcesConfig	26
Request Syntax	26
URI Request Parameters	26
Request Body	26
Response Syntax	26
Response Elements	26
Errors	27
See Also	27
DescribeFeedback	29
Request Syntax	29
URI Request Parameters	29
Request Body	29
Response Syntax	29
Response Elements	30
Errors	30
See Also	31
DescribeInsight	32
Request Syntax	32
URI Request Parameters	32
Request Body	32
Response Syntax	32
Response Elements	34
Errors	34
See Also	35
DescribeOrganizationHealth	36
Request Syntax	36
URI Request Parameters	36
Request Body	36

Response Syntax	37
Response Elements	37
Errors	38
See Also	39
DescribeOrganizationOverview	40
Request Syntax	40
URI Request Parameters	40
Request Body	40
Response Syntax	41
Response Elements	41
Errors	42
See Also	43
DescribeOrganizationResourceCollectionHealth	44
Request Syntax	44
URI Request Parameters	44
Request Body	44
Response Syntax	46
Response Elements	47
Errors	49
See Also	49
DescribeResourceCollectionHealth	51
Request Syntax	51
URI Request Parameters	51
Request Body	52
Response Syntax	52
Response Elements	53
Errors	54
See Also	55
DescribeServiceIntegration	56
Request Syntax	56
URI Request Parameters	56
Request Body	56
Response Syntax	56
Response Elements	56
Errors	57
See Also	58

GetCostEstimation	59
Request Syntax	59
URI Request Parameters	59
Request Body	59
Response Syntax	59
Response Elements	60
Errors	61
See Also	62
GetResourceCollection	63
Request Syntax	63
URI Request Parameters	63
Request Body	63
Response Syntax	64
Response Elements	64
Errors	65
See Also	65
ListAnomaliesForInsight	67
Request Syntax	67
URI Request Parameters	67
Request Body	67
Response Syntax	69
Response Elements	74
Errors	75
See Also	76
ListAnomalousLogGroups	77
Request Syntax	77
URI Request Parameters	77
Request Body	77
Response Syntax	78
Response Elements	79
Errors	79
See Also	80
ListEvents	82
Request Syntax	82
URI Request Parameters	82
Request Body	83

Response Syntax	84
Response Elements	84
Errors	85
See Also	86
ListInsights	87
Request Syntax	87
URI Request Parameters	87
Request Body	87
Response Syntax	88
Response Elements	90
Errors	90
See Also	91
ListMonitoredResources	93
Request Syntax	93
URI Request Parameters	93
Request Body	93
Response Syntax	94
Response Elements	95
Errors	95
See Also	96
ListNotificationChannels	97
Request Syntax	97
URI Request Parameters	97
Request Body	97
Response Syntax	97
Response Elements	98
Errors	99
See Also	99
ListOrganizationInsights	101
Request Syntax	101
URI Request Parameters	101
Request Body	101
Response Syntax	103
Response Elements	104
Errors	105
See Also	106

ListRecommendations	107
Request Syntax	107
URI Request Parameters	107
Request Body	107
Response Syntax	108
Response Elements	109
Errors	110
See Also	111
PutFeedback	112
Request Syntax	112
URI Request Parameters	112
Request Body	112
Response Syntax	112
Response Elements	112
Errors	113
See Also	113
RemoveNotificationChannel	115
Request Syntax	115
URI Request Parameters	115
Request Body	115
Response Syntax	115
Response Elements	115
Errors	115
See Also	116
SearchInsights	118
Request Syntax	118
URI Request Parameters	119
Request Body	119
Response Syntax	120
Response Elements	121
Errors	122
See Also	123
SearchOrganizationInsights	124
Request Syntax	124
URI Request Parameters	125
Request Body	125

Response Syntax	126
Response Elements	128
Errors	128
See Also	129
StartCostEstimation	130
Request Syntax	130
URI Request Parameters	130
Request Body	130
Response Syntax	131
Response Elements	131
Errors	131
See Also	132
UpdateEventSourcesConfig	133
Request Syntax	133
URI Request Parameters	133
Request Body	133
Response Syntax	133
Response Elements	134
Errors	134
See Also	134
UpdateResourceCollection	136
Request Syntax	136
URI Request Parameters	136
Request Body	136
Response Syntax	137
Response Elements	137
Errors	137
See Also	138
UpdateServiceIntegration	139
Request Syntax	139
URI Request Parameters	139
Request Body	139
Response Syntax	140
Response Elements	140
Errors	140
See Also	141

Data Types	142
AccountHealth	146
Contents	146
See Also	146
AccountInsightHealth	147
Contents	147
See Also	147
AmazonCodeGuruProfilerIntegration	148
Contents	148
See Also	148
AnomalousLogGroup	149
Contents	149
See Also	150
AnomalyReportedTimeRange	151
Contents	151
See Also	151
AnomalyResource	152
Contents	152
See Also	152
AnomalySourceDetails	153
Contents	153
See Also	153
AnomalySourceMetadata	154
Contents	154
See Also	154
AnomalyTimeRange	156
Contents	156
See Also	156
CloudFormationCollection	157
Contents	157
See Also	157
CloudFormationCollectionFilter	158
Contents	158
See Also	158
CloudFormationCostEstimationResourceCollectionFilter	159
Contents	159

See Also	159
CloudFormationHealth	160
Contents	160
See Also	160
CloudWatchMetricsDataSummary	162
Contents	162
See Also	162
CloudWatchMetricsDetail	163
Contents	163
See Also	164
CloudWatchMetricsDimension	165
Contents	165
See Also	165
CostEstimationResourceCollectionFilter	166
Contents	166
See Also	167
CostEstimationTimeRange	168
Contents	168
See Also	168
EndTimeRange	169
Contents	169
See Also	169
Event	170
Contents	170
See Also	172
EventResource	173
Contents	173
See Also	174
EventSourcesConfig	175
Contents	175
See Also	175
EventTimeRange	176
Contents	176
See Also	176
InsightFeedback	177
Contents	177

See Also	177
InsightHealth	178
Contents	178
See Also	178
InsightTimeRange	179
Contents	179
See Also	179
KMSServerSideEncryptionIntegration	180
Contents	180
See Also	181
KMSServerSideEncryptionIntegrationConfig	182
Contents	182
See Also	183
ListAnomaliesForInsightFilters	184
Contents	184
See Also	184
ListEventsFilters	185
Contents	185
See Also	186
ListInsightsAnyStatusFilter	187
Contents	187
See Also	187
ListInsightsClosedStatusFilter	188
Contents	188
See Also	188
ListInsightsOngoingStatusFilter	189
Contents	189
See Also	189
ListInsightsStatusFilter	190
Contents	190
See Also	190
ListMonitoredResourcesFilters	192
Contents	192
See Also	192
LogAnomalyClass	194
Contents	194

See Also	195
LogAnomalyShowcase	196
Contents	196
See Also	196
LogsAnomalyDetectionIntegration	197
Contents	197
See Also	197
LogsAnomalyDetectionIntegrationConfig	198
Contents	198
See Also	198
MonitoredResourceIdentifier	199
Contents	199
See Also	200
NotificationChannel	201
Contents	201
See Also	201
NotificationChannelConfig	203
Contents	203
See Also	203
NotificationFilterConfig	205
Contents	205
See Also	205
OpsCenterIntegration	207
Contents	207
See Also	207
OpsCenterIntegrationConfig	208
Contents	208
See Also	208
PerformanceInsightsMetricDimensionGroup	209
Contents	209
See Also	211
PerformanceInsightsMetricQuery	212
Contents	212
See Also	213
PerformanceInsightsMetricsDetail	214
Contents	214

See Also	215
PerformanceInsightsReferenceComparisonValues	216
Contents	216
See Also	216
PerformanceInsightsReferenceData	217
Contents	217
See Also	217
PerformanceInsightsReferenceMetric	218
Contents	218
See Also	218
PerformanceInsightsReferenceScalar	219
Contents	219
See Also	219
PerformanceInsightsStat	220
Contents	220
See Also	220
PredictionTimeRange	221
Contents	221
See Also	221
ProactiveAnomaly	222
Contents	222
See Also	225
ProactiveAnomalySummary	226
Contents	226
See Also	229
ProactiveInsight	230
Contents	230
See Also	232
ProactiveInsightSummary	233
Contents	233
See Also	235
ProactiveOrganizationInsightSummary	236
Contents	236
See Also	238
ReactiveAnomaly	239
Contents	239

See Also	242
ReactiveAnomalySummary	243
Contents	243
See Also	246
ReactiveInsight	247
Contents	247
See Also	249
ReactiveInsightSummary	250
Contents	250
See Also	252
ReactiveOrganizationInsightSummary	253
Contents	253
See Also	255
Recommendation	256
Contents	256
See Also	257
RecommendationRelatedAnomaly	258
Contents	258
See Also	258
RecommendationRelatedAnomalyResource	260
Contents	260
See Also	260
RecommendationRelatedAnomalySourceDetail	261
Contents	261
See Also	261
RecommendationRelatedCloudWatchMetricsSourceDetail	262
Contents	262
See Also	262
RecommendationRelatedEvent	263
Contents	263
See Also	263
RecommendationRelatedEventResource	264
Contents	264
See Also	264
ResourceCollection	265
Contents	265

See Also	266
ResourceCollectionFilter	267
Contents	267
See Also	268
SearchInsightsFilters	269
Contents	269
See Also	270
SearchOrganizationInsightsFilters	271
Contents	271
See Also	272
ServiceCollection	273
Contents	273
See Also	273
ServiceHealth	274
Contents	274
See Also	274
ServiceInsightHealth	276
Contents	276
See Also	276
ServiceIntegrationConfig	277
Contents	277
See Also	277
ServiceResourceCost	279
Contents	279
See Also	280
SnsChannelConfig	281
Contents	281
See Also	281
StartTimeRange	282
Contents	282
See Also	282
TagCollection	283
Contents	284
See Also	285
TagCollectionFilter	286
Contents	286

See Also	287
TagCostEstimationResourceCollectionFilter	288
Contents	288
See Also	289
TagHealth	290
Contents	290
See Also	291
TimestampMetricValuePair	292
Contents	292
See Also	292
UpdateCloudFormationCollectionFilter	293
Contents	293
See Also	293
UpdateResourceCollectionFilter	294
Contents	294
See Also	295
UpdateServiceIntegrationConfig	296
Contents	296
See Also	296
UpdateTagCollectionFilter	298
Contents	298
See Also	299
ValidationExceptionField	300
Contents	300
See Also	300
Common Parameters	301
Common Errors	304

Welcome

Amazon DevOps Guru is a fully managed service that helps you identify anomalous behavior in business critical operational applications. You specify the AWS resources that you want DevOps Guru to cover, then the Amazon CloudWatch metrics and AWS CloudTrail events related to those resources are analyzed. When anomalous behavior is detected, DevOps Guru creates an *insight* that includes recommendations, related events, and related metrics that can help you improve your operational applications. For more information, see [What is Amazon DevOps Guru](#).

You can specify 1 or 2 Amazon Simple Notification Service topics so you are notified every time a new insight is created. You can also enable DevOps Guru to generate an OpsItem in AWS Systems Manager for each insight to help you manage and track your work addressing insights.

To learn about the DevOps Guru workflow, see [How DevOps Guru works](#). To learn about DevOps Guru concepts, see [Concepts in DevOps Guru](#).

This document was last published on July 2, 2024.

Actions

The following actions are supported:

- [AddNotificationChannel](#)
- [DeleteInsight](#)
- [DescribeAccountHealth](#)
- [DescribeAccountOverview](#)
- [DescribeAnomaly](#)
- [DescribeEventSourcesConfig](#)
- [DescribeFeedback](#)
- [DescribeInsight](#)
- [DescribeOrganizationHealth](#)
- [DescribeOrganizationOverview](#)
- [DescribeOrganizationResourceCollectionHealth](#)
- [DescribeResourceCollectionHealth](#)
- [DescribeServiceIntegration](#)
- [GetCostEstimation](#)
- [GetResourceCollection](#)
- [ListAnomaliesForInsight](#)
- [ListAnomalousLogGroups](#)
- [ListEvents](#)
- [ListInsights](#)
- [ListMonitoredResources](#)
- [ListNotificationChannels](#)
- [ListOrganizationInsights](#)
- [ListRecommendations](#)
- [PutFeedback](#)
- [RemoveNotificationChannel](#)
- [SearchInsights](#)
- [SearchOrganizationInsights](#)

- [StartCostEstimation](#)
- [UpdateEventSourcesConfig](#)
- [UpdateResourceCollection](#)
- [UpdateServiceIntegration](#)

AddNotificationChannel

Adds a notification channel to DevOps Guru. A notification channel is used to notify you about important DevOps Guru events, such as when an insight is generated.

If you use an Amazon SNS topic in another account, you must attach a policy to it that grants DevOps Guru permission to send it notifications. DevOps Guru adds the required policy on your behalf to send notifications using Amazon SNS in your account. DevOps Guru only supports standard SNS topics. For more information, see [Permissions for Amazon SNS topics](#).

If you use an Amazon SNS topic that is encrypted by an AWS Key Management Service customer-managed key (CMK), then you must add permissions to the CMK. For more information, see [Permissions for AWS KMS–encrypted Amazon SNS topics](#).

Request Syntax

```
PUT /channels HTTP/1.1
Content-type: application/json

{
  "Config": {
    "Filters": {
      "MessageTypes": [ "string" ],
      "Severities": [ "string" ]
    },
    "Sns": {
      "TopicArn": "string"
    }
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Config

A `NotificationChannelConfig` object that specifies what type of notification channel to add. The one supported notification channel is Amazon Simple Notification Service (Amazon SNS).

Type: [NotificationChannelConfig](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Id": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Id

The ID of the added notification channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

ConflictException

An exception that is thrown when a conflict occurs.

HTTP Status Code: 409

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ServiceQuotaExceededException

The request contains a value that exceeds a maximum quota.

HTTP Status Code: 402

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteInsight

Deletes the insight along with the associated anomalies, events and recommendations.

Request Syntax

```
DELETE /insights/Id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

Id

The ID of the insight.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

ConflictException

An exception that is thrown when a conflict occurs.

HTTP Status Code: 409

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAccountHealth

Returns the number of open reactive insights, the number of open proactive insights, and the number of metrics analyzed in your AWS account. Use these numbers to gauge the health of operations in your AWS account.

Request Syntax

```
GET /accounts/health HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AnalyzedResourceCount": number,
  "MetricsAnalyzed": number,
  "OpenProactiveInsights": number,
  "OpenReactiveInsights": number,
  "ResourceHours": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[AnalyzedResourceCount](#)

Number of resources that DevOps Guru is monitoring in your AWS account.

Type: Long

MetricsAnalyzed

An integer that specifies the number of metrics that have been analyzed in your AWS account.

Type: Integer

OpenProactiveInsights

An integer that specifies the number of open proactive insights in your AWS account.

Type: Integer

OpenReactiveInsights

An integer that specifies the number of open reactive insights in your AWS account.

Type: Integer

ResourceHours

The number of Amazon DevOps Guru resource analysis hours billed to the current AWS account in the last hour.

Type: Long

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAccountOverview

For the time range passed in, returns the number of open reactive insight that were created, the number of open proactive insights that were created, and the Mean Time to Recover (MTTR) for all closed reactive insights.

Request Syntax

```
POST /accounts/overview HTTP/1.1
Content-type: application/json
```

```
{
  "FromTime": number,
  "ToTime": number
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

FromTime

The start of the time range passed in. The start time granularity is at the day level. The floor of the start time is used. Returned information occurred after this day.

Type: Timestamp

Required: Yes

ToTime

The end of the time range passed in. The start time granularity is at the day level. The floor of the start time is used. Returned information occurred before this day. If this is not specified, then the current day is used.

Type: Timestamp

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "MeanTimeToRecoverInMilliseconds": number,
  "ProactiveInsights": number,
  "ReactiveInsights": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[MeanTimeToRecoverInMilliseconds](#)

The Mean Time to Recover (MTTR) for all closed insights that were created during the time range passed in.

Type: Long

[ProactiveInsights](#)

An integer that specifies the number of open proactive insights in your AWS account that were created during the time range passed in.

Type: Integer

[ReactiveInsights](#)

An integer that specifies the number of open reactive insights in your AWS account that were created during the time range passed in.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAnomaly

Returns details about an anomaly that you specify using its ID.

Request Syntax

```
GET /anomalies/Id?AccountId=AccountId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

AccountId

The ID of the member account.

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Id

The ID of the anomaly.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\w~.-]*$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ProactiveAnomaly": {
    "AnomalyReportedTimeRange": {
      "CloseTime": number,
```

```
    "OpenTime": number
  },
  "AnomalyResources": [
    {
      "Name": "string",
      "Type": "string"
    }
  ],
  "AnomalyTimeRange": {
    "EndTime": number,
    "StartTime": number
  },
  "AssociatedInsightId": "string",
  "Description": "string",
  "Id": "string",
  "Limit": number,
  "PredictionTimeRange": {
    "EndTime": number,
    "StartTime": number
  },
  "ResourceCollection": {
    "CloudFormation": {
      "StackNames": [ "string " ]
    },
    "Tags": [
      {
        "AppBoundaryKey": "string",
        "TagValues": [ "string " ]
      }
    ]
  },
  "Severity": "string",
  "SourceDetails": {
    "CloudWatchMetrics": [
      {
        "Dimensions": [
          {
            "Name": "string",
            "Value": "string"
          }
        ]
      }
    ],
    "MetricDataSummary": {
      "StatusCode": "string",
      "TimestampMetricValuePairList": [
```

```
        {
            "MetricValue": number,
            "Timestamp": number
        }
    ]
},
"MetricName": "string",
"Namespace": "string",
"Period": number,
"Stat": "string",
"Unit": "string"
}
],
"PerformanceInsightsMetrics": [
    {
        "MetricDisplayName": "string",
        "MetricQuery": {
            "Filter": {
                "string": "string"
            },
            "GroupBy": {
                "Dimensions": [ "string" ],
                "Group": "string",
                "Limit": number
            },
            "Metric": "string"
        },
        "ReferenceData": [
            {
                "ComparisonValues": {
                    "ReferenceMetric": {
                        "MetricQuery": {
                            "Filter": {
                                "string": "string"
                            },
                            "GroupBy": {
                                "Dimensions": [ "string" ],
                                "Group": "string",
                                "Limit": number
                            },
                            "Metric": "string"
                        }
                    }
                },
                "ReferenceScalar": {
```

```
        "Value": number
      }
    },
    "Name": "string"
  }
],
"StatsAtAnomaly": [
  {
    "Type": "string",
    "Value": number
  }
],
"StatsAtBaseline": [
  {
    "Type": "string",
    "Value": number
  }
],
"Unit": "string"
}
]
},
"SourceMetadata": {
  "Source": "string",
  "SourceResourceName": "string",
  "SourceResourceType": "string"
},
"Status": "string",
"UpdateTime": number
},
"ReactiveAnomaly": {
  "AnomalyReportedTimeRange": {
    "CloseTime": number,
    "OpenTime": number
  },
  "AnomalyResources": [
    {
      "Name": "string",
      "Type": "string"
    }
  ],
  "AnomalyTimeRange": {
    "EndTime": number,
    "StartTime": number
  }
}
```

```
  },
  "AssociatedInsightId": "string",
  "CausalAnomalyId": "string",
  "Description": "string",
  "Id": "string",
  "Name": "string",
  "ResourceCollection": {
    "CloudFormation": {
      "StackNames": [ "string" ]
    },
    "Tags": [
      {
        "AppBoundaryKey": "string",
        "TagValues": [ "string" ]
      }
    ]
  },
  "Severity": "string",
  "SourceDetails": {
    "CloudWatchMetrics": [
      {
        "Dimensions": [
          {
            "Name": "string",
            "Value": "string"
          }
        ],
        "MetricDataSummary": {
          "StatusCode": "string",
          "TimestampMetricValuePairList": [
            {
              "MetricValue": number,
              "Timestamp": number
            }
          ]
        },
        "MetricName": "string",
        "Namespace": "string",
        "Period": number,
        "Stat": "string",
        "Unit": "string"
      }
    ],
    "PerformanceInsightsMetrics": [
```

```
{
  "MetricDisplayName": "string",
  "MetricQuery": {
    "Filter": {
      "string" : "string"
    },
    "GroupBy": {
      "Dimensions": [ "string" ],
      "Group": "string",
      "Limit": number
    },
    "Metric": "string"
  },
  "ReferenceData": [
    {
      "ComparisonValues": {
        "ReferenceMetric": {
          "MetricQuery": {
            "Filter": {
              "string" : "string"
            },
            "GroupBy": {
              "Dimensions": [ "string" ],
              "Group": "string",
              "Limit": number
            },
            "Metric": "string"
          }
        },
        "ReferenceScalar": {
          "Value": number
        }
      },
      "Name": "string"
    }
  ],
  "StatsAtAnomaly": [
    {
      "Type": "string",
      "Value": number
    }
  ],
  "StatsAtBaseline": [
    {
```



```
        "Type": "string",
        "Value": number
      }
    ],
    "Unit": "string"
  }
]
},
"Status": "string",
"Type": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ProactiveAnomaly

A ProactiveAnomaly object that represents the requested anomaly.

Type: [ProactiveAnomaly](#) object

ReactiveAnomaly

A ReactiveAnomaly object that represents the requested anomaly.

Type: [ReactiveAnomaly](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerErrorException

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeEventSourcesConfig

Returns the integration status of services that are integrated with DevOps Guru as Consumer via EventBridge. The one service that can be integrated with DevOps Guru is Amazon CodeGuru Profiler, which can produce proactive recommendations which can be stored and viewed in DevOps Guru.

Request Syntax

```
POST /event-sources HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "EventSources": {
    "AmazonCodeGuruProfiler": {
      "Status": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[EventSources](#)

Lists the event sources in the configuration.

Type: [EventSourcesConfig](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFeedback

Returns the most recent feedback submitted in the current AWS account and Region.

Request Syntax

```
POST /feedback HTTP/1.1
Content-type: application/json

{
  "InsightId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[InsightId](#)

The ID of the insight for which the feedback was provided.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "InsightFeedback": {
```

```
    "Feedback": "string",  
    "Id": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

InsightFeedback

Information about insight feedback received from a customer.

Type: [InsightFeedback](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeInsight

Returns details about an insight that you specify using its ID.

Request Syntax

```
GET /insights/Id?AccountId=AccountId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

AccountId

The ID of the member account in the organization.

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Id

The ID of the insight.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\w-]*$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ProactiveInsight": {
    "Description": "string",
    "Id": "string",
```

```
"InsightTimeRange": {
  "EndTime": number,
  "StartTime": number
},
"Name": "string",
"PredictionTimeRange": {
  "EndTime": number,
  "StartTime": number
},
"ResourceCollection": {
  "CloudFormation": {
    "StackNames": [ "string" ]
  },
  "Tags": [
    {
      "AppBoundaryKey": "string",
      "TagValues": [ "string" ]
    }
  ]
},
"Severity": "string",
"SsmOpsItemId": "string",
"Status": "string"
},
"ReactiveInsight": {
  "Description": "string",
  "Id": "string",
  "InsightTimeRange": {
    "EndTime": number,
    "StartTime": number
  },
  "Name": "string",
  "ResourceCollection": {
    "CloudFormation": {
      "StackNames": [ "string" ]
    },
    "Tags": [
      {
        "AppBoundaryKey": "string",
        "TagValues": [ "string" ]
      }
    ]
  },
  "Severity": "string",
```

```
    "SsmOpsItemId": "string",  
    "Status": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ProactiveInsight

A `ProactiveInsight` object that represents the requested insight.

Type: [ProactiveInsight](#) object

ReactiveInsight

A `ReactiveInsight` object that represents the requested insight.

Type: [ReactiveInsight](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeOrganizationHealth

Returns the number of metrics, insights, and resource hours DevOps Guru analyzed in the last hour.

There are two types of insights:

- *Reactive*: A reactive insight identifies anomalous behavior as it occurs. It contains anomalies with recommendations, related metrics, and events to help you understand and address the issues now.
- *Proactive*: A proactive insight lets you know about anomalous behavior before it occurs. It contains anomalies with recommendations to help you address the issues before they are predicted to happen.

Request Syntax

```
POST /organization/health HTTP/1.1
Content-type: application/json

{
  "AccountIds": [ "string" ],
  "OrganizationalUnitIds": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AccountIds

The ID of the AWS account.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

OrganizationalUnitIds

The ID of the organizational unit.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Length Constraints: Maximum length of 68.

Pattern: `^ou-[0-9a-z]{4,32}-[a-z0-9]{8,32}$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "MetricsAnalyzed": number,
  "OpenProactiveInsights": number,
  "OpenReactiveInsights": number,
  "ResourceHours": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

MetricsAnalyzed

An integer that specifies the number of metrics that have been analyzed in your organization.

Type: Integer

OpenProactiveInsights

An integer that specifies the number of open proactive insights in your AWS account.

Type: Integer

OpenReactiveInsights

An integer that specifies the number of open reactive insights in your AWS account.

Type: Integer

ResourceHours

The number of Amazon DevOps Guru resource analysis hours billed to the current AWS account in the last hour.

Type: Long

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeOrganizationOverview

Returns an overview of your organization's history based on the specified time range. The overview includes the total reactive and proactive insights.

Request Syntax

```
POST /organization/overview HTTP/1.1
Content-type: application/json

{
  "AccountIds": [ "string" ],
  "FromTime": number,
  "OrganizationalUnitIds": [ "string" ],
  "ToTime": number
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AccountIds

The ID of the AWS account.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

FromTime

The start of the time range passed in. The start time granularity is at the day level. The floor of the start time is used. Returned information occurred after this day.

Type: Timestamp

Required: Yes

OrganizationalUnitIds

The ID of the organizational unit.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Length Constraints: Maximum length of 68.

Pattern: `^ou-[0-9a-z]{4,32}-[a-z0-9]{8,32}$`

Required: No

ToTime

The end of the time range passed in. The start time granularity is at the day level. The floor of the start time is used. Returned information occurred before this day. If this is not specified, then the current day is used.

Type: Timestamp

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ProactiveInsights": number,
  "ReactiveInsights": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ProactiveInsights

An integer that specifies the number of open proactive insights in your AWS account.

Type: Integer

ReactiveInsights

An integer that specifies the number of open reactive insights in your AWS account.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeOrganizationResourceCollectionHealth

Provides an overview of your system's health. If additional member accounts are part of your organization, you can filter those accounts using the AccountIds field.

Request Syntax

```
POST /organization/health/resource-collection HTTP/1.1
Content-type: application/json

{
  "AccountIds": [ "string" ],
  "MaxResults": number,
  "NextToken": "string",
  "OrganizationalUnitIds": [ "string" ],
  "OrganizationResourceCollectionType": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AccountIds

The ID of the AWS account.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

MaxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

OrganizationalUnitIds

The ID of the organizational unit.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Length Constraints: Maximum length of 68.

Pattern: `^ou-[0-9a-z]{4,32}-[a-z0-9]{8,32}$`

Required: No

OrganizationResourceCollectionType

An AWS resource collection type. This type specifies how analyzed AWS resources are defined. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS

resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: String

Valid Values: AWS_CLOUD_FORMATION | AWS_SERVICE | AWS_ACCOUNT | AWS_TAGS

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Account": [
    {
      "AccountId": "string",
      "Insight": {
        "OpenProactiveInsights": number,
        "OpenReactiveInsights": number
      }
    }
  ],
  "CloudFormation": [
    {
      "AnalyzedResourceCount": number,
      "Insight": {
        "MeanTimeToRecoverInMilliseconds": number,
        "OpenProactiveInsights": number,
        "OpenReactiveInsights": number
      },
      "StackName": "string"
    }
  ],
  "NextToken": "string",
  "Service": [
    {
      "AnalyzedResourceCount": number,
      "Insight": {
        "OpenProactiveInsights": number,
        "OpenReactiveInsights": number
      }
    }
  ],
}
```

```
    "ServiceName": "string"
  }
],
"Tags": [
  {
    "AnalyzedResourceCount": number,
    "AppBoundaryKey": "string",
    "Insight": {
      "MeanTimeToRecoverInMilliseconds": number,
      "OpenProactiveInsights": number,
      "OpenReactiveInsights": number
    },
    "TagValue": "string"
  }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Account

The name of the organization's account.

Type: Array of [AccountHealth](#) objects

CloudFormation

The returned CloudFormationHealthOverview object that contains an InsightHealthOverview object with the requested system health information.

Type: Array of [CloudFormationHealth](#) objects

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Service

An array of `ServiceHealth` objects that describes the health of the AWS services associated with the resources in the collection.

Type: Array of [ServiceHealth](#) objects

Tags

Tags help you identify and organize your AWS resources. Many AWS services support tagging, so you can assign the same tag to resources from different services to indicate that the resources are related. For example, you can assign the same tag to an Amazon DynamoDB table resource that you assign to an AWS Lambda function. For more information about using tags, see the [Tagging best practices](#) whitepaper.

Each AWS tag has two parts.

- A tag *key* (for example, `CostCenter`, `Environment`, `Project`, or `Secret`). Tag *keys* are case-sensitive.
- An optional field known as a tag *value* (for example, `111122223333`, `Production`, or a team name). Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive.

Together these are known as *key-value* pairs.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `DevOps-guru-`. The tag *key* might be `DevOps-Guru-deployment-application` or `devops-guru-rds-application`. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named `devops-guru-rds` and a *key* named `DevOps-Guru-RDS`, and these act as two different *keys*. Possible *key/value* pairs in your application might be `DevOps-Guru-production-application/RDS` or `DevOps-Guru-production-application/containers`.

Type: Array of [TagHealth](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeResourceCollectionHealth

Returns the number of open proactive insights, open reactive insights, and the Mean Time to Recover (MTTR) for all closed insights in resource collections in your account. You specify the type of AWS resources collection. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Request Syntax

```
GET /accounts/health/resource-collection/ResourceCollectionType?NextToken=NextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

ResourceCollectionType

An AWS resource collection type. This type specifies how analyzed AWS resources are defined. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Valid Values: `AWS_CLOUD_FORMATION` | `AWS_SERVICE` | `AWS_TAGS`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CloudFormation": [
    {
      "AnalyzedResourceCount": number,
      "Insight": {
        "MeanTimeToRecoverInMilliseconds": number,
        "OpenProactiveInsights": number,
        "OpenReactiveInsights": number
      },
      "StackName": "string"
    }
  ],
  "NextToken": "string",
  "Service": [
    {
      "AnalyzedResourceCount": number,
      "Insight": {
        "OpenProactiveInsights": number,
        "OpenReactiveInsights": number
      },
      "ServiceName": "string"
    }
  ],
  "Tags": [
    {
      "AnalyzedResourceCount": number,
      "AppBoundaryKey": "string",
      "Insight": {
        "MeanTimeToRecoverInMilliseconds": number,
        "OpenProactiveInsights": number,
        "OpenReactiveInsights": number
      },
      "TagValue": "string"
    }
  ]
}
```

```
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CloudFormation

The returned `CloudFormationHealthOverview` object that contains an `InsightHealthOverview` object with the requested system health information.

Type: Array of [CloudFormationHealth](#) objects

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Service

An array of `ServiceHealth` objects that describes the health of the AWS services associated with the resources in the collection.

Type: Array of [ServiceHealth](#) objects

Tags

The AWS tags that are used by resources in the resource collection.

Tags help you identify and organize your AWS resources. Many AWS services support tagging, so you can assign the same tag to resources from different services to indicate that the resources are related. For example, you can assign the same tag to an Amazon DynamoDB table resource that you assign to an AWS Lambda function. For more information about using tags, see the [Tagging best practices](#) whitepaper.

Each AWS tag has two parts.

- A tag *key* (for example, CostCenter, Environment, Project, or Secret). Tag *keys* are case-sensitive.
- An optional field known as a tag *value* (for example, 111122223333, Production, or a team name). Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive.

Together these are known as *key-value* pairs.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix DevOps-guru-. The tag *key* might be DevOps-Guru-deployment-application or devops-guru-rds-application. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named devops-guru-rds and a *key* named DevOps-Guru-RDS, and these act as two different *keys*. Possible *key/value* pairs in your application might be DevOps-Guru-production-application/RDS or DevOps-Guru-production-application/containers.

Type: Array of [TagHealth](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeServiceIntegration

Returns the integration status of services that are integrated with DevOps Guru.

Request Syntax

```
GET /service-integrations HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ServiceIntegration": {
    "KMSServerSideEncryption": {
      "KMSKeyId": "string",
      "OptInStatus": "string",
      "Type": "string"
    },
    "LogsAnomalyDetection": {
      "OptInStatus": "string"
    },
    "OpsCenter": {
      "OptInStatus": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ServiceIntegration

Information about the integration of DevOps Guru with another AWS service, such as AWS Systems Manager.

Type: [ServiceIntegrationConfig](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetCostEstimation

Returns an estimate of the monthly cost for DevOps Guru to analyze your AWS resources. For more information, see [Estimate your Amazon DevOps Guru costs](#) and [Amazon DevOps Guru pricing](#).

Request Syntax

```
GET /cost-estimation?NextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "Costs": [
    {
      "Cost": number,
      "Count": number,
      "State": "string",
      "Type": "string",
      "UnitCost": number
    }
  ]
}
```

```
  ],
  "NextToken": "string",
  "ResourceCollection": {
    "CloudFormation": {
      "StackNames": [ "string" ]
    },
    "Tags": [
      {
        "AppBoundaryKey": "string",
        "TagValues": [ "string" ]
      }
    ]
  },
  "Status": "string",
  "TimeRange": {
    "EndTime": number,
    "StartTime": number
  },
  "TotalCost": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Costs

An array of [ResourceCost](#) objects that each contains details about the monthly cost estimate to analyze one of your AWS resources.

Type: Array of [ServiceResourceCost](#) objects

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

ResourceCollection

The collection of the AWS resources used to create your monthly DevOps Guru cost estimate.

Type: [CostEstimationResourceCollectionFilter](#) object

Status

The status of creating this cost estimate. If it's still in progress, the status ONGOING is returned. If it is finished, the status COMPLETED is returned.

Type: String

Valid Values: ONGOING | COMPLETED

TimeRange

The start and end time of the cost estimation.

Type: [CostEstimationTimeRange](#) object

TotalCost

The estimated monthly cost to analyze the AWS resources. This value is the sum of the estimated costs to analyze each resource in the Costs object in this response.

Type: Double

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerErrorException

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetResourceCollection

Returns lists of AWS resources that are of the specified resource collection type. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Request Syntax

```
GET /resource-collections/ResourceCollectionType?NextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

ResourceCollectionType

The type of AWS resource collection to return. You can use AWS CloudFormation stacks or AWS tags as a resource collection. You can use your resource collection to specify the resources you want DevOps Guru to analyze.

Valid Values: `AWS_CLOUD_FORMATION` | `AWS_SERVICE` | `AWS_TAGS`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "ResourceCollection": {
    "CloudFormation": {
      "StackNames": [ "string" ]
    },
    "Tags": [
      {
        "AppBoundaryKey": "string",
        "TagValues": [ "string" ]
      }
    ]
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

ResourceCollection

The requested list of AWS resource collections. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks

or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollectionFilter](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAnomaliesForInsight

Returns a list of the anomalies that belong to an insight that you specify using its ID.

Request Syntax

```
POST /anomalies/insight/InsightId HTTP/1.1
Content-type: application/json
```

```
{
  "AccountId": "string",
  "Filters": {
    "ServiceCollection": {
      "ServiceNames": [ "string" ]
    }
  },
  "MaxResults": number,
  "NextToken": "string",
  "StartTimeRange": {
    "FromTime": number,
    "ToTime": number
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

InsightId

The ID of the insight. The returned anomalies belong to this insight.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

AccountId

The ID of the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

Filters

Specifies one or more service names that are used to list anomalies.

Type: [ListAnomaliesForInsightFilters](#) object

Required: No

MaxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 500.

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

StartTimeRange

A time range used to specify when the requested anomalies started. All returned anomalies started during this time range.

Type: [StartTimeRange](#) object

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "NextToken": "string",
  "ProactiveAnomalies": [
    {
      "AnomalyReportedTimeRange": {
        "CloseTime": number,
        "OpenTime": number
      },
      "AnomalyResources": [
        {
          "Name": "string",
          "Type": "string"
        }
      ],
      "AnomalyTimeRange": {
        "EndTime": number,
        "StartTime": number
      },
      "AssociatedInsightId": "string",
      "Description": "string",
      "Id": "string",
      "Limit": number,
      "PredictionTimeRange": {
        "EndTime": number,
        "StartTime": number
      },
      "ResourceCollection": {
        "CloudFormation": {
          "StackNames": [ "string" ]
        }
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string" ]
        }
      ]
    }
  ]
}
```

```

    }
  ]
},
"Severity": "string",
"SourceDetails": {
  "CloudWatchMetrics": [
    {
      "Dimensions": [
        {
          "Name": "string",
          "Value": "string"
        }
      ],
      "MetricDataSummary": {
        "StatusCode": "string",
        "TimestampMetricValuePairList": [
          {
            "MetricValue": number,
            "Timestamp": number
          }
        ]
      },
      "MetricName": "string",
      "Namespace": "string",
      "Period": number,
      "Stat": "string",
      "Unit": "string"
    }
  ],
  "PerformanceInsightsMetrics": [
    {
      "MetricDisplayName": "string",
      "MetricQuery": {
        "Filter": {
          "string" : "string"
        },
        "GroupBy": {
          "Dimensions": [ "string" ],
          "Group": "string",
          "Limit": number
        },
        "Metric": "string"
      },
      "ReferenceData": [

```

```

    {
      "ComparisonValues": {
        "ReferenceMetric": {
          "MetricQuery": {
            "Filter": {
              "string" : "string"
            },
            "GroupBy": {
              "Dimensions": [ "string" ],
              "Group": "string",
              "Limit": number
            },
            "Metric": "string"
          }
        },
        "ReferenceScalar": {
          "Value": number
        }
      },
      "Name": "string"
    }
  ],
  "StatsAtAnomaly": [
    {
      "Type": "string",
      "Value": number
    }
  ],
  "StatsAtBaseline": [
    {
      "Type": "string",
      "Value": number
    }
  ],
  "Unit": "string"
}
]
},
"SourceMetadata": {
  "Source": "string",
  "SourceResourceName": "string",
  "SourceResourceType": "string"
},
"Status": "string",

```



```
    "UpdateTime": number
  }
],
"ReactiveAnomalies": [
  {
    "AnomalyReportedTimeRange": {
      "CloseTime": number,
      "OpenTime": number
    },
    "AnomalyResources": [
      {
        "Name": "string",
        "Type": "string"
      }
    ],
    "AnomalyTimeRange": {
      "EndTime": number,
      "StartTime": number
    },
    "AssociatedInsightId": "string",
    "CausalAnomalyId": "string",
    "Description": "string",
    "Id": "string",
    "Name": "string",
    "ResourceCollection": {
      "CloudFormation": {
        "StackNames": [ "string " ]
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string " ]
        }
      ]
    },
    "Severity": "string",
    "SourceDetails": {
      "CloudWatchMetrics": [
        {
          "Dimensions": [
            {
              "Name": "string",
              "Value": "string"
            }
          ]
        }
      ]
    }
  }
]
```

```

    ],
    "MetricDataSummary": {
      "StatusCode": "string",
      "TimestampMetricValuePairList": [
        {
          "MetricValue": number,
          "Timestamp": number
        }
      ]
    },
    "MetricName": "string",
    "Namespace": "string",
    "Period": number,
    "Stat": "string",
    "Unit": "string"
  }
],
"PerformanceInsightsMetrics": [
  {
    "MetricDisplayName": "string",
    "MetricQuery": {
      "Filter": {
        "string" : "string"
      },
      "GroupBy": {
        "Dimensions": [ "string" ],
        "Group": "string",
        "Limit": number
      },
      "Metric": "string"
    },
    "ReferenceData": [
      {
        "ComparisonValues": {
          "ReferenceMetric": {
            "MetricQuery": {
              "Filter": {
                "string" : "string"
              },
              "GroupBy": {
                "Dimensions": [ "string" ],
                "Group": "string",
                "Limit": number
              }
            }
          }
        }
      }
    ]
  }
]

```

```

        "Metric": "string"
      }
    },
    "ReferenceScalar": {
      "Value": number
    }
  },
  "Name": "string"
}
],
"StatsAtAnomaly": [
  {
    "Type": "string",
    "Value": number
  }
],
"StatsAtBaseline": [
  {
    "Type": "string",
    "Value": number
  }
],
"Unit": "string"
}
]
},
"Status": "string",
"Type": "string"
}
]
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

ProactiveAnomalies

An array of `ProactiveAnomalySummary` objects that represent the requested anomalies

Type: Array of [ProactiveAnomalySummary](#) objects

ReactiveAnomalies

An array of `ReactiveAnomalySummary` objects that represent the requested anomalies

Type: Array of [ReactiveAnomalySummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAnomalousLogGroups

Returns the list of log groups that contain log anomalies.

Request Syntax

```
POST /list-log-anomalies HTTP/1.1
Content-type: application/json
```

```
{
  "InsightId": "string",
  "MaxResults": number,
  "NextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

InsightId

The ID of the insight containing the log groups.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: Yes

MaxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 200.

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AnomalousLogGroups": [
    {
      "ImpactEndTime": number,
      "ImpactStartTime": number,
      "LogAnomalyShowcases": [
        {
          "LogAnomalyClasses": [
            {
              "Explanation": "string",
              "LogAnomalyToken": "string",
              "LogAnomalyType": "string",
              "LogEventId": "string",
              "LogEventTimestamp": number,
              "LogStreamName": "string",
              "NumberOfLogLinesOccurrences": number
            }
          ]
        }
      ]
    }
  ],
  "LogGroupName": "string",
```

```
    "NumberOfLogLinesScanned": number
  }
],
"InsightId": "string",
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[AnomalousLogGroups](#)

The list of Amazon CloudWatch log groups that are related to an insight.

Type: Array of [AnomalousLogGroup](#) objects

[InsightId](#)

The ID of the insight containing the log groups.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

[NextToken](#)

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListEvents

Returns a list of the events emitted by the resources that are evaluated by DevOps Guru. You can use filters to specify which events are returned.

Request Syntax

```
POST /events HTTP/1.1
Content-type: application/json

{
  "AccountId": "string",
  "Filters": {
    "DataSource": "string",
    "EventClass": "string",
    "EventSource": "string",
    "EventTimeRange": {
      "FromTime": number,
      "ToTime": number
    },
    "InsightId": "string",
    "ResourceCollection": {
      "CloudFormation": {
        "StackNames": [ "string" ]
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string" ]
        }
      ]
    }
  },
  "MaxResults": number,
  "NextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AccountId

The ID of the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

Filters

A `ListEventsFilters` object used to specify which events to return.

Type: [ListEventsFilters](#) object

Required: Yes

MaxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 200.

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Events": [
    {
      "DataSource": "string",
      "EventClass": "string",
      "EventSource": "string",
      "Id": "string",
      "Name": "string",
      "ResourceCollection": {
        "CloudFormation": {
          "StackNames": [ "string" ]
        },
        "Tags": [
          {
            "AppBoundaryKey": "string",
            "TagValues": [ "string" ]
          }
        ]
      },
      "Resources": [
        {
          "Arn": "string",
          "Name": "string",
          "Type": "string"
        }
      ],
      "Time": number
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Events

A list of the requested events.

Type: Array of [Event](#) objects

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListInsights

Returns a list of insights in your AWS account. You can specify which insights are returned by their start time and status (ONGOING, CLOSED, or ANY).

Request Syntax

```
POST /insights HTTP/1.1
Content-type: application/json

{
  "MaxResults": number,
  "NextToken": "string",
  "StatusFilter": {
    "Any": {
      "StartTimeRange": {
        "FromTime": number,
        "ToTime": number
      },
      "Type": "string"
    },
    "Closed": {
      "EndTimeRange": {
        "FromTime": number,
        "ToTime": number
      },
      "Type": "string"
    },
    "Ongoing": {
      "Type": "string"
    }
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

StatusFilter

A filter used to filter the returned insights by their status. You can specify one status filter.

Type: [ListInsightsStatusFilter](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "ProactiveInsights": [
    {
      "AssociatedResourceArns": [ "string" ],
      "Id": "string",
      "InsightTimeRange": {
        "EndTime": number,
```

```
    "StartTime": number
  },
  "Name": "string",
  "PredictionTimeRange": {
    "EndTime": number,
    "StartTime": number
  },
  "ResourceCollection": {
    "CloudFormation": {
      "StackNames": [ "string" ]
    },
    "Tags": [
      {
        "AppBoundaryKey": "string",
        "TagValues": [ "string" ]
      }
    ]
  },
  "ServiceCollection": {
    "ServiceNames": [ "string" ]
  },
  "Severity": "string",
  "Status": "string"
}
],
"ReactiveInsights": [
  {
    "AssociatedResourceArns": [ "string" ],
    "Id": "string",
    "InsightTimeRange": {
      "EndTime": number,
      "StartTime": number
    },
    "Name": "string",
    "ResourceCollection": {
      "CloudFormation": {
        "StackNames": [ "string" ]
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string" ]
        }
      ]
    }
  }
]
```

```
    },
    "ServiceCollection": {
      "ServiceNames": [ "string" ]
    },
    "Severity": "string",
    "Status": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

ProactiveInsights

The returned list of proactive insights.

Type: Array of [ProactiveInsightSummary](#) objects

ReactiveInsights

The returned list of reactive insights.

Type: Array of [ReactiveInsightSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListMonitoredResources

Returns the list of resources that are being monitored by DevOps Guru.

Request Syntax

```
POST /monitoredResources HTTP/1.1
Content-type: application/json

{
  "Filters": {
    "ResourcePermission": "string",
    "ResourceTypeFilters": [ "string" ]
  },
  "MaxResults": number,
  "NextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Filters

Filters to determine which monitored resources you want to retrieve. You can filter by resource type or resource permission status.

Type: [ListMonitoredResourcesFilters](#) object

Required: No

MaxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned nextToken value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "MonitoredResourceIdentifiers": [
    {
      "LastUpdated": number,
      "MonitoredResourceName": "string",
      "ResourceCollection": {
        "CloudFormation": {
          "StackNames": [ "string" ]
        },
        "Tags": [
          {
            "AppBoundaryKey": "string",
            "TagValues": [ "string" ]
          }
        ]
      },
      "ResourcePermission": "string",
      "Type": "string"
    }
  ],
  "NextToken": "string"
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

MonitoredResourceIdentifiers

Information about the resource that is being monitored, including the name of the resource, the type of resource, and whether or not permission is given to DevOps Guru to access that resource.

Type: Array of [MonitoredResourceIdentifier](#) objects

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListNotificationChannels

Returns a list of notification channels configured for DevOps Guru. Each notification channel is used to notify you when DevOps Guru generates an insight that contains information about how to improve your operations. The one supported notification channel is Amazon Simple Notification Service (Amazon SNS).

Request Syntax

```
POST /channels HTTP/1.1
Content-type: application/json

{
  "NextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "Channels": [
    {
      "Config": {
        "Filters": {
          "MessageTypes": [ "string" ],
          "Severities": [ "string" ]
        },
        "Sns": {
          "TopicArn": "string"
        }
      },
      "Id": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Channels

An array that contains the requested notification channels.

Type: Array of [NotificationChannel](#) objects

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListOrganizationInsights

Returns a list of insights associated with the account or OU Id.

Request Syntax

```
POST /organization/insights HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "AccountIds": [ "string" ],
  "MaxResults": number,
  "NextToken": "string",
  "OrganizationalUnitIds": [ "string" ],
  "StatusFilter": {
    "Any": {
      "StartTimeRange": {
        "FromTime": number,
        "ToTime": number
      },
      "Type": "string"
    },
    "Closed": {
      "EndTimeRange": {
        "FromTime": number,
        "ToTime": number
      },
      "Type": "string"
    },
    "Ongoing": {
      "Type": "string"
    }
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AccountIds

The ID of the AWS account.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Length Constraints: Fixed length of 12.

Pattern: $^{\backslash}d\{12\}$

Required: No

MaxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: $^{\backslash}[a-f0-9]\{8\}-[a-f0-9]\{4\}-[a-f0-9]\{4\}-[a-f0-9]\{4\}-[a-f0-9]\{12\}$

Required: No

OrganizationalUnitIds

The ID of the organizational unit.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 1 item.

Length Constraints: Maximum length of 68.

Pattern: `^ou-[0-9a-z]{4,32}-[a-z0-9]{8,32}$`

Required: No

StatusFilter

A filter used by `ListInsights` to specify which insights to return.

Type: [ListInsightsStatusFilter](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "ProactiveInsights": [
    {
      "AccountId": "string",
      "Id": "string",
      "InsightTimeRange": {
        "EndTime": number,
        "StartTime": number
      },
      "Name": "string",
      "OrganizationalUnitId": "string",
      "PredictionTimeRange": {
        "EndTime": number,
        "StartTime": number
      },
      "ResourceCollection": {
        "CloudFormation": {
          "StackNames": [ "string" ]
        },
        "Tags": [
          {
            "AppBoundaryKey": "string",
            "TagValues": [ "string" ]
          }
        ]
      }
    }
  ]
}
```



```

    },
    "ServiceCollection": {
      "ServiceNames": [ "string" ]
    },
    "Severity": "string",
    "Status": "string"
  }
],
"ReactiveInsights": [
  {
    "AccountId": "string",
    "Id": "string",
    "InsightTimeRange": {
      "EndTime": number,
      "StartTime": number
    },
    "Name": "string",
    "OrganizationalUnitId": "string",
    "ResourceCollection": {
      "CloudFormation": {
        "StackNames": [ "string" ]
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string" ]
        }
      ]
    },
    "ServiceCollection": {
      "ServiceNames": [ "string" ]
    },
    "Severity": "string",
    "Status": "string"
  }
]
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

ProactiveInsights

An integer that specifies the number of open proactive insights in your AWS account.

Type: Array of [ProactiveOrganizationInsightSummary](#) objects

ReactiveInsights

An integer that specifies the number of open reactive insights in your AWS account.

Type: Array of [ReactiveOrganizationInsightSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListRecommendations

Returns a list of a specified insight's recommendations. Each recommendation includes a list of related metrics and a list of related events.

Request Syntax

```
POST /recommendations HTTP/1.1
Content-type: application/json
```

```
{
  "AccountId": "string",
  "InsightId": "string",
  "Locale": "string",
  "NextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AccountId

The ID of the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

InsightId

The ID of the requested insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^\[w-]*$`

Required: Yes

Locale

A locale that specifies the language to use for recommendations.

Type: String

Valid Values: DE_DE | EN_US | EN_GB | ES_ES | FR_FR | IT_IT | JA_JP | KO_KR
| PT_BR | ZH_CN | ZH_TW

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "Recommendations": [
    {
      "Category": "string",
      "Description": "string",
      "Link": "string",
```

```
"Name": "string",
"Reason": "string",
"RelatedAnomalies": [
  {
    "AnomalyId": "string",
    "Resources": [
      {
        "Name": "string",
        "Type": "string"
      }
    ],
    "SourceDetails": [
      {
        "CloudWatchMetrics": [
          {
            "MetricName": "string",
            "Namespace": "string"
          }
        ]
      }
    ]
  }
],
"RelatedEvents": [
  {
    "Name": "string",
    "Resources": [
      {
        "Name": "string",
        "Type": "string"
      }
    ]
  }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Recommendations

An array of the requested recommendations.

Type: Array of [Recommendation](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutFeedback

Collects customer feedback about the specified insight.

Request Syntax

```
PUT /feedback HTTP/1.1
Content-type: application/json

{
  "InsightFeedback": {
    "Feedback": "string",
    "Id": "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

InsightFeedback

The feedback from customers is about the recommendations in this insight.

Type: [InsightFeedback](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

ConflictException

An exception that is thrown when a conflict occurs.

HTTP Status Code: 409

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveNotificationChannel

Removes a notification channel from DevOps Guru. A notification channel is used to notify you when DevOps Guru generates an insight that contains information about how to improve your operations.

Request Syntax

```
DELETE /channels/Id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

Id

The ID of the notification channel to be removed.

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

ConflictException

An exception that is thrown when a conflict occurs.

HTTP Status Code: 409

InternalServerErrorException

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SearchInsights

Returns a list of insights in your AWS account. You can specify which insights are returned by their start time, one or more statuses (ONGOING or CLOSED), one or more severities (LOW, MEDIUM, and HIGH), and type (REACTIVE or PROACTIVE).

Use the `Filters` parameter to specify status and severity search parameters. Use the `Type` parameter to specify REACTIVE or PROACTIVE in your search.

Request Syntax

```
POST /insights/search HTTP/1.1
Content-type: application/json
```

```
{
  "Filters": {
    "ResourceCollection": {
      "CloudFormation": {
        "StackNames": [ "string" ]
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string" ]
        }
      ]
    },
    "ServiceCollection": {
      "ServiceNames": [ "string" ]
    },
    "Severities": [ "string" ],
    "Statuses": [ "string" ]
  },
  "MaxResults": number,
  "NextToken": "string",
  "StartTimeRange": {
    "FromTime": number,
    "ToTime": number
  },
  "Type": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Filters

A `SearchInsightsFilters` object that is used to set the severity and status filters on your insight search.

Type: [SearchInsightsFilters](#) object

Required: No

MaxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

StartTimeRange

The start of the time range passed in. Returned insights occurred after this time.

Type: [StartTimeRange](#) object

Required: Yes

Type

The type of insights you are searching for (REACTIVE or PROACTIVE).

Type: String

Valid Values: REACTIVE | PROACTIVE

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "ProactiveInsights": [
    {
      "AssociatedResourceArns": [ "string" ],
      "Id": "string",
      "InsightTimeRange": {
        "EndTime": number,
        "StartTime": number
      },
      "Name": "string",
      "PredictionTimeRange": {
        "EndTime": number,
        "StartTime": number
      },
      "ResourceCollection": {
        "CloudFormation": {
          "StackNames": [ "string" ]
        },
        "Tags": [
          {
            "AppBoundaryKey": "string",
            "TagValues": [ "string" ]
          }
        ]
      }
    }
  ]
}
```

```

    ]
  },
  "ServiceCollection": {
    "ServiceNames": [ "string" ]
  },
  "Severity": "string",
  "Status": "string"
}
],
"ReactiveInsights": [
  {
    "AssociatedResourceArns": [ "string" ],
    "Id": "string",
    "InsightTimeRange": {
      "EndTime": number,
      "StartTime": number
    },
    "Name": "string",
    "ResourceCollection": {
      "CloudFormation": {
        "StackNames": [ "string" ]
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string" ]
        }
      ]
    },
    "ServiceCollection": {
      "ServiceNames": [ "string" ]
    },
    "Severity": "string",
    "Status": "string"
  }
]
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

ProactiveInsights

The returned proactive insights.

Type: Array of [ProactiveInsightSummary](#) objects

ReactiveInsights

The returned reactive insights.

Type: Array of [ReactiveInsightSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SearchOrganizationInsights

Returns a list of insights in your organization. You can specify which insights are returned by their start time, one or more statuses (ONGOING, CLOSED, and CLOSED), one or more severities (LOW, MEDIUM, and HIGH), and type (REACTIVE or PROACTIVE).

Use the `Filters` parameter to specify status and severity search parameters. Use the `Type` parameter to specify REACTIVE or PROACTIVE in your search.

Request Syntax

```
POST /organization/insights/search HTTP/1.1
Content-type: application/json
```

```
{
  "AccountIds": [ "string" ],
  "Filters": {
    "ResourceCollection": {
      "CloudFormation": {
        "StackNames": [ "string" ]
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string" ]
        }
      ]
    },
    "ServiceCollection": {
      "ServiceNames": [ "string" ]
    },
    "Severities": [ "string" ],
    "Statuses": [ "string" ]
  },
  "MaxResults": number,
  "NextToken": "string",
  "StartTimeRange": {
    "FromTime": number,
    "ToTime": number
  },
  "Type": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AccountIds

The ID of the AWS account.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: Yes

Filters

A `SearchOrganizationInsightsFilters` object that is used to set the severity and status filters on your insight search.

Type: [SearchOrganizationInsightsFilters](#) object

Required: No

MaxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The pagination token to use to retrieve the next page of results for this operation. If this value is null, it retrieves the first page.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

StartTimeRange

A time range used to specify when the behavior of an insight or anomaly started.

Type: [StartTimeRange](#) object

Required: Yes

Type

The type of insights you are searching for (REACTIVE or PROACTIVE).

Type: String

Valid Values: REACTIVE | PROACTIVE

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "ProactiveInsights": [
    {
      "AssociatedResourceArns": [ "string" ],
      "Id": "string",
      "InsightTimeRange": {
        "EndTime": number,
        "StartTime": number
      },
      "Name": "string",
      "PredictionTimeRange": {
        "EndTime": number,
        "StartTime": number
      }
    }
  ]
}
```

```
    },
    "ResourceCollection": {
      "CloudFormation": {
        "StackNames": [ "string" ]
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string" ]
        }
      ]
    },
    "ServiceCollection": {
      "ServiceNames": [ "string" ]
    },
    "Severity": "string",
    "Status": "string"
  }
],
"ReactiveInsights": [
  {
    "AssociatedResourceArns": [ "string" ],
    "Id": "string",
    "InsightTimeRange": {
      "EndTime": number,
      "StartTime": number
    },
    "Name": "string",
    "ResourceCollection": {
      "CloudFormation": {
        "StackNames": [ "string" ]
      },
      "Tags": [
        {
          "AppBoundaryKey": "string",
          "TagValues": [ "string" ]
        }
      ]
    },
    "ServiceCollection": {
      "ServiceNames": [ "string" ]
    },
    "Severity": "string",
    "Status": "string"
  }
]
```



```
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The pagination token to use to retrieve the next page of results for this operation. If there are no more pages, this value is null.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

ProactiveInsights

An integer that specifies the number of open proactive insights in your AWS account.

Type: Array of [ProactiveInsightSummary](#) objects

ReactiveInsights

An integer that specifies the number of open reactive insights in your AWS account.

Type: Array of [ReactiveInsightSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerErrorException

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartCostEstimation

Starts the creation of an estimate of the monthly cost to analyze your AWS resources.

Request Syntax

```
PUT /cost-estimation HTTP/1.1
Content-type: application/json

{
  "ClientToken": "string",
  "ResourceCollection": {
    "CloudFormation": {
      "StackNames": [ "string" ]
    },
    "Tags": [
      {
        "AppBoundaryKey": "string",
        "TagValues": [ "string" ]
      }
    ]
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

ClientToken

The idempotency token used to identify each cost estimate request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[a-zA-Z0-9]+[a-zA-Z0-9-]*$`

Required: No

ResourceCollection

The collection of AWS resources used to create a monthly DevOps Guru cost estimate.

Type: [CostEstimationResourceCollectionFilter](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

ConflictException

An exception that is thrown when a conflict occurs.

HTTP Status Code: 409

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ResourceNotFoundException

A requested resource could not be found

HTTP Status Code: 404

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateEventSourcesConfig

Enables or disables integration with a service that can be integrated with DevOps Guru. The one service that can be integrated with DevOps Guru is Amazon CodeGuru Profiler, which can produce proactive recommendations which can be stored and viewed in DevOps Guru.

Request Syntax

```
PUT /event-sources HTTP/1.1
Content-type: application/json

{
  "EventSources": {
    "AmazonCodeGuruProfiler": {
      "Status": "string"
    }
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

EventSources

Configuration information about the integration of DevOps Guru as the Consumer via EventBridge with another AWS Service.

Type: [EventSourcesConfig](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateResourceCollection

Updates the collection of resources that DevOps Guru analyzes. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks. This method also creates the IAM role required for you to use DevOps Guru.

Request Syntax

```
PUT /resource-collections HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "Action": "string",
  "ResourceCollection": {
    "CloudFormation": {
      "StackNames": [ "string" ]
    },
    "Tags": [
      {
        "AppBoundaryKey": "string",
        "TagValues": [ "string" ]
      }
    ]
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Action

Specifies if the resource collection in the request is added or deleted to the resource collection.

Type: String

Valid Values: ADD | REMOVE

Required: Yes

ResourceCollection

Contains information used to update a collection of AWS resources.

Type: [UpdateResourceCollectionFilter](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

ConflictException

An exception that is thrown when a conflict occurs.

HTTP Status Code: 409

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateServiceIntegration

Enables or disables integration with a service that can be integrated with DevOps Guru.

Request Syntax

```
PUT /service-integrations HTTP/1.1
Content-type: application/json

{
  "ServiceIntegration": {
    "KMSServerSideEncryption": {
      "KMSKeyId": "string",
      "OptInStatus": "string",
      "Type": "string"
    },
    "LogsAnomalyDetection": {
      "OptInStatus": "string"
    },
    "OpsCenter": {
      "OptInStatus": "string"
    }
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

ServiceIntegration

An `IntegratedServiceConfig` object used to specify the integrated service you want to update, and whether you want to update it to enabled or disabled.

Type: [UpdateServiceIntegrationConfig](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access Management](#) in the *IAM User Guide*.

HTTP Status Code: 403

ConflictException

An exception that is thrown when a conflict occurs.

HTTP Status Code: 409

InternalServerError

An internal failure in an Amazon service occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to a request throttling.

HTTP Status Code: 429

ValidationException

Contains information about data passed in to a field during a request that is not valid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Amazon DevOps Guru API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AccountHealth](#)
- [AccountInsightHealth](#)
- [AmazonCodeGuruProfilerIntegration](#)
- [AnomalousLogGroup](#)
- [AnomalyReportedTimeRange](#)
- [AnomalyResource](#)
- [AnomalySourceDetails](#)
- [AnomalySourceMetadata](#)
- [AnomalyTimeRange](#)
- [CloudFormationCollection](#)
- [CloudFormationCollectionFilter](#)
- [CloudFormationCostEstimationResourceCollectionFilter](#)
- [CloudFormationHealth](#)
- [CloudWatchMetricsDataSummary](#)
- [CloudWatchMetricsDetail](#)
- [CloudWatchMetricsDimension](#)
- [CostEstimationResourceCollectionFilter](#)
- [CostEstimationTimeRange](#)
- [EndTimeRange](#)
- [Event](#)

- [EventResource](#)
- [EventSourcesConfig](#)
- [EventTimeRange](#)
- [InsightFeedback](#)
- [InsightHealth](#)
- [InsightTimeRange](#)
- [KMSServerSideEncryptionIntegration](#)
- [KMSServerSideEncryptionIntegrationConfig](#)
- [ListAnomaliesForInsightFilters](#)
- [ListEventsFilters](#)
- [ListInsightsAnyStatusFilter](#)
- [ListInsightsClosedStatusFilter](#)
- [ListInsightsOngoingStatusFilter](#)
- [ListInsightsStatusFilter](#)
- [ListMonitoredResourcesFilters](#)
- [LogAnomalyClass](#)
- [LogAnomalyShowcase](#)
- [LogsAnomalyDetectionIntegration](#)
- [LogsAnomalyDetectionIntegrationConfig](#)
- [MonitoredResourceIdentifier](#)
- [NotificationChannel](#)
- [NotificationChannelConfig](#)
- [NotificationFilterConfig](#)
- [OpsCenterIntegration](#)
- [OpsCenterIntegrationConfig](#)
- [PerformanceInsightsMetricDimensionGroup](#)
- [PerformanceInsightsMetricQuery](#)
- [PerformanceInsightsMetricsDetail](#)
- [PerformanceInsightsReferenceComparisonValues](#)
- [PerformanceInsightsReferenceData](#)

- [PerformanceInsightsReferenceMetric](#)
- [PerformanceInsightsReferenceScalar](#)
- [PerformanceInsightsStat](#)
- [PredictionTimeRange](#)
- [ProactiveAnomaly](#)
- [ProactiveAnomalySummary](#)
- [ProactiveInsight](#)
- [ProactiveInsightSummary](#)
- [ProactiveOrganizationInsightSummary](#)
- [ReactiveAnomaly](#)
- [ReactiveAnomalySummary](#)
- [ReactiveInsight](#)
- [ReactiveInsightSummary](#)
- [ReactiveOrganizationInsightSummary](#)
- [Recommendation](#)
- [RecommendationRelatedAnomaly](#)
- [RecommendationRelatedAnomalyResource](#)
- [RecommendationRelatedAnomalySourceDetail](#)
- [RecommendationRelatedCloudWatchMetricsSourceDetail](#)
- [RecommendationRelatedEvent](#)
- [RecommendationRelatedEventResource](#)
- [ResourceCollection](#)
- [ResourceCollectionFilter](#)
- [SearchInsightsFilters](#)
- [SearchOrganizationInsightsFilters](#)
- [ServiceCollection](#)
- [ServiceHealth](#)
- [ServiceInsightHealth](#)
- [ServiceIntegrationConfig](#)
- [ServiceResourceCost](#)

- [SnsChannelConfig](#)
- [StartTimeRange](#)
- [TagCollection](#)
- [TagCollectionFilter](#)
- [TagCostEstimationResourceCollectionFilter](#)
- [TagHealth](#)
- [TimestampMetricValuePair](#)
- [UpdateCloudFormationCollectionFilter](#)
- [UpdateResourceCollectionFilter](#)
- [UpdateServiceIntegrationConfig](#)
- [UpdateTagCollectionFilter](#)
- [ValidationExceptionField](#)

AccountHealth

Returns the number of open reactive insights, the number of open proactive insights, and the number of metrics analyzed in your AWS account. Use these numbers to gauge the health of operations in your AWS account.

Contents

AccountId

The ID of the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

Insight

Information about the health of the AWS resources in your account, including the number of open proactive, open reactive insights, and the Mean Time to Recover (MTTR) of closed insights.

Type: [AccountInsightHealth](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AccountInsightHealth

Information about the number of open reactive and proactive insights that can be used to gauge the health of your system.

Contents

OpenProactiveInsights

An integer that specifies the number of open proactive insights in your AWS account.

Type: Integer

Required: No

OpenReactiveInsights

An integer that specifies the number of open reactive insights in your AWS account.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AmazonCodeGuruProfilerIntegration

Information about your account's integration with Amazon CodeGuru Profiler. This returns whether DevOps Guru is configured to consume recommendations generated from Amazon CodeGuru Profiler.

Contents

Status

The status of the CodeGuru Profiler integration. Specifies if DevOps Guru is enabled to consume recommendations that are generated from Amazon CodeGuru Profiler.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalousLogGroup

An Amazon CloudWatch log group that contains log anomalies and is used to generate an insight.

Contents

ImpactEndTime

The time the anomalous log events stopped.

Type: Timestamp

Required: No

ImpactStartTime

The time the anomalous log events began. The impact start time indicates the time of the first log anomaly event that occurs.

Type: Timestamp

Required: No

LogAnomalyShowcases

The log anomalies in the log group. Each log anomaly displayed represents a cluster of similar anomalous log events.

Type: Array of [LogAnomalyShowcase](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

Required: No

LogGroupName

The name of the CloudWatch log group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

NumberOfLogLinesScanned

The number of log lines that were scanned for anomalous log events.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalyReportedTimeRange

A time range that specifies when DevOps Guru opens and then closes an anomaly. This is different from `AnomalyTimeRange`, which specifies the time range when DevOps Guru actually observes the anomalous behavior.

Contents

OpenTime

The time when an anomaly is opened.

Type: Timestamp

Required: Yes

CloseTime

The time when an anomaly is closed.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalyResource

The AWS resources in which DevOps Guru detected unusual behavior that resulted in the generation of an anomaly. When DevOps Guru detects multiple related anomalies, it creates an insight with details about the anomalous behavior and suggestions about how to correct the problem.

Contents

Name

The name of the AWS resource.

Type: String

Required: No

Type

The type of the AWS resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z][a-zA-Z0-9-_:]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalySourceDetails

Details about the source of the anomalous operational data that triggered the anomaly.

Contents

CloudWatchMetrics

An array of `CloudWatchMetricsDetail` objects that contain information about analyzed CloudWatch metrics that show anomalous behavior.

Type: Array of [CloudWatchMetricsDetail](#) objects

Required: No

PerformanceInsightsMetrics

An array of `PerformanceInsightsMetricsDetail` objects that contain information about analyzed Performance Insights metrics that show anomalous behavior.

Type: Array of [PerformanceInsightsMetricsDetail](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalySourceMetadata

Metadata about the detection source that generates proactive anomalies. The anomaly is detected using analysis of the metric data over a period of time

Contents

Source

The source of the anomaly.

Type: String

Required: No

SourceResourceName

The name of the anomaly's resource.

Type: String

Required: No

SourceResourceType

The anomaly's resource type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z][a-zA-Z0-9-_:]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalyTimeRange

A time range that specifies when the observed unusual behavior in an anomaly started and ended. This is different from `AnomalyReportedTimeRange`, which specifies the time range when DevOps Guru opens and then closes an anomaly.

Contents

StartTime

The time when the anomalous behavior started.

Type: Timestamp

Required: Yes

EndTime

The time when the anomalous behavior ended.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudFormationCollection

Information about AWS CloudFormation stacks. You can use up to 1000 stacks to specify which AWS resources in your account to analyze. For more information, see [Stacks](#) in the *AWS CloudFormation User Guide*.

Contents

StackNames

An array of CloudFormation stack names.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[a-zA-Z*]+[a-zA-Z0-9-]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudFormationCollectionFilter

Information about AWS CloudFormation stacks. You can use up to 1000 stacks to specify which AWS resources in your account to analyze. For more information, see [Stacks](#) in the *AWS CloudFormation User Guide*.

Contents

StackNames

An array of CloudFormation stack names.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[a-zA-Z*]+[a-zA-Z0-9-]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudFormationCostEstimationResourceCollectionFilter

Information about an AWS CloudFormation stack used to create a monthly cost estimate for DevOps Guru to analyze AWS resources. The maximum number of stacks you can specify for a cost estimate is one. The estimate created is for the cost to analyze the AWS resources defined by the stack. For more information, see [Stacks](#) in the *AWS CloudFormation User Guide*.

Contents

StackNames

An array of CloudFormation stack names. Its size is fixed at 1 item.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[a-zA-Z*]+[a-zA-Z0-9-]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudFormationHealth

Information about the health of AWS resources in your account that are specified by an AWS CloudFormation stack.

Contents

AnalyzedResourceCount

Number of resources that DevOps Guru is monitoring in your account that are specified by an AWS CloudFormation stack.

Type: Long

Required: No

Insight

Information about the health of the AWS resources in your account that are specified by an AWS CloudFormation stack, including the number of open proactive, open reactive insights, and the Mean Time to Recover (MTTR) of closed insights.

Type: [InsightHealth](#) object

Required: No

StackName

The name of the CloudFormation stack.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[a-zA-Z*]+[a-zA-Z0-9-]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudWatchMetricsDataSummary

Contains information about the analyzed metrics that displayed anomalous behavior.

Contents

StatusCode

This is an enum of the status showing whether the metric value pair list has partial or complete data, or if there was an error.

Type: String

Valid Values: Complete | InternalError | PartialData

Required: No

TimestampMetricValuePairList

This is a list of Amazon CloudWatch metric values at given timestamp.

Type: Array of [TimestampMetricValuePair](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudWatchMetricsDetail

Information about an Amazon CloudWatch metric.

Contents

Dimensions

An array of CloudWatch dimensions associated with

Type: Array of [CloudWatchMetricsDimension](#) objects

Required: No

MetricDataSummary

This object returns anomaly metric data.

Type: [CloudWatchMetricsDataSummary](#) object

Required: No

MetricName

The name of the CloudWatch metric.

Type: String

Required: No

Namespace

The namespace of the CloudWatch metric. A namespace is a container for CloudWatch metrics.

Type: String

Required: No

Period

The length of time associated with the CloudWatch metric in number of seconds.

Type: Integer

Required: No

Stat

The type of statistic associated with the CloudWatch metric. For more information, see [Statistics](#) in the *Amazon CloudWatch User Guide*.

Type: String

Valid Values: Sum | Average | SampleCount | Minimum | Maximum | p99 | p90 | p50

Required: No

Unit

The unit of measure used for the CloudWatch metric. For example, Bytes, Seconds, Count, and Percent.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudWatchMetricsDimension

The dimension of an Amazon CloudWatch metric that is used when DevOps Guru analyzes the resources in your account for operational problems and anomalous behavior. A dimension is a name/value pair that is part of the identity of a metric. A metric can have up to 10 dimensions. For more information, see [Dimensions](#) in the *Amazon CloudWatch User Guide*.

Contents

Name

The name of the CloudWatch dimension.

Type: String

Required: No

Value

The value of the CloudWatch dimension.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CostEstimationResourceCollectionFilter

Information about a filter used to specify which AWS resources are analyzed to create a monthly DevOps Guru cost estimate. For more information, see [Estimate your Amazon DevOps Guru costs](#) and [Amazon DevOps Guru pricing](#).

Contents

CloudFormation

An object that specifies the CloudFormation stack that defines the AWS resources used to create a monthly estimate for DevOps Guru.

Type: [CloudFormationCostEstimationResourceCollectionFilter](#) object

Required: No

Tags

The AWS tags used to filter the resource collection that is used for a cost estimate.

Tags help you identify and organize your AWS resources. Many AWS services support tagging, so you can assign the same tag to resources from different services to indicate that the resources are related. For example, you can assign the same tag to an Amazon DynamoDB table resource that you assign to an AWS Lambda function. For more information about using tags, see the [Tagging best practices](#) whitepaper.

Each AWS tag has two parts.

- A tag *key* (for example, `CostCenter`, `Environment`, `Project`, or `Secret`). Tag *keys* are case-sensitive.
- An optional field known as a tag *value* (for example, `111122223333`, `Production`, or a team name). Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive.

Together these are known as *key-value* pairs.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `Devops-guru-`. The tag *key* might be `DevOps-Guru-`

deployment-application or devops-guru-rds-application. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named devops-guru-rds and a *key* named DevOps-Guru-RDS, and these act as two different *keys*. Possible *key/value* pairs in your application might be Devops-Guru-production-application/RDS or Devops-Guru-production-application/containers.

Type: Array of [TagCostEstimationResourceCollectionFilter](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CostEstimationTimeRange

The time range of a cost estimation.

Contents

EndTime

The end time of the cost estimation.

Type: Timestamp

Required: No

StartTime

The start time of the cost estimation.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EndTimeRange

A range of time that specifies when anomalous behavior in an anomaly or insight ended.

Contents

FromTime

The earliest end time in the time range.

Type: Timestamp

Required: No

ToTime

The latest end time in the time range.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Event

An AWS resource event. AWS resource events and metrics are analyzed by DevOps Guru to find anomalous behavior and provide recommendations to improve your operational solutions.

Contents

DataSource

The source, `AWS_CLOUD_TRAIL` or `AWS_CODE_DEPLOY`, where DevOps Guru analysis found the event.

Type: String

Valid Values: `AWS_CLOUD_TRAIL` | `AWS_CODE_DEPLOY`

Required: No

EventClass

The class of the event. The class specifies what the event is related to, such as an infrastructure change, a deployment, or a schema change.

Type: String

Valid Values: `INFRASTRUCTURE` | `DEPLOYMENT` | `SECURITY_CHANGE` | `CONFIG_CHANGE` | `SCHEMA_CHANGE`

Required: No

EventSource

The AWS source that emitted the event.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 50.

Pattern: `^[a-z]+[a-z0-9]*\.amazonaws\.com|aws\.events$`

Required: No

Id

The ID of the event.

Type: String

Required: No

Name

The name of the event.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 50.

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

Resources

An `EventResource` object that contains information about the resource that emitted the event.

Type: Array of [EventResource](#) objects

Required: No

Time

A `Timestamp` that specifies the time the event occurred.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EventResource

The AWS resource that emitted an event. AWS resource events and metrics are analyzed by DevOps Guru to find anomalous behavior and provide recommendations to improve your operational solutions.

Contents

Arn

The Amazon Resource Name (ARN) of the resource that emitted an event.

Type: String

Length Constraints: Minimum length of 36. Maximum length of 2048.

Pattern: `^arn:aws[-a-z]*:[a-z0-9-]*:[a-z0-9-]*:\d{12}:.*$`

Required: No

Name

The name of the resource that emitted an event.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `^.*$`

Required: No

Type

The type of resource that emitted an event.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `^.*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EventSourcesConfig

Information about the integration of DevOps Guru as consumer with another AWS service, such as AWS CodeGuru Profiler via EventBridge.

Contents

AmazonCodeGuruProfiler

Information about whether DevOps Guru is configured to consume recommendations which are generated from AWS CodeGuru Profiler.

Type: [AmazonCodeGuruProfilerIntegration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EventTimeRange

The time range during which an AWS event occurred. AWS resource events and metrics are analyzed by DevOps Guru to find anomalous behavior and provide recommendations to improve your operational solutions.

Contents

FromTime

The time when the event started.

Type: Timestamp

Required: Yes

ToTime

The time when the event ended.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InsightFeedback

Information about insight feedback received from a customer.

Contents

Feedback

The feedback provided by the customer.

Type: String

Valid Values: VALID_COLLECTION | RECOMMENDATION_USEFUL | ALERT_TOO_SENSITIVE
| DATA_NOISY_ANOMALY | DATA_INCORRECT

Required: No

Id

The insight feedback ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InsightHealth

Information about the number of open reactive and proactive insights that can be used to gauge the health of your system.

Contents

MeanTimeToRecoverInMilliseconds

The Meant Time to Recover (MTTR) for the insight.

Type: Long

Required: No

OpenProactiveInsights

The number of open proactive insights.

Type: Integer

Required: No

OpenReactiveInsights

The number of open reactive insights.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

InsightTimeRange

A time ranged that specifies when the observed behavior in an insight started and ended.

Contents

StartTime

The time when the behavior described in an insight started.

Type: Timestamp

Required: Yes

EndTime

The time when the behavior described in an insight ended.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KMSServerSideEncryptionIntegration

Information about the KMS encryption used with DevOps Guru.

Contents

KMSKeyId

Describes the specified KMS key.

To specify a KMS key, use its key ID, key ARN, alias name, or alias ARN. When using an alias name, prefix it with "alias/". If you specify a predefined AWS alias (an AWS alias with no key ID), AWS KMS associates the alias with an AWS managed key and returns its KeyId and Arn in the response. To specify a KMS key in a different AWS account, you must use the key ARN or alias ARN.

For example:

Key ID: 1234abcd-12ab-34cd-56ef-1234567890ab

Key ARN: arn:aws:kms:us-east-2:111122223333:key/1234abcd-12ab-34cd-56ef-1234567890ab

Alias name: alias/ExampleAlias

Alias ARN: arn:aws:kms:us-east-2:111122223333:alias/ExampleAlias

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^\.*$`

Required: No

OptInStatus

Specifies if DevOps Guru is enabled for customer managed keys.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

Type

The type of KMS key used. Customer managed keys are the KMS keys that you create. AWS owned keys are keys that are owned and managed by DevOps Guru.

Type: String

Valid Values: CUSTOMER_MANAGED_KEY | AWS_OWNED_KMS_KEY

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KMSServerSideEncryptionIntegrationConfig

Information about whether DevOps Guru is configured to encrypt server-side data using KMS.

Contents

KMSKeyId

Describes the specified KMS key.

To specify a KMS key, use its key ID, key ARN, alias name, or alias ARN. When using an alias name, prefix it with "alias/". If you specify a predefined AWS alias (an AWS alias with no key ID), AWS KMS associates the alias with an AWS managed key and returns its KeyId and Arn in the response. To specify a KMS key in a different AWS account, you must use the key ARN or alias ARN.

For example:

Key ID: 1234abcd-12ab-34cd-56ef-1234567890ab

Key ARN: arn:aws:kms:us-east-2:111122223333:key/1234abcd-12ab-34cd-56ef-1234567890ab

Alias name: alias/ExampleAlias

Alias ARN: arn:aws:kms:us-east-2:111122223333:alias/ExampleAlias

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: ^.*\$

Required: No

OptInStatus

Specifies if DevOps Guru is enabled for KMS integration.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

Type

The type of KMS key used. Customer managed keys are the KMS keys that you create. AWS owned keys are keys that are owned and managed by DevOps Guru.

Type: String

Valid Values: CUSTOMER_MANAGED_KEY | AWS_OWNED_KMS_KEY

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListAnomaliesForInsightFilters

Specifies one or more service names that are used to list anomalies.

Contents

ServiceCollection

A collection of the names of AWS services.

Type: [ServiceCollection](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListEventsFilters

Filters you can use to specify which events are returned when `ListEvents` is called.

Contents

DataSource

The source, `AWS_CLOUD_TRAIL` or `AWS_CODE_DEPLOY`, of the events you want returned.

Type: String

Valid Values: `AWS_CLOUD_TRAIL` | `AWS_CODE_DEPLOY`

Required: No

EventClass

The class of the events you want to filter for, such as an infrastructure change, a deployment, or a schema change.

Type: String

Valid Values: `INFRASTRUCTURE` | `DEPLOYMENT` | `SECURITY_CHANGE` | `CONFIG_CHANGE`
| `SCHEMA_CHANGE`

Required: No

EventSource

The AWS source that emitted the events you want to filter for.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 50.

Pattern: `^[a-z]+[a-z0-9]*\.amazonaws\.com|aws\.events$`

Required: No

EventTimeRange

A time range during which you want the filtered events to have occurred.

Type: [EventTimeRange](#) object

Required: No

InsightId

An ID of an insight that is related to the events you want to filter for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListInsightsAnyStatusFilter

Used to filter for insights that have any status.

Contents

StartTimeRange

A time range used to specify when the behavior of the filtered insights started.

Type: [StartTimeRange](#) object

Required: Yes

Type

Use to filter for either REACTIVE or PROACTIVE insights.

Type: String

Valid Values: REACTIVE | PROACTIVE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListInsightsClosedStatusFilter

Used to filter for insights that have the status CLOSED.

Contents

EndTimeRange

A time range used to specify when the behavior of the filtered insights ended.

Type: [EndTimeRange](#) object

Required: Yes

Type

Use to filter for either REACTIVE or PROACTIVE insights.

Type: String

Valid Values: REACTIVE | PROACTIVE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListInsightsOngoingStatusFilter

Used to filter for insights that have the status ONGOING.

Contents

Type

Use to filter for either REACTIVE or PROACTIVE insights.

Type: String

Valid Values: REACTIVE | PROACTIVE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListInsightsStatusFilter

A filter used by `ListInsights` to specify which insights to return.

Contents

Any

A `ListInsightsAnyStatusFilter` that specifies insights of any status that are either REACTIVE or PROACTIVE.

Type: [ListInsightsAnyStatusFilter](#) object

Required: No

Closed

A `ListInsightsClosedStatusFilter` that specifies closed insights that are either REACTIVE or PROACTIVE.

Type: [ListInsightsClosedStatusFilter](#) object

Required: No

Ongoing

A `ListInsightsAnyStatusFilter` that specifies ongoing insights that are either REACTIVE or PROACTIVE.

Type: [ListInsightsOngoingStatusFilter](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ListMonitoredResourcesFilters

Filters to determine which monitored resources you want to retrieve. You can filter by resource type or resource permission status.

Contents

ResourcePermission

The permission status of a resource.

Type: String

Valid Values: FULL_PERMISSION | MISSING_PERMISSION

Required: Yes

ResourceTypeFilters

The type of resource that you wish to retrieve, such as log groups.

Type: Array of strings

Valid Values: LOG_GROUPS | CLOUDFRONT_DISTRIBUTION | DYNAMODB_TABLE | EC2_NAT_GATEWAY | ECS_CLUSTER | ECS_SERVICE | EKS_CLUSTER | ELASTIC_BEANSTALK_ENVIRONMENT | ELASTIC_LOAD_BALANCER_LOAD_BALANCER | ELASTIC_LOAD_BALANCING_V2_LOAD_BALANCER | ELASTIC_LOAD_BALANCING_V2_TARGET_GROUP | ELASTICACHE_CACHE_CLUSTER | ELASTICSEARCH_DOMAIN | KINESIS_STREAM | LAMBDA_FUNCTION | OPEN_SEARCH_SERVICE_DOMAIN | RDS_DB_INSTANCE | RDS_DB_CLUSTER | REDSHIFT_CLUSTER | ROUTE53_HOSTED_ZONE | ROUTE53_HEALTH_CHECK | S3_BUCKET | SAGEMAKER_ENDPOINT | SNS_TOPIC | SQS_QUEUE | STEP_FUNCTIONS_ACTIVITY | STEP_FUNCTIONS_STATE_MACHINE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogAnomalyClass

Information about an anomalous log event found within a log group.

Contents

Explanation

The explanation for why the log event is considered an anomaly.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

LogAnomalyToken

The token where the anomaly was detected. This may refer to an exception or another location, or it may be blank for log anomalies such as format anomalies.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

LogAnomalyType

The type of log anomaly that has been detected.

Type: String

Valid Values: KEYWORD | KEYWORD_TOKEN | FORMAT | HTTP_CODE | BLOCK_FORMAT | NUMERICAL_POINT | NUMERICAL_NAN | NEW_FIELD_NAME

Required: No

LogEventId

The ID of the log event.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

LogEventTimestamp

The time of the first occurrence of the anomalous log event.

Type: Timestamp

Required: No

LogStreamName

The name of the Amazon CloudWatch log stream that the anomalous log event belongs to. A log stream is a sequence of log events that share the same source.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

NumberOfLogLinesOccurrences

The number of log lines where this anomalous log event occurs.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogAnomalyShowcase

A cluster of similar anomalous log events found within a log group.

Contents

LogAnomalyClasses

A list of anomalous log events that may be related.

Type: Array of [LogAnomalyClass](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogsAnomalyDetectionIntegration

Information about the integration of DevOps Guru with CloudWatch log groups for log anomaly detection.

Contents

OptInStatus

Specifies if DevOps Guru is configured to perform log anomaly detection on CloudWatch log groups.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogsAnomalyDetectionIntegrationConfig

Information about the integration of DevOps Guru with CloudWatch log groups for log anomaly detection. You can use this to update the configuration.

Contents

OptInStatus

Specifies if DevOps Guru is configured to perform log anomaly detection on CloudWatch log groups.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MonitoredResourceIdentifier

Information about the resource that is being monitored, including the name of the resource, the type of resource, and whether or not permission is given to DevOps Guru to access that resource.

Contents

LastUpdated

The time at which DevOps Guru last updated this resource.

Type: Timestamp

Required: No

MonitoredResourceName

The name of the resource being monitored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `[\.\-_\#A-Za-z0-9]+`

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

ResourcePermission

The permission status of a resource.

Type: String

Valid Values: FULL_PERMISSION | MISSING_PERMISSION

Required: No

Type

The type of resource being monitored.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z]+[a-zA-Z0-9-_:]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationChannel

Information about a notification channel. A notification channel is used to notify you when DevOps Guru creates an insight. The one supported notification channel is Amazon Simple Notification Service (Amazon SNS).

If you use an Amazon SNS topic in another account, you must attach a policy to it that grants DevOps Guru permission to send it notifications. DevOps Guru adds the required policy on your behalf to send notifications using Amazon SNS in your account. DevOps Guru only supports standard SNS topics. For more information, see [Permissions for Amazon SNS topics](#).

If you use an Amazon SNS topic that is encrypted by an AWS Key Management Service customer-managed key (CMK), then you must add permissions to the CMK. For more information, see [Permissions for AWS KMS-encrypted Amazon SNS topics](#).

Contents

Config

A `NotificationChannelConfig` object that contains information about configured notification channels.

Type: [NotificationChannelConfig](#) object

Required: No

Id

The ID of a notification channel.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `^[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{12}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationChannelConfig

Information about notification channels you have configured with DevOps Guru. The one supported notification channel is Amazon Simple Notification Service (Amazon SNS).

Contents

Sns

Information about a notification channel configured in DevOps Guru to send notifications when insights are created.

If you use an Amazon SNS topic in another account, you must attach a policy to it that grants DevOps Guru permission to send it notifications. DevOps Guru adds the required policy on your behalf to send notifications using Amazon SNS in your account. DevOps Guru only supports standard SNS topics. For more information, see [Permissions for Amazon SNS topics](#).

If you use an Amazon SNS topic that is encrypted by an AWS Key Management Service customer-managed key (CMK), then you must add permissions to the CMK. For more information, see [Permissions for AWS KMS–encrypted Amazon SNS topics](#).

Type: [SnsChannelConfig](#) object

Required: Yes

Filters

The filter configurations for the Amazon SNS notification topic you use with DevOps Guru. If you do not provide filter configurations, the default configurations are to receive notifications for all message types of High or Medium severity.

Type: [NotificationFilterConfig](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationFilterConfig

The filter configurations for the Amazon SNS notification topic you use with DevOps Guru. You can choose to specify which events or message types to receive notifications for. You can also choose to specify which severity levels to receive notifications for.

Contents

MessageTypes

The events that you want to receive notifications for. For example, you can choose to receive notifications only when the severity level is upgraded or a new insight is created.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Valid Values: NEW_INSIGHT | CLOSED_INSIGHT | NEW_ASSOCIATION | SEVERITY_UPGRADED | NEW_RECOMMENDATION

Required: No

Severities

The severity levels that you want to receive notifications for. For example, you can choose to receive notifications only for insights with HIGH and MEDIUM severity levels. For more information, see [Understanding insight severities](#).

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Valid Values: LOW | MEDIUM | HIGH

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpsCenterIntegration

Information about whether DevOps Guru is configured to create an OpsItem in AWS Systems Manager OpsCenter for each created insight.

Contents

OptInStatus

Specifies if DevOps Guru is enabled to create an AWS Systems Manager OpsItem for each created insight.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OpsCenterIntegrationConfig

Information about whether DevOps Guru is configured to create an OpsItem in AWS Systems Manager OpsCenter for each created insight. You can use this to update the configuration.

Contents

OptInStatus

Specifies if DevOps Guru is enabled to create an AWS Systems Manager OpsItem for each created insight.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PerformanceInsightsMetricDimensionGroup

A logical grouping of Performance Insights metrics for a related subject area. For example, the `db.sql` dimension group consists of the following dimensions: `db.sql.id`, `db.sql.db_id`, `db.sql.statement`, and `db.sql.tokenized_id`.

Note

Each response element returns a maximum of 500 bytes. For larger elements, such as SQL statements, only the first 500 bytes are returned.

Amazon RDS Performance Insights enables you to monitor and explore different dimensions of database load based on data captured from a running DB instance. DB load is measured as average active sessions. Performance Insights provides the data to API consumers as a two-dimensional time-series dataset. The time dimension provides DB load data for each time point in the queried time range. Each time point decomposes overall load in relation to the requested dimensions, measured at that time point. Examples include SQL, Wait event, User, and Host.

- To learn more about Performance Insights and Amazon Aurora DB instances, go to the [Amazon Aurora User Guide](#).
- To learn more about Performance Insights and Amazon RDS DB instances, go to the [Amazon RDS User Guide](#).

Contents

Dimensions

A list of specific dimensions from a dimension group. If this parameter is not present, then it signifies that all of the dimensions in the group were requested or are present in the response.

Valid values for elements in the `Dimensions` array are:

- `db.application.name` - The name of the application that is connected to the database (only Aurora PostgreSQL and RDS PostgreSQL)
- `db.host.id` - The host ID of the connected client (all engines)
- `db.host.name` - The host name of the connected client (all engines)

- `db.name` - The name of the database to which the client is connected (only Aurora PostgreSQL, Amazon RDS PostgreSQL, Aurora MySQL, Amazon RDS MySQL, and MariaDB)
- `db.session_type.name` - The type of the current session (only Aurora PostgreSQL and RDS PostgreSQL)
- `db.sql.id` - The SQL ID generated by Performance Insights (all engines)
- `db.sql.db_id` - The SQL ID generated by the database (all engines)
- `db.sql.statement` - The SQL text that is being executed (all engines)
- `db.sql.tokenized_id`
- `db.sql_tokenized.id` - The SQL digest ID generated by Performance Insights (all engines)
- `db.sql_tokenized.db_id` - SQL digest ID generated by the database (all engines)
- `db.sql_tokenized.statement` - The SQL digest text (all engines)
- `db.user.id` - The ID of the user logged in to the database (all engines)
- `db.user.name` - The name of the user logged in to the database (all engines)
- `db.wait_event.name` - The event for which the backend is waiting (all engines)
- `db.wait_event.type` - The type of event for which the backend is waiting (all engines)
- `db.wait_event_type.name` - The name of the event type for which the backend is waiting (all engines)

Type: Array of strings

Required: No

Group

The name of the dimension group. Its valid values are:

- `db` - The name of the database to which the client is connected (only Aurora PostgreSQL, Amazon RDS PostgreSQL, Aurora MySQL, Amazon RDS MySQL, and MariaDB)
- `db.application` - The name of the application that is connected to the database (only Aurora PostgreSQL and RDS PostgreSQL)
- `db.host` - The host name of the connected client (all engines)
- `db.session_type` - The type of the current session (only Aurora PostgreSQL and RDS PostgreSQL)
- `db.sql` - The SQL that is currently executing (all engines)
- `db.sql_tokenized` - The SQL digest (all engines)

- `db.wait_event` - The event for which the database backend is waiting (all engines)
- `db.wait_event_type` - The type of event for which the database backend is waiting (all engines)
- `db.user` - The user logged in to the database (all engines)

Type: String

Required: No

Limit

The maximum number of items to fetch for this dimension group.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 10.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PerformanceInsightsMetricQuery

A single query to be processed. Use these parameters to query the Performance Insights `GetResourceMetrics` API to retrieve the metrics for an anomaly. For more information, see [GetResourceMetrics](#) in the *Amazon RDS Performance Insights API Reference*.

Amazon RDS Performance Insights enables you to monitor and explore different dimensions of database load based on data captured from a running DB instance. DB load is measured as average active sessions. Performance Insights provides the data to API consumers as a two-dimensional time-series dataset. The time dimension provides DB load data for each time point in the queried time range. Each time point decomposes overall load in relation to the requested dimensions, measured at that time point. Examples include SQL, Wait event, User, and Host.

- To learn more about Performance Insights and Amazon Aurora DB instances, go to the [Amazon Aurora User Guide](#).
- To learn more about Performance Insights and Amazon RDS DB instances, go to the [Amazon RDS User Guide](#).

Contents

Filter

One or more filters to apply to a Performance Insights `GetResourceMetrics` API query.

Restrictions:

- Any number of filters by the same dimension, as specified in the `GroupBy` parameter.
- A single filter for any other dimension in this dimension group.

Type: String to string map

Required: No

GroupBy

The specification for how to aggregate the data points from a Performance Insights `GetResourceMetrics` API query. The Performance Insights query returns all of the dimensions within that group, unless you provide the names of specific dimensions within that group. You can also request that Performance Insights return a limited number of values for a dimension.

Type: [PerformanceInsightsMetricDimensionGroup](#) object

Required: No

Metric

The name of the metric used used when querying an Performance Insights `GetResourceMetrics` API for anomaly metrics.

Valid values for `Metric` are:

- `db.load.avg` - a scaled representation of the number of active sessions for the database engine.
- `db.sampledload.avg` - the raw number of active sessions for the database engine.

If the number of active sessions is less than an internal Performance Insights threshold, `db.load.avg` and `db.sampledload.avg` are the same value. If the number of active sessions is greater than the internal threshold, Performance Insights samples the active sessions, with `db.load.avg` showing the scaled values, `db.sampledload.avg` showing the raw values, and `db.sampledload.avg` less than `db.load.avg`. For most use cases, you can query `db.load.avg` only.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PerformanceInsightsMetricsDetail

Details about Performance Insights metrics.

Amazon RDS Performance Insights enables you to monitor and explore different dimensions of database load based on data captured from a running DB instance. DB load is measured as average active sessions. Performance Insights provides the data to API consumers as a two-dimensional time-series dataset. The time dimension provides DB load data for each time point in the queried time range. Each time point decomposes overall load in relation to the requested dimensions, measured at that time point. Examples include SQL, Wait event, User, and Host.

- To learn more about Performance Insights and Amazon Aurora DB instances, go to the [Amazon Aurora User Guide](#).
- To learn more about Performance Insights and Amazon RDS DB instances, go to the [Amazon RDS User Guide](#).

Contents

MetricDisplayName

The name used for a specific Performance Insights metric.

Type: String

Required: No

MetricQuery

A single query to be processed for the metric. For more information, see [PerformanceInsightsMetricQuery](#) .

Type: [PerformanceInsightsMetricQuery](#) object

Required: No

ReferenceData

For more information, see [PerformanceInsightsReferenceData](#) .

Type: Array of [PerformanceInsightsReferenceData](#) objects

Required: No

StatsAtAnomaly

The metric statistics during the anomalous period detected by DevOps Guru;

Type: Array of [PerformanceInsightsStat](#) objects

Required: No

StatsAtBaseline

Typical metric statistics that are not considered anomalous. When DevOps Guru analyzes metrics, it compares them to StatsAtBaseline to help determine if they are anomalous.

Type: Array of [PerformanceInsightsStat](#) objects

Required: No

Unit

The unit of measure for a metric. For example, a session or a process.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PerformanceInsightsReferenceComparisonValues

Reference scalar values and other metrics that DevOps Guru displays on a graph in its console along with the actual metrics it analyzed. Compare these reference values to your actual metrics to help you understand anomalous behavior that DevOps Guru detected.

Contents

ReferenceMetric

A metric that DevOps Guru compares to actual metric values. This reference metric is used to determine if an actual metric should be considered anomalous.

Type: [PerformanceInsightsReferenceMetric](#) object

Required: No

ReferenceScalar

A scalar value DevOps Guru for a metric that DevOps Guru compares to actual metric values. This reference value is used to determine if an actual metric value should be considered anomalous.

Type: [PerformanceInsightsReferenceScalar](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PerformanceInsightsReferenceData

Reference data used to evaluate Performance Insights to determine if its performance is anomalous or not.

Contents

ComparisonValues

The specific reference values used to evaluate the Performance Insights. For more information, see [PerformanceInsightsReferenceComparisonValues](#) .

Type: [PerformanceInsightsReferenceComparisonValues](#) object

Required: No

Name

The name of the reference data.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PerformanceInsightsReferenceMetric

Information about a reference metric used to evaluate Performance Insights.

Contents

MetricQuery

A query to be processed on the metric.

Type: [PerformanceInsightsMetricQuery](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PerformanceInsightsReferenceScalar

A reference value to compare Performance Insights metrics against to determine if the metrics demonstrate anomalous behavior.

Contents

Value

The reference value.

Type: Double

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PerformanceInsightsStat

A statistic in a Performance Insights collection.

Contents

Type

The statistic type.

Type: String

Required: No

Value

The value of the statistic.

Type: Double

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PredictionTimeRange

The time range during which anomalous behavior in a proactive anomaly or an insight is expected to occur.

Contents

StartTime

The time range during which a metric limit is expected to be exceeded. This applies to proactive insights only.

Type: Timestamp

Required: Yes

EndTime

The time when the behavior in a proactive insight is expected to end.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProactiveAnomaly

Information about an anomaly. This object is returned by `ListAnomalies`.

Contents

AnomalyReportedTimeRange

An `AnomalyReportedTimeRange` object that specifies the time range between when the anomaly is opened and the time when it is closed.

Type: [AnomalyReportedTimeRange](#) object

Required: No

AnomalyResources

Information about a resource in which DevOps Guru detected anomalous behavior.

Type: Array of [AnomalyResource](#) objects

Required: No

AnomalyTimeRange

A time range that specifies when the observed unusual behavior in an anomaly started and ended. This is different from `AnomalyReportedTimeRange`, which specifies the time range when DevOps Guru opens and then closes an anomaly.

Type: [AnomalyTimeRange](#) object

Required: No

AssociatedInsightId

The ID of the insight that contains this anomaly. An insight is composed of related anomalies.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

Description

A description of the proactive anomaly.

Type: String

Required: No

Id

The ID of a proactive anomaly.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w~.-]*$`

Required: No

Limit

A threshold that was exceeded by behavior in analyzed resources. Exceeding this threshold is related to the anomalous behavior that generated this anomaly.

Type: Double

Required: No

PredictionTimeRange

The time range during which anomalous behavior in a proactive anomaly or an insight is expected to occur.

Type: [PredictionTimeRange](#) object

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

Severity

The severity of the anomaly. The severity of anomalies that generate an insight determine that insight's severity. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

SourceDetails

Details about the source of the analyzed operational data that triggered the anomaly. The one supported source is Amazon CloudWatch metrics.

Type: [AnomalySourceDetails](#) object

Required: No

SourceMetadata

The metadata for the anomaly.

Type: [AnomalySourceMetadata](#) object

Required: No

Status

The status of a proactive anomaly.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

UpdateTime

The time of the anomaly's most recent update.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProactiveAnomalySummary

Details about a proactive anomaly. This object is returned by `DescribeAnomaly`.

Contents

AnomalyReportedTimeRange

An `AnomalyReportedTimeRange` object that specifies the time range between when the anomaly is opened and the time when it is closed.

Type: [AnomalyReportedTimeRange](#) object

Required: No

AnomalyResources

Information about a resource in which DevOps Guru detected anomalous behavior.

Type: Array of [AnomalyResource](#) objects

Required: No

AnomalyTimeRange

A time range that specifies when the observed unusual behavior in an anomaly started and ended. This is different from `AnomalyReportedTimeRange`, which specifies the time range when DevOps Guru opens and then closes an anomaly.

Type: [AnomalyTimeRange](#) object

Required: No

AssociatedInsightId

The ID of the insight that contains this anomaly. An insight is composed of related anomalies.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

Description

A description of the proactive anomaly.

Type: String

Required: No

Id

The ID of the anomaly.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\w~.-]*$`

Required: No

Limit

A threshold that was exceeded by behavior in analyzed resources. Exceeding this threshold is related to the anomalous behavior that generated this anomaly.

Type: Double

Required: No

PredictionTimeRange

The time range during which anomalous behavior in a proactive anomaly or an insight is expected to occur.

Type: [PredictionTimeRange](#) object

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

Severity

The severity of the anomaly. The severity of anomalies that generate an insight determine that insight's severity. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

SourceDetails

Details about the source of the analyzed operational data that triggered the anomaly. The one supported source is Amazon CloudWatch metrics.

Type: [AnomalySourceDetails](#) object

Required: No

SourceMetadata

The metadata of the source which detects proactive anomalies.

Type: [AnomalySourceMetadata](#) object

Required: No

Status

The status of the anomaly.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

UpdateTime

The time of the anomaly's most recent update.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProactiveInsight

Details about a proactive insight. This object is returned by `ListInsights`.

Contents

Description

Describes the proactive insight.

Type: String

Required: No

Id

The ID of the proactive insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

InsightTimeRange

A time ranged that specifies when the observed behavior in an insight started and ended.

Type: [InsightTimeRange](#) object

Required: No

Name

The name of the proactive insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 530.

Pattern: `^[\\s\\S]*$`

Required: No

PredictionTimeRange

The time range during which anomalous behavior in a proactive anomaly or an insight is expected to occur.

Type: [PredictionTimeRange](#) object

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

Severity

The severity of the insight. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

SsmOpsItemId

The ID of the AWS Systems Manager OpsItem created for this insight. You must enable the creation of OpsItems insights before they are created for each insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^\.*$`

Required: No

Status

The status of the proactive insight.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProactiveInsightSummary

Details about a proactive insight. This object is returned by `DescribeInsight`.

Contents

AssociatedResourceArns

The Amazon Resource Names (ARNs) of the AWS resources that generated this insight.

Type: Array of strings

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

Id

The ID of the proactive insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

InsightTimeRange

A time ranged that specifies when the observed behavior in an insight started and ended.

Type: [InsightTimeRange](#) object

Required: No

Name

The name of the proactive insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 530.

Pattern: `^[\\s\\S]*$`

Required: No

PredictionTimeRange

The time range during which anomalous behavior in a proactive anomaly or an insight is expected to occur.

Type: [PredictionTimeRange](#) object

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

ServiceCollection

A collection of the names of AWS services.

Type: [ServiceCollection](#) object

Required: No

Severity

The severity of the insight. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

Status

The status of the proactive insight.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProactiveOrganizationInsightSummary

Details about a proactive insight. This object is returned by `DescribeInsight`.

Contents

AccountId

The ID of the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

Id

The ID of the insight summary.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

InsightTimeRange

A time ranged that specifies when the observed behavior in an insight started and ended.

Type: [InsightTimeRange](#) object

Required: No

Name

The name of the insight summary.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 530.

Pattern: `^\[\s\S]*$`

Required: No

OrganizationalUnitId

The ID of the organizational unit.

Type: String

Length Constraints: Maximum length of 68.

Pattern: `^ou-[0-9a-z]{4,32}-[a-z0-9]{8,32}$`

Required: No

PredictionTimeRange

The time range during which anomalous behavior in a proactive anomaly or an insight is expected to occur.

Type: [PredictionTimeRange](#) object

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

ServiceCollection

A collection of the names of AWS services.

Type: [ServiceCollection](#) object

Required: No

Severity

An array of severity values used to search for insights. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

Status

An array of status values used to search for insights.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReactiveAnomaly

Details about a reactive anomaly. This object is returned by `ListAnomalies`.

Contents

AnomalyReportedTimeRange

An `AnomalyReportedTimeRange` object that specifies the time range between when the anomaly is opened and the time when it is closed.

Type: [AnomalyReportedTimeRange](#) object

Required: No

AnomalyResources

The AWS resources in which anomalous behavior was detected by DevOps Guru.

Type: Array of [AnomalyResource](#) objects

Required: No

AnomalyTimeRange

A time range that specifies when the observed unusual behavior in an anomaly started and ended. This is different from `AnomalyReportedTimeRange`, which specifies the time range when DevOps Guru opens and then closes an anomaly.

Type: [AnomalyTimeRange](#) object

Required: No

AssociatedInsightId

The ID of the insight that contains this anomaly. An insight is composed of related anomalies.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

CausalAnomalyId

The ID of the causal anomaly that is associated with this reactive anomaly. The ID of a `CAUSAL` anomaly is always `NULL`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w~.-]*$`

Required: No

Description

A description of the reactive anomaly.

Type: String

Required: No

Id

The ID of the reactive anomaly.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w~.-]*$`

Required: No

Name

The name of the reactive anomaly.

Type: String

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined

in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

Severity

The severity of the anomaly. The severity of anomalies that generate an insight determine that insight's severity. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

SourceDetails

Details about the source of the analyzed operational data that triggered the anomaly. The one supported source is Amazon CloudWatch metrics.

Type: [AnomalySourceDetails](#) object

Required: No

Status

The status of the anomaly.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

Type

The type of the reactive anomaly. It can be one of the following types.

- CAUSAL - the anomaly can cause a new insight.
- CONTEXTUAL - the anomaly contains additional information about an insight or its causal anomaly.

Type: String

Valid Values: CAUSAL | CONTEXTUAL

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReactiveAnomalySummary

Details about a reactive anomaly. This object is returned by `DescribeAnomaly`.

Contents

AnomalyReportedTimeRange

An `AnomalyReportedTimeRange` object that specifies the time range between when the anomaly is opened and the time when it is closed.

Type: [AnomalyReportedTimeRange](#) object

Required: No

AnomalyResources

The AWS resources in which anomalous behavior was detected by DevOps Guru.

Type: Array of [AnomalyResource](#) objects

Required: No

AnomalyTimeRange

A time range that specifies when the observed unusual behavior in an anomaly started and ended. This is different from `AnomalyReportedTimeRange`, which specifies the time range when DevOps Guru opens and then closes an anomaly.

Type: [AnomalyTimeRange](#) object

Required: No

AssociatedInsightId

The ID of the insight that contains this anomaly. An insight is composed of related anomalies.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

CausalAnomalyId

The ID of the causal anomaly that is associated with this reactive anomaly. The ID of a `CAUSAL` anomaly is always `NULL`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w~.-]*$`

Required: No

Description

A description of the reactive anomaly.

Type: String

Required: No

Id

The ID of the reactive anomaly.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w~.-]*$`

Required: No

Name

The name of the reactive anomaly.

Type: String

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined

in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

Severity

The severity of the anomaly. The severity of anomalies that generate an insight determine that insight's severity. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

SourceDetails

Details about the source of the analyzed operational data that triggered the anomaly. The one supported source is Amazon CloudWatch metrics.

Type: [AnomalySourceDetails](#) object

Required: No

Status

The status of the reactive anomaly.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

Type

The type of the reactive anomaly. It can be one of the following types.

- CAUSAL - the anomaly can cause a new insight.
- CONTEXTUAL - the anomaly contains additional information about an insight or its causal anomaly.

Type: String

Valid Values: CAUSAL | CONTEXTUAL

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReactiveInsight

Information about a reactive insight. This object is returned by `ListInsights`.

Contents

Description

Describes the reactive insight.

Type: String

Required: No

Id

The ID of a reactive insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

InsightTimeRange

A time ranged that specifies when the observed behavior in an insight started and ended.

Type: [InsightTimeRange](#) object

Required: No

Name

The name of a reactive insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 530.

Pattern: `^[\\s\\S]*$`

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

Severity

The severity of the insight. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

SsmOpsItemId

The ID of the AWS Systems Manager OpsItem created for this insight. You must enable the creation of OpsItems insights before they are created for each insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: ^.*\$

Required: No

Status

The status of a reactive insight.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReactiveInsightSummary

Information about a reactive insight. This object is returned by `DescribeInsight`.

Contents

AssociatedResourceArns

The Amazon Resource Names (ARNs) of the AWS resources that generated this insight.

Type: Array of strings

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

Id

The ID of a reactive summary.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

InsightTimeRange

A time ranged that specifies when the observed behavior in an insight started and ended.

Type: [InsightTimeRange](#) object

Required: No

Name

The name of a reactive insight.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 530.

Pattern: `^\[s\S]*$`

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

ServiceCollection

A collection of the names of AWS services.

Type: [ServiceCollection](#) object

Required: No

Severity

The severity of the insight. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

Status

The status of a reactive insight.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReactiveOrganizationInsightSummary

Information about a reactive insight. This object is returned by `DescribeInsight`.

Contents

AccountId

The ID of the AWS account.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^\d{12}$`

Required: No

Id

The ID of the insight summary.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^[\\w-]*$`

Required: No

InsightTimeRange

A time ranged that specifies when the observed behavior in an insight started and ended.

Type: [InsightTimeRange](#) object

Required: No

Name

The name of the insight summary.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 530.

Pattern: `^\s\S]*$`

Required: No

OrganizationalUnitId

The ID of the organizational unit.

Type: String

Length Constraints: Maximum length of 68.

Pattern: `^ou-[0-9a-z]{4,32}-[a-z0-9]{8,32}$`

Required: No

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

ServiceCollection

A collection of the names of AWS services.

Type: [ServiceCollection](#) object

Required: No

Severity

An array of severity values used to search for insights. For more information, see [Understanding insight severities](#) in the *Amazon DevOps Guru User Guide*.

Type: String

Valid Values: LOW | MEDIUM | HIGH

Required: No

Status

An array of status values used to search for insights.

Type: String

Valid Values: ONGOING | CLOSED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Recommendation

Recommendation information to help you remediate detected anomalous behavior that generated an insight.

Contents

Category

The category type of the recommendation.

Type: String

Required: No

Description

A description of the problem.

Type: String

Required: No

Link

A hyperlink to information to help you address the problem.

Type: String

Required: No

Name

The name of the recommendation.

Type: String

Required: No

Reason

The reason DevOps Guru flagged the anomalous behavior as a problem.

Type: String

Required: No

RelatedAnomalies

Anomalies that are related to the problem. Use these Anomalies to learn more about what's happening and to help address the issue.

Type: Array of [RecommendationRelatedAnomaly](#) objects

Required: No

RelatedEvents

Events that are related to the problem. Use these events to learn more about what's happening and to help address the issue.

Type: Array of [RecommendationRelatedEvent](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationRelatedAnomaly

Information about an anomaly that is related to a recommendation.

Contents

AnomalyId

The ID of an anomaly that generated the insight with this recommendation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `^\[\w~.-\]*$`

Required: No

Resources

An array of objects that represent resources in which DevOps Guru detected anomalous behavior. Each object contains the name and type of the resource.

Type: Array of [RecommendationRelatedAnomalyResource](#) objects

Required: No

SourceDetails

Information about where the anomalous behavior related the recommendation was found. For example, details in Amazon CloudWatch metrics.

Type: Array of [RecommendationRelatedAnomalySourceDetail](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationRelatedAnomalyResource

Information about a resource in which DevOps Guru detected anomalous behavior.

Contents

Name

The name of the resource.

Type: String

Required: No

Type

The type of the resource. Resource types take the same form that is used by AWS CloudFormation resource type identifiers, `service-provider::service-name::data-type-name`. For example, `AWS::RDS::DBCluster`. For more information, see [AWS resource and property types reference](#) in the *AWS CloudFormation User Guide*.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationRelatedAnomalySourceDetail

Contains an array of `RecommendationRelatedCloudWatchMetricsSourceDetail` objects that contain the name and namespace of an Amazon CloudWatch metric.

Contents

CloudWatchMetrics

An array of `CloudWatchMetricsDetail` objects that contains information about the analyzed metrics that displayed anomalous behavior.

Type: Array of [RecommendationRelatedCloudWatchMetricsSourceDetail](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationRelatedCloudWatchMetricsSourceDetail

Information about an Amazon CloudWatch metric that is analyzed by DevOps Guru. It is one of many analyzed metrics that are used to generate insights.

Contents

MetricName

The name of the CloudWatch metric.

Type: String

Required: No

Namespace

The namespace of the CloudWatch metric. A namespace is a container for CloudWatch metrics.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationRelatedEvent

Information about an event that is related to a recommendation.

Contents

Name

The name of the event. This corresponds to the Name field in an Event object.

Type: String

Required: No

Resources

A ResourceCollection object that contains arrays of the names of AWS CloudFormation stacks. You can specify up to 1000 AWS CloudFormation stacks.

Type: Array of [RecommendationRelatedEventResource](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecommendationRelatedEventResource

Information about an AWS resource that emitted an event that is related to a recommendation in an insight.

Contents

Name

The name of the resource that emitted the event. This corresponds to the Name field in an EventResource object.

Type: String

Required: No

Type

The type of the resource that emitted the event. This corresponds to the Type field in an EventResource object.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Contents

CloudFormation

An array of the names of AWS CloudFormation stacks. The stacks define AWS resources that DevOps Guru analyzes. You can specify up to 1000 AWS CloudFormation stacks.

Type: [CloudFormationCollection](#) object

Required: No

Tags

The AWS tags that are used by resources in the resource collection.

Tags help you identify and organize your AWS resources. Many AWS services support tagging, so you can assign the same tag to resources from different services to indicate that the resources are related. For example, you can assign the same tag to an Amazon DynamoDB table resource that you assign to an AWS Lambda function. For more information about using tags, see the [Tagging best practices](#) whitepaper.

Each AWS tag has two parts.

- A tag *key* (for example, `CostCenter`, `Environment`, `Project`, or `Secret`). Tag *keys* are case-sensitive.
- An optional field known as a tag *value* (for example, `111122223333`, `Production`, or a team name). Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive.

Together these are known as *key-value* pairs.

⚠ Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `DevOps-guru-`. The tag *key* might be `DevOps-Guru-deployment-application` or `devops-guru-rds-application`. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named `devops-guru-rds` and a *key* named `DevOps-Guru-RDS`, and these act as two different *keys*. Possible *key/value* pairs in your application might be `DevOps-Guru-production-application/RDS` or `DevOps-Guru-production-application/containers`.

Type: Array of [TagCollection](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceCollectionFilter

Information about a filter used to specify which AWS resources are analyzed for anomalous behavior by DevOps Guru.

Contents

CloudFormation

Information about AWS CloudFormation stacks. You can use up to 1000 stacks to specify which AWS resources in your account to analyze. For more information, see [Stacks](#) in the *AWS CloudFormation User Guide*.

Type: [CloudFormationCollectionFilter](#) object

Required: No

Tags

The AWS tags used to filter the resources in the resource collection.

Tags help you identify and organize your AWS resources. Many AWS services support tagging, so you can assign the same tag to resources from different services to indicate that the resources are related. For example, you can assign the same tag to an Amazon DynamoDB table resource that you assign to an AWS Lambda function. For more information about using tags, see the [Tagging best practices](#) whitepaper.

Each AWS tag has two parts.

- A tag *key* (for example, `CostCenter`, `Environment`, `Project`, or `Secret`). Tag *keys* are case-sensitive.
- An optional field known as a tag *value* (for example, `111122223333`, `Production`, or a team name). Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive.

Together these are known as *key-value* pairs.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `Devops-guru-`. The tag *key* might be `DevOps-Guru-`

deployment-application or devops-guru-rds-application. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named devops-guru-rds and a *key* named DevOps-Guru-RDS, and these act as two different *keys*. Possible *key/value* pairs in your application might be Devops-Guru-production-application/RDS or Devops-Guru-production-application/containers.

Type: Array of [TagCollectionFilter](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SearchInsightsFilters

Specifies values used to filter responses when searching for insights. You can use a `ResourceCollection`, `ServiceCollection`, array of severities, and an array of status values. Each filter type contains one or more values to search for. If you specify multiple filter types, the filter types are joined with an AND, and the request returns only results that match all of the specified filters.

Contents

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

ServiceCollection

A collection of the names of AWS services.

Type: [ServiceCollection](#) object

Required: No

Severities

An array of severity values used to search for insights.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Valid Values: LOW | MEDIUM | HIGH

Required: No

Statuses

An array of status values used to search for insights.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 2 items.

Valid Values: ONGOING | CLOSED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SearchOrganizationInsightsFilters

Filters you can use to specify which events are returned when `ListEvents` is called.

Contents

ResourceCollection

A collection of AWS resources supported by DevOps Guru. The two types of AWS resource collections supported are AWS CloudFormation stacks and AWS resources that contain the same AWS tag. DevOps Guru can be configured to analyze the AWS resources that are defined in the stacks or that are tagged using the same tag *key*. You can specify up to 1000 AWS CloudFormation stacks.

Type: [ResourceCollection](#) object

Required: No

ServiceCollection

A collection of the names of AWS services.

Type: [ServiceCollection](#) object

Required: No

Severities

An array of severity values used to search for insights.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 3 items.

Valid Values: LOW | MEDIUM | HIGH

Required: No

Statuses

An array of status values used to search for insights.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 2 items.

Valid Values: ONGOING | CLOSED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServiceCollection

A collection of the names of AWS services.

Contents

ServiceNames

An array of strings that each specifies the name of an AWS service.

Type: Array of strings

Valid Values: API_GATEWAY | APPLICATION_ELB | AUTO_SCALING_GROUP |
CLOUD_FRONT | DYNAMO_DB | EC2 | ECS | EKS | ELASTIC_BEANSTALK |
ELASTI_CACHE | ELB | ES | KINESIS | LAMBDA | NAT_GATEWAY | NETWORK_ELB |
RDS | REDSHIFT | ROUTE_53 | S3 | SAGE_MAKER | SNS | SQS | STEP_FUNCTIONS
| SWF

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServiceHealth

Represents the health of an AWS service.

Contents

AnalyzedResourceCount

Number of resources that DevOps Guru is monitoring in an analyzed AWS service.

Type: Long

Required: No

Insight

Represents the health of an AWS service. This is a `ServiceInsightHealth` that contains the number of open proactive and reactive insights for this service.

Type: [ServiceInsightHealth](#) object

Required: No

ServiceName

The name of the AWS service.

Type: String

Valid Values: API_GATEWAY | APPLICATION_ELB | AUTO_SCALING_GROUP | CLOUD_FRONT | DYNAMO_DB | EC2 | ECS | EKS | ELASTIC_BEANSTALK | ELASTI_CACHE | ELB | ES | KINESIS | LAMBDA | NAT_GATEWAY | NETWORK_ELB | RDS | REDSHIFT | ROUTE_53 | S3 | SAGE_MAKER | SNS | SQS | STEP_FUNCTIONS | SWF

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServiceInsightHealth

Contains the number of open proactive and reactive insights in an analyzed AWS service.

Contents

OpenProactiveInsights

The number of open proactive insights in the AWS service

Type: Integer

Required: No

OpenReactiveInsights

The number of open reactive insights in the AWS service

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServiceIntegrationConfig

Information about the integration of DevOps Guru with another AWS service, such as AWS Systems Manager.

Contents

KMSServerSideEncryption

Information about whether DevOps Guru is configured to encrypt server-side data using KMS.

Type: [KMSServerSideEncryptionIntegration](#) object

Required: No

LogsAnomalyDetection

Information about whether DevOps Guru is configured to perform log anomaly detection on Amazon CloudWatch log groups.

Type: [LogsAnomalyDetectionIntegration](#) object

Required: No

OpsCenter

Information about whether DevOps Guru is configured to create an OpsItem in AWS Systems Manager OpsCenter for each created insight.

Type: [OpsCenterIntegration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ServiceResourceCost

An object that contains information about the estimated monthly cost to analyze an AWS resource. For more information, see [Estimate your Amazon DevOps Guru costs](#) and [Amazon DevOps Guru pricing](#).

Contents

Cost

The total estimated monthly cost to analyze the active resources for this resource.

Type: Double

Required: No

Count

The number of active resources analyzed for this service to create a monthly cost estimate.

Type: Integer

Required: No

State

The state of the resource. The resource is `ACTIVE` if it produces metrics, events, or logs within an hour, otherwise it is `INACTIVE`. You pay for the number of active AWS resource hours analyzed for each resource. Inactive resources are not charged.

Type: String

Valid Values: `ACTIVE` | `INACTIVE`

Required: No

Type

The type of the AWS resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `^[a-zA-Z]+[a-zA-Z0-9-_:]*$`

Required: No

UnitCost

The price per hour to analyze the resources in the service. For more information, see [Estimate your Amazon DevOps Guru costs](#) and [Amazon DevOps Guru pricing](#).

Type: Double

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SnsChannelConfig

Contains the Amazon Resource Name (ARN) of an Amazon Simple Notification Service topic.

If you use an Amazon SNS topic in another account, you must attach a policy to it that grants DevOps Guru permission to send it notifications. DevOps Guru adds the required policy on your behalf to send notifications using Amazon SNS in your account. DevOps Guru only supports standard SNS topics. For more information, see [Permissions for Amazon SNS topics](#).

If you use an Amazon SNS topic that is encrypted by an AWS Key Management Service customer-managed key (CMK), then you must add permissions to the CMK. For more information, see [Permissions for AWS KMS–encrypted Amazon SNS topics](#).

Contents

TopicArn

The Amazon Resource Name (ARN) of an Amazon Simple Notification Service topic.

Type: String

Length Constraints: Minimum length of 36. Maximum length of 1024.

Pattern: `^arn:aws[a-z0-9-]*:sns:[a-z0-9-]+:\d{12}:[^:]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StartTimeRange

A time range used to specify when the behavior of an insight or anomaly started.

Contents

FromTime

The start time of the time range.

Type: Timestamp

Required: No

ToTime

The end time of the time range.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TagCollection

A collection of AWS tags.

Tags help you identify and organize your AWS resources. Many AWS services support tagging, so you can assign the same tag to resources from different services to indicate that the resources are related. For example, you can assign the same tag to an Amazon DynamoDB table resource that you assign to an AWS Lambda function. For more information about using tags, see the [Tagging best practices](#) whitepaper.

Each AWS tag has two parts.

- A tag *key* (for example, `CostCenter`, `Environment`, `Project`, or `Secret`). Tag *keys* are case-sensitive.
- An optional field known as a tag *value* (for example, `111122223333`, `Production`, or a team name). Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive.

Together these are known as *key-value* pairs.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `DevOps-guru-`. The tag *key* might be `DevOps-Guru-deployment-application` or `devops-guru-rds-application`. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named `devops-guru-rds` and a *key* named `DevOps-Guru-RDS`, and these act as two different *keys*. Possible *key/value* pairs in your application might be `Devops-Guru-production-application/RDS` or `Devops-Guru-production-application/containers`.

Contents

AppBoundaryKey

An AWS tag *key* that is used to identify the AWS resources that DevOps Guru analyzes. All AWS resources in your account and Region tagged with this *key* make up your DevOps Guru application and analysis boundary.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `DevOps-guru-`. The tag *key* might be `DevOps-Guru-deployment-application` or `devops-guru-rds-application`. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named `devops-guru-rds` and a *key* named `DevOps-Guru-RDS`, and these act as two different *keys*. Possible *key/value* pairs in your application might be `Devops-Guru-production-application/RDS` or `Devops-Guru-production-application/containers`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^([\p{L}\p{Z}\p{N}_ . :/=+\-@]*)$`

Required: Yes

TagValues

The values in an AWS tag collection.

The tag's *value* is an optional field used to associate a string with the tag *key* (for example, `111122223333`, `Production`, or a team name). The *key* and *value* are the tag's *key* pair. Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive. You can specify a maximum of 256 characters for a tag value.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `^([\p{L}\p{Z}\p{N}_ . : / = + \ - @] * | \ *) $`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TagCollectionFilter

A collection of AWS tags used to filter insights. This is used to return insights generated from only resources that contain the tags in the tag collection.

Contents

AppBoundaryKey

An AWS tag *key* that is used to identify the AWS resources that DevOps Guru analyzes. All AWS resources in your account and Region tagged with this *key* make up your DevOps Guru application and analysis boundary.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `Devops-guru-`. The tag *key* might be `DevOps-Guru-deployment-application` or `devops-guru-rds-application`. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named `devops-guru-rds` and a *key* named `DevOps-Guru-RDS`, and these act as two different *keys*. Possible *key/value* pairs in your application might be `Devops-Guru-production-application/RDS` or `Devops-Guru-production-application/containers`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^([\p{L}\p{Z}\p{N}_ . : / = + \ - @] *) $`

Required: Yes

TagValues

The values in an AWS tag collection.

The tag's *value* is an optional field used to associate a string with the tag *key* (for example, `111122223333`, `Production`, or a team name). The *key* and *value* are the tag's *key* pair.

Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive. You can specify a maximum of 256 characters for a tag value.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `^([\p{L}\p{Z}\p{N}_ . :/=+\-@]*|*)$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TagCostEstimationResourceCollectionFilter

Information about a collection of AWS resources that are identified by an AWS tag. This collection of resources is used to create a monthly cost estimate for DevOps Guru to analyze AWS resources. The maximum number of tags you can specify for a cost estimate is one. The estimate created is for the cost to analyze the AWS resources defined by the tag. For more information, see [Stacks](#) in the *AWS CloudFormation User Guide*.

Contents

AppBoundaryKey

An AWS tag *key* that is used to identify the AWS resources that DevOps Guru analyzes. All AWS resources in your account and Region tagged with this *key* make up your DevOps Guru application and analysis boundary.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `DevOps-guru-`. The tag *key* might be `DevOps-Guru-deployment-application` or `devops-guru-rds-application`. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named `devops-guru-rds` and a *key* named `DevOps-Guru-RDS`, and these act as two different *keys*. Possible *key/value* pairs in your application might be `Devops-Guru-production-application/RDS` or `Devops-Guru-production-application/containers`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^([\p{L}\p{Z}\p{N}_.:/+@-]*)$`

Required: Yes

TagValues

The values in an AWS tag collection.

The tag's *value* is an optional field used to associate a string with the tag *key* (for example, 111122223333, Production, or a team name). The *key* and *value* are the tag's *key* pair. Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive. You can specify a maximum of 256 characters for a tag value.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `^([\p{L}\p{Z}\p{N}_ . : / = + \ - @] * | \ *) $`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TagHealth

Information about the health of AWS resources in your account that are specified by an AWS tag *key*.

Contents

AnalyzedResourceCount

Number of resources that DevOps Guru is monitoring in your account that are specified by an AWS tag.

Type: Long

Required: No

AppBoundaryKey

An AWS tag *key* that is used to identify the AWS resources that DevOps Guru analyzes. All AWS resources in your account and Region tagged with this *key* make up your DevOps Guru application and analysis boundary.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `Devops-guru-`. The tag *key* might be `DevOps-Guru-deployment-application` or `devops-guru-rds-application`. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named `devops-guru-rds` and a *key* named `DevOps-Guru-RDS`, and these act as two different *keys*. Possible *key/value* pairs in your application might be `Devops-Guru-production-application/RDS` or `Devops-Guru-production-application/containers`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^([\p{L}\p{Z}\p{N}_ . : / = + \ - @] *) $`

Required: No

Insight

Information about the health of the AWS resources in your account that are specified by an AWS tag, including the number of open proactive, open reactive insights, and the Mean Time to Recover (MTTR) of closed insights.

Type: [InsightHealth](#) object

Required: No

TagValue

The value in an AWS tag.

The tag's *value* is an optional field used to associate a string with the tag *key* (for example, 111122223333, Production, or a team name). The *key* and *value* are the tag's *key* pair. Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive. You can specify a maximum of 256 characters for a tag value.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `^([\p{L}\p{Z}\p{N}_ . : / = + \ - @] * | \ *) $`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TimestampMetricValuePair

A pair that contains metric values at the respective timestamp.

Contents

MetricValue

Value of the anomalous metric data point at respective Timestamp.

Type: Double

Required: No

Timestamp

A Timestamp that specifies the time the event occurred.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateCloudFormationCollectionFilter

Contains the names of AWS CloudFormation stacks used to update a collection of stacks. You can specify up to 1000 AWS CloudFormation stacks.

Contents

StackNames

An array of the names of the AWS CloudFormation stacks to update. You can specify up to 1000 AWS CloudFormation stacks.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[a-zA-Z*]+[a-zA-Z0-9-]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateResourceCollectionFilter

Contains information used to update a collection of AWS resources.

Contents

CloudFormation

A collection of AWS CloudFormation stacks. You can specify up to 1000 AWS CloudFormation stacks.

Type: [UpdateCloudFormationCollectionFilter](#) object

Required: No

Tags

The updated AWS tags used to filter the resources in the resource collection.

Tags help you identify and organize your AWS resources. Many AWS services support tagging, so you can assign the same tag to resources from different services to indicate that the resources are related. For example, you can assign the same tag to an Amazon DynamoDB table resource that you assign to an AWS Lambda function. For more information about using tags, see the [Tagging best practices](#) whitepaper.

Each AWS tag has two parts.

- A tag *key* (for example, `CostCenter`, `Environment`, `Project`, or `Secret`). Tag *keys* are case-sensitive.
- An optional field known as a tag *value* (for example, `111122223333`, `Production`, or a team name). Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive.

Together these are known as *key-value* pairs.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `Devops-guru-`. The tag *key* might be `DevOps-Guru-deployment-application` or `devops-guru-rds-application`. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a

key, it is case-sensitive. For example, DevOps Guru works with a *key* named `devops-guru-rds` and a *key* named `DevOps-Guru-RDS`, and these act as two different *keys*. Possible *key/value* pairs in your application might be `Devops-Guru-production-application/RDS` or `Devops-Guru-production-application/containers`.

Type: Array of [UpdateTagCollectionFilter](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateServiceIntegrationConfig

Information about updating the integration status of an AWS service, such as AWS Systems Manager, with DevOps Guru.

Contents

KMSServerSideEncryption

Information about whether DevOps Guru is configured to encrypt server-side data using KMS.

Type: [KMSServerSideEncryptionIntegrationConfig](#) object

Required: No

LogsAnomalyDetection

Information about whether DevOps Guru is configured to perform log anomaly detection on Amazon CloudWatch log groups.

Type: [LogsAnomalyDetectionIntegrationConfig](#) object

Required: No

OpsCenter

Information about whether DevOps Guru is configured to create an OpsItem in AWS Systems Manager OpsCenter for each created insight. You can use this to update the configuration.

Type: [OpsCenterIntegrationConfig](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateTagCollectionFilter

A new collection of AWS resources that are defined by an AWS tag or tag *key/value* pair.

Contents

AppBoundaryKey

An AWS tag *key* that is used to identify the AWS resources that DevOps Guru analyzes. All AWS resources in your account and Region tagged with this *key* make up your DevOps Guru application and analysis boundary.

Important

The string used for a *key* in a tag that you use to define your resource coverage must begin with the prefix `Devops-guru-`. The tag *key* might be `DevOps-Guru-deployment-application` or `devops-guru-rds-application`. When you create a *key*, the case of characters in the *key* can be whatever you choose. After you create a *key*, it is case-sensitive. For example, DevOps Guru works with a *key* named `devops-guru-rds` and a *key* named `DevOps-Guru-RDS`, and these act as two different *keys*. Possible *key/value* pairs in your application might be `Devops-Guru-production-application/RDS` or `Devops-Guru-production-application/containers`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^([\p{L}\p{Z}\p{N}_ . :/=+\-@]*)$`

Required: Yes

TagValues

The values in an AWS tag collection.

The tag's *value* is an optional field used to associate a string with the tag *key* (for example, `111122223333`, `Production`, or a team name). The *key* and *value* are the tag's *key* pair.

Omitting the tag *value* is the same as using an empty string. Like tag *keys*, tag *values* are case-sensitive. You can specify a maximum of 256 characters for a tag value.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `^([\p{L}\p{Z}\p{N}_ . :/=+\-@]*|*)$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationExceptionField

The field associated with the validation exception.

Contents

Message

The message associated with the validation exception with information to help determine its cause.

Type: String

Required: Yes

Name

The name of the field.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400