



API Reference

AWS Directory Service Data



API Version 2023-05-31

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Directory Service Data: API Reference

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	3
AddGroupMember	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	6
Response Elements	6
Errors	6
Examples	8
See Also	8
CreateGroup	9
Request Syntax	9
URI Request Parameters	9
Request Body	9
Response Syntax	11
Response Elements	11
Errors	12
Examples	13
See Also	14
CreateUser	15
Request Syntax	15
URI Request Parameters	15
Request Body	15
Response Syntax	17
Response Elements	18
Errors	18
Examples	20
See Also	20
DeleteGroup	22
Request Syntax	22
URI Request Parameters	22
Request Body	22
Response Syntax	23

Response Elements	23
Errors	23
Examples	25
See Also	25
DeleteUser	27
Request Syntax	27
URI Request Parameters	27
Request Body	27
Response Syntax	28
Response Elements	28
Errors	28
Examples	30
See Also	30
DescribeGroup	32
Request Syntax	32
URI Request Parameters	32
Request Body	32
Response Syntax	33
Response Elements	34
Errors	36
Examples	37
See Also	37
DescribeUser	39
Request Syntax	39
URI Request Parameters	39
Request Body	39
Response Syntax	40
Response Elements	41
Errors	43
Examples	44
See Also	45
DisableUser	47
Request Syntax	47
URI Request Parameters	47
Request Body	47
Response Syntax	48

Response Elements	48
Errors	48
Examples	50
See Also	50
ListGroupMembers	52
Request Syntax	52
URI Request Parameters	52
Request Body	52
Response Syntax	54
Response Elements	55
Errors	56
Examples	57
See Also	57
ListGroups	59
Request Syntax	59
URI Request Parameters	59
Request Body	59
Response Syntax	60
Response Elements	61
Errors	62
Examples	63
See Also	63
ListGroupsForMember	65
Request Syntax	65
URI Request Parameters	65
Request Body	65
Response Syntax	67
Response Elements	68
Errors	69
Examples	70
See Also	71
ListUsers	72
Request Syntax	72
URI Request Parameters	72
Request Body	72
Response Syntax	73

Response Elements	74
Errors	75
Examples	76
See Also	76
RemoveGroupMember	78
Request Syntax	78
URI Request Parameters	78
Request Body	78
Response Syntax	80
Response Elements	80
Errors	80
Examples	81
See Also	82
SearchGroups	83
Request Syntax	83
URI Request Parameters	83
Request Body	83
Response Syntax	85
Response Elements	86
Errors	86
Examples	87
See Also	88
SearchUsers	90
Request Syntax	90
URI Request Parameters	90
Request Body	90
Response Syntax	92
Response Elements	93
Errors	94
Examples	95
See Also	96
UpdateGroup	97
Request Syntax	97
URI Request Parameters	97
Request Body	97
Response Syntax	99

Response Elements	99
Errors	99
Examples	101
See Also	101
UpdateUser	103
Request Syntax	103
URI Request Parameters	103
Request Body	103
Response Syntax	106
Response Elements	106
Errors	106
Examples	107
See Also	108
Data Types	109
AttributeValue	110
Contents	110
See Also	111
Group	112
Contents	112
See Also	113
GroupSummary	114
Contents	114
See Also	115
Member	116
Contents	116
See Also	116
User	118
Contents	118
See Also	120
UserSummary	121
Contents	121
See Also	122
Common Parameters	123
Common Errors	126

Welcome

AWS Directory Service Data is an extension of AWS Directory Service. This API reference provides detailed information about Directory Service Data operations and object types.

With Directory Service Data, you can create, read, update, and delete users, groups, and memberships from your AWS Managed Microsoft AD without additional costs and without deploying dedicated management instances. You can also perform built-in object management tasks across directories without direct network connectivity, which simplifies provisioning and access management to achieve fully automated deployments. Directory Service Data supports user and group write operations, such as `CreateUser` and `CreateGroup`, within the organizational unit (OU) of your AWS Managed Microsoft AD. Directory Service Data supports read operations, such as `ListUsers` and `ListGroups`, on all users, groups, and group memberships within your AWS Managed Microsoft AD and across trusted realms. Directory Service Data supports adding and removing group members in your OU and the AWS Delegated Groups OU, so you can grant and deny access to specific roles and permissions. For more information, see [Manage users and groups](#) in the *AWS Directory Service Administration Guide*.

Note

Directory management operations and configuration changes made against the AWS Directory Service API will also reflect in Directory Service Data API with eventual consistency. You can expect a short delay between management changes, such as adding a new directory trust and calling the Directory Service Data API for the newly created trusted realm.

Directory Service Data connects to your AWS Managed Microsoft AD domain controllers and performs operations on underlying directory objects. When you create your AWS Managed Microsoft AD, you choose subnets for domain controllers that AWS Directory Service creates on your behalf. If a domain controller is unavailable, Directory Service Data uses an available domain controller. As a result, you might notice eventual consistency while objects replicate from one domain controller to another domain controller. For more information, see [What gets created](#) in the *AWS Directory Service Administration Guide*. Directory limits vary by AWS Managed Microsoft AD edition:

- **Standard edition** – Supports 8 transactions per second (TPS) for read operations and 4 TPS for write operations per directory. There's a concurrency limit of 10 concurrent requests.
- **Enterprise edition** – Supports 16 transactions per second (TPS) for read operations and 8 TPS for write operations per directory. There's a concurrency limit of 10 concurrent requests.
- **AWS Account** - Supports a total of 100 TPS for Directory Service Data operations across all directories.

Directory Service Data only supports the AWS Managed Microsoft AD directory type and is only available in the primary AWS Region. For more information, see [AWS Managed Microsoft AD](#) and [Primary vs additional Regions](#) in the *AWS Directory Service Administration Guide*.

This document was last published on September 27, 2024.

Actions

The following actions are supported:

- [AddGroupMember](#)
- [CreateGroup](#)
- [CreateUser](#)
- [DeleteGroup](#)
- [DeleteUser](#)
- [DescribeGroup](#)
- [DescribeUser](#)
- [DisableUser](#)
- [ListGroupMembers](#)
- [ListGroups](#)
- [ListGroupsForMember](#)
- [ListUsers](#)
- [RemoveGroupMember](#)
- [SearchGroups](#)
- [SearchUsers](#)
- [UpdateGroup](#)
- [UpdateUser](#)

AddGroupMember

Adds an existing user, group, or computer as a group member.

Request Syntax

```
POST /GroupMemberships/AddGroupMember?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "GroupName": "string",
  "MemberName": "string",
  "MemberRealm": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

ClientToken

A unique and case-sensitive identifier that you provide to make sure the idempotency of the request, so multiple identical calls have the same effect as one single call.

A client token is valid for 8 hours after the first request that uses it completes. After 8 hours, any request with the same client token is treated as a new request. If the request succeeds, any future uses of that token will be idempotent for another 8 hours.

If you submit a request with the same client token but change one of the other parameters within the 8-hour idempotency window, Directory Service Data returns an `ConflictException`.

Note

This parameter is optional when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[\x00-\x7F]+$`

Required: No

GroupName

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+$`

Required: Yes

MemberName

The SAMAccountName of the user, group, or computer to add as a group member.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.


Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+$`

Required: Yes

MemberRealm

The domain name that's associated with the group member. This parameter is required only when adding a member outside of your AWS Managed Microsoft AD domain to a group inside

of your AWS Managed Microsoft AD domain. This parameter defaults to the AWS Managed Microsoft AD domain.

 **Note**

This parameter is case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9][\\.\-]+([a-zA-Z0-9])[.]?$`

Required: No

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

ConflictException

This error will occur when you try to create a resource that conflicts with an existing object. It can also occur when adding a member to a group that the member is already in.

This error can be caused by a request sent within the 8-hour idempotency window with the same client token but different input parameters. Client tokens should not be re-used across different requests. After 8 hours, any request with the same client token is treated as a new request.

HTTP Status Code: 409

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerErrorException

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of AddGroupMember.

Sample Request

```
{
  "ClientToken": "550e8400-e29b-41d4-a716-446655440000",
  "GroupName": "GRP_MKTG",
  "MemberName": "Pat Candella",
  "MemberRealm": "europe.example.com"
}
```

Sample Response

```
HTTP/1.1 200
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateGroup

Creates a new group.

Request Syntax

```
POST /Groups/CreateGroup?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "GroupScope": "string",
  "GroupType": "string",
  "OtherAttributes": {
    "string" : { ... }
  },
  "SAMAccountName": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

ClientToken

A unique and case-sensitive identifier that you provide to make sure the idempotency of the request, so multiple identical calls have the same effect as one single call.

A client token is valid for 8 hours after the first request that uses it completes. After 8 hours, any request with the same client token is treated as a new request. If the request succeeds, any future uses of that token will be idempotent for another 8 hours.

If you submit a request with the same client token but change one of the other parameters within the 8-hour idempotency window, Directory Service Data returns an `ConflictException`.

 **Note**

This parameter is optional when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^\[\x00-\x7F\]+$`

Required: No

GroupScope

The scope of the AD group. For details, see [Active Directory security group scope](#).

Type: String

Valid Values: `DomainLocal` | `Global` | `Universal` | `BuiltinLocal`

Required: No

GroupType

The AD group type. For details, see [Active Directory security group type](#).

Type: String

Valid Values: `Distribution` | `Security`

Required: No

OtherAttributes

An expression that defines one or more attributes with the data type and value of each attribute.

Type: String to [AttributeValue](#) object map

Map Entries: Maximum number of 25 items.

Key Length Constraints: Minimum length of 1. Maximum length of 63.

Key Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: No

[SAMAccountName](#)

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DirectoryId": "string",
  "SAMAccountName": "string",
  "SID": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[DirectoryId](#)

The identifier (ID) of the directory that's associated with the group.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

SAMAccountName

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+$`

SID

The unique security identifier (SID) of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

ConflictException

This error will occur when you try to create a resource that conflicts with an existing object. It can also occur when adding a member to a group that the member is already in.

This error can be caused by a request sent within the 8-hour idempotency window with the same client token but different input parameters. Client tokens should not be re-used across

different requests. After 8 hours, any request with the same client token is treated as a new request.

HTTP Status Code: 409

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerErrorException

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of `CreateGroup`.

Sample Request

```
{
  "ClientToken": "550e8400-e29b-41d4-a716-446655440000",
  "GroupScope": "DomainLocal",
  "GroupType": "Distribution",
  "OtherAttributes": {
```

```
"displayName": {"S": "Acctng-mailing-list"},
"description": {"S": "Accounting dept mailing list"}
},
"SAMAccountName": "AcctngMail"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "SAMAccountName": "AcctMail",
  "SID": "S-1-5-33-123"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateUser

Creates a new user.

Request Syntax

```
POST /Users/CreateUser?DirectoryId=DirectoryId HTTP/1.1  
Content-type: application/json
```

```
{  
  "ClientToken": "string",  
  "EmailAddress": "string",  
  "GivenName": "string",  
  "OtherAttributes": {  
    "string" : { ... }  
  },  
  "SAMAccountName": "string",  
  "Surname": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the user.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

ClientToken

A unique and case-sensitive identifier that you provide to make sure the idempotency of the request, so multiple identical calls have the same effect as one single call.

A client token is valid for 8 hours after the first request that uses it completes. After 8 hours, any request with the same client token is treated as a new request. If the request succeeds, any future uses of that token will be idempotent for another 8 hours.

If you submit a request with the same client token but change one of the other parameters within the 8-hour idempotency window, Directory Service Data returns an `ConflictException`.

Note

This parameter is optional when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[\x00-\x7F]+$`

Required: No

EmailAddress

The email address of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

GivenName

The first name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

OtherAttributes

An expression that defines one or more attribute names with the data type and value of each attribute. A key is an attribute name, and the value is a list of maps. For a list of supported attributes, see [Directory Service Data Attributes](#).

Note

Attribute names are case insensitive.

Type: String to [AttributeValue](#) object map

Map Entries: Maximum number of 25 items.

Key Length Constraints: Minimum length of 1. Maximum length of 63.

Key Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: No

SAMAccountName

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[\\w\\-\\.]+$`

Required: Yes

Surname

The last name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```



```
{  
  "DirectoryId": "string",  
  "SAMAccountName": "string",  
  "SID": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DirectoryId

The identifier (ID) of the directory where the address block is added.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

SAMAccountName

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[\\w\\-\\.]+$`

SID

The unique security identifier (SID) of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

ConflictException

This error will occur when you try to create a resource that conflicts with an existing object. It can also occur when adding a member to a group that the member is already in.

This error can be caused by a request sent within the 8-hour idempotency window with the same client token but different input parameters. Client tokens should not be re-used across different requests. After 8 hours, any request with the same client token is treated as a new request.

HTTP Status Code: 409

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerError

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of `CreateUser`.

Sample Request

```
{
  "ClientToken": "550e8400-e29b-41d4-a716-446655440000",
  "DirectoryId": "d-926example",
  "EmailAddress": "pcandella@exampledomain.com",
  "GivenName": "Pat Candella",
  "OtherAttributes": {
    "department": {"S": "HR"},
    "homePhone": {"S": "212-555-0100"}
  },
  "SAMAccountName": "pcandella",
  "Surname": "Candella"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "SAMAccountName": "pcandella",
  "SID": "S-1-5-99-789"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteGroup

Deletes a group.

Request Syntax

```
POST /Groups/DeleteGroup?DirectoryId=DirectoryId HTTP/1.1  
Content-type: application/json
```

```
{  
  "ClientToken": "string",  
  "SAMAccountName": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body


The request accepts the following data in JSON format.

ClientToken

A unique and case-sensitive identifier that you provide to make sure the idempotency of the request, so multiple identical calls have the same effect as one single call.

A client token is valid for 8 hours after the first request that uses it completes. After 8 hours, any request with the same client token is treated as a new request. If the request succeeds, any future uses of that token will be idempotent for another 8 hours.

If you submit a request with the same client token but change one of the other parameters within the 8-hour idempotency window, Directory Service Data returns a `ConflictException`.

 **Note**

This parameter is optional when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[\x00-\x7F]+$`

Required: No

SAMAccountName

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

ConflictException

This error will occur when you try to create a resource that conflicts with an existing object. It can also occur when adding a member to a group that the member is already in.

This error can be caused by a request sent within the 8-hour idempotency window with the same client token but different input parameters. Client tokens should not be re-used across different requests. After 8 hours, any request with the same client token is treated as a new request.

HTTP Status Code: 409

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerError

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of DeleteGroup.

Sample Request

```
POST /Groups/DeleteGroup?DirectoryId=112233abcd HTTP/1.1
Content-type: application/json
{
  "ClientToken": "550e8400-e29b-41d4-a716-446655440000",
  "SAMAccountName": "marketing"
}
```

Sample Response

```
HTTP/1.1 200
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteUser

Deletes a user.

Request Syntax

```
POST /Users/DeleteUser?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json

{
  "ClientToken": "string",
  "SAMAccountName": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the user.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

ClientToken

A unique and case-sensitive identifier that you provide to make sure the idempotency of the request, so multiple identical calls have the same effect as one single call.

A client token is valid for 8 hours after the first request that uses it completes. After 8 hours, any request with the same client token is treated as a new request. If the request succeeds, any future uses of that token will be idempotent for another 8 hours.

If you submit a request with the same client token but change one of the other parameters within the 8-hour idempotency window, Directory Service Data returns a `ConflictException`.

Note

This parameter is optional when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[\x00-\x7F]+$`

Required: No

SAMAccountName

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[w\-.]+$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

ConflictException

This error will occur when you try to create a resource that conflicts with an existing object. It can also occur when adding a member to a group that the member is already in.

This error can be caused by a request sent within the 8-hour idempotency window with the same client token but different input parameters. Client tokens should not be re-used across different requests. After 8 hours, any request with the same client token is treated as a new request.

HTTP Status Code: 409

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerError

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of DeleteUser.

Sample Request

```
{
  "ClientToken": "550e8400-e29b-41d4-a716-446655440000",
  "DirectoryId": "d-926example",
  "SAMAccountName": "pcandella"
}
```

Sample Response

```
HTTP/1.1 200
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeGroup

Returns information about a specific group.

Request Syntax

```
POST /Groups/DescribeGroup?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json
```

```
{
  "OtherAttributes": [ "string" ],
  "Realm": "string",
  "SAMAccountName": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The Identifier (ID) of the directory associated with the group.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

OtherAttributes

One or more attributes to be returned for the group. For a list of supported attributes, see [Directory Service Data Attributes](#).

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: No

Realm

The domain name that's associated with the group.

Note

This parameter is optional, so you can return groups outside of your AWS Managed Microsoft AD domain. When no value is defined, only your AWS Managed Microsoft AD groups are returned.

This value is case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\.\-])+([a-zA-Z0-9])+[\.]?$`

Required: No

SAMAccountName

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```



```
Content-type: application/json
```

```
{
  "DirectoryId": "string",
  "DistinguishedName": "string",
  "GroupScope": "string",
  "GroupType": "string",
  "OtherAttributes": {
    "string" : { ... }
  },
  "Realm": "string",
  "SAMAccountName": "string",
  "SID": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

DistinguishedName

The [distinguished name](#) of the object.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

GroupScope

The scope of the AD group. For details, see [Active Directory security groups](#).

Type: String

Valid Values: DomainLocal | Global | Universal | BuiltinLocal

GroupType

The AD group type. For details, see [Active Directory security group type](#).

Type: String

Valid Values: Distribution | Security

OtherAttributes

The attribute values that are returned for the attribute names that are included in the request.

Type: String to [AttributeValue](#) object map

Map Entries: Maximum number of 25 items.

Key Length Constraints: Minimum length of 1. Maximum length of 63.

Key Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Realm

The domain name that's associated with the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\.\-])+([a-zA-Z0-9])+[.]?$`

SAMAccountName

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\, \[\\]@]+$`

SID

The unique security identifier (SID) of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerErrorException

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of DescribeGroup.

Sample Request

```
{
  "OtherAttributes": [
    "displayName",
    "description",
    "objectGUID"
  ],
  "Realm": "example.domain.com",
  "SAMAccountName": "DevOpsMail"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "DistinguishedName": "DevOpsmail",
  "GroupScope": "Global",
  "GroupType": "Distribution",
  "OtherAttributes": {
    "displayName": {"S": "DevOps mailing list"},
    "description": {"S": "A group for DevOps email."},
    "objectGUID": {"S": "123456789"}
  },
  "SAMAccountName": "DevOpsMail",
  "SID": "S-1-5-55-678"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeUser

Returns information about a specific user.

Request Syntax

```
POST /Users/DescribeUser?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json
```

```
{
  "OtherAttributes": [ "string" ],
  "Realm": "string",
  "SAMAccountName": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the user.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

OtherAttributes

One or more attribute names to be returned for the user. A key is an attribute name, and the value is a list of maps. For a list of supported attributes, see [Directory Service Data Attributes](#).

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: No

Realm

The domain name that's associated with the user.

Note

This parameter is optional, so you can return users outside your AWS Managed Microsoft AD domain. When no value is defined, only your AWS Managed Microsoft AD users are returned.

This value is case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([\a-zA-Z0-9]+[\\\. -])+([\a-zA-Z0-9])+[.]?$`

Required: No

SAMAccountName

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[\\w\\- .]+$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"DirectoryId": "string",
"DistinguishedName": "string",
"EmailAddress": "string",
"Enabled": boolean,
"GivenName": "string",
"OtherAttributes": {
  "string" : { ... }
},
"Realm": "string",
"SAMAccountName": "string",
"SID": "string",
"Surname": "string",
"UserPrincipalName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DirectoryId

The identifier (ID) of the directory that's associated with the user.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

DistinguishedName

The [distinguished name](#) of the object.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

EmailAddress

The email address of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Enabled

Indicates whether the user account is active.

Type: Boolean

GivenName

The first name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

OtherAttributes

The attribute values that are returned for the attribute names that are included in the request.

Note

Attribute names are case insensitive.

Type: String to [AttributeValue](#) object map

Map Entries: Maximum number of 25 items.

Key Length Constraints: Minimum length of 1. Maximum length of 63.

Key Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Realm

The domain name that's associated with the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([\a-zA-Z0-9+[\.\-])+([\a-zA-Z0-9])+[\.]?$`

SAMAccountName

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[\\w\\-\\.]+$`

SID

The unique security identifier (SID) of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Surname

The last name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

UserPrincipalName

The UPN that is an Internet-style login name for a user and is based on the Internet standard [RFC 822](#). The UPN is shorter than the distinguished name and easier to remember.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerErrorException

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of DescribeUser.

Sample Request

```
{
  "OtherAttributes": [
    "department",
    "manager",
```

```
    "ipPhone"
  ],
  "Realm": "examplecorp.com",
  "SAMAccountName": "twhitlock"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "DistinguishedName": "Terry Whitlock",
  "EmailAddress": "terry.whitlock@examplecorp.com",
  "Enabled": true,
  "GivenName": "Terry Whitlock",
  "OtherAttributes": {
    "Department": {"S": "communications"},
    "Manager": {"S": "OU=Users,DC=mmajors"},
    "IpPhone": {"S": "111.111.111.111"}
  },
  "SAMAccountName": "twhitlock",
  "SID": "S-1-5-11-112",
  "Surname": "Whitlock",
  "UserPrincipalName": "terry.whitlock"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisableUser

Deactivates an active user account. For information about how to enable an inactive user account, see [ResetUserPassword](#) in the *AWS Directory Service API Reference*.

Request Syntax

```
POST /Users/DisableUser?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "SAMAccountName": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[DirectoryId](#)

The identifier (ID) of the directory that's associated with the user.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

[ClientToken](#)

A unique and case-sensitive identifier that you provide to make sure the idempotency of the request, so multiple identical calls have the same effect as one single call.

A client token is valid for 8 hours after the first request that uses it completes. After 8 hours, any request with the same client token is treated as a new request. If the request succeeds, any future uses of that token will be idempotent for another 8 hours.

If you submit a request with the same client token but change one of the other parameters within the 8-hour idempotency window, Directory Service Data returns an `ConflictException`.

Note

This parameter is optional when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[\x00-\x7F]+$`

Required: No

SAMAccountName

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[w\-.]+$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

ConflictException

This error will occur when you try to create a resource that conflicts with an existing object. It can also occur when adding a member to a group that the member is already in.

This error can be caused by a request sent within the 8-hour idempotency window with the same client token but different input parameters. Client tokens should not be re-used across different requests. After 8 hours, any request with the same client token is treated as a new request.

HTTP Status Code: 409

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerError

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of DisableUser.

Sample Request

```
{
  "ClientToken": "550e8400-e29b-41d4-a716-446655440000",
  "DirectoryId": "d-926example",
  "SAMAccountName": "twhitlock"
}
```

Sample Response

```
HTTP/1.1 200
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListGroupMembers

Returns member information for the specified group.

This operation supports pagination with the use of the `NextToken` request and response parameters. If more results are available, the `ListGroupMembers.NextToken` member contains a token that you pass in the next call to `ListGroupMembers`. This retrieves the next set of items.

You can also specify a maximum number of return results with the `MaxResults` parameter.

Request Syntax

```
POST /GroupMemberships/ListGroupMembers?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json
```

```
{
  "MaxResults": number,
  "MemberRealm": "string",
  "NextToken": "string",
  "Realm": "string",
  "SAMAccountName": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of results to be returned per request.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 250.

Required: No

MemberRealm

The domain name that's associated with the group member. This parameter defaults to the AWS Managed Microsoft AD domain.

Note

This parameter is optional and case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\\. -])+([a-zA-Z0-9])+[.]?$`

Required: No

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Required: No

Realm

The domain name that's associated with the group.

Note

This parameter is optional, so you can return members from a group outside of your AWS Managed Microsoft AD domain. When no value is defined, only members of your AWS Managed Microsoft AD groups are returned.

This value is case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $^([a-zA-Z0-9]+[\.\-])+([a-zA-Z0-9])+[\.]? \$$

Required: No

SAMAccountName

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: $^[^:;|=+\"*?<>/\ \, \[\] @] + \$$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DirectoryId": "string",
  "MemberRealm": "string",
  "Members": [
    {
      "MemberType": "string",
      "SAMAccountName": "string",
      "SID": "string"
    }
  ],
  "NextToken": "string",
  "Realm": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DirectoryId

Identifier (ID) of the directory associated with the group.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

MemberRealm

The domain name that's associated with the member.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\.\-])+([a-zA-Z0-9])+[.]?$`

Members

The member information that the request returns.

Type: Array of [Member](#) objects

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Realm

The domain name that's associated with the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\.\-])+([a-zA-Z0-9])+[.]?$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerErrorException

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of ListGroupMembers.

Sample Request

```
{
  "SAMAccountName": "Marketing",
  "MaxResults": 123,
  "MemberRealm": "example.local",
  "NextToken": "123456",
  "Realm": "examplecorp.com"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "Members": [
    {
      "SID": "S-1-5-11-111",
      "SAMAccountName": "twhitlock"
    },
    {
      "SID": "S-1-5-11-112",
      "SAMAccountName": "pcandella"
    },
    {
      "SID": "S-1-5-11-113",
      "SAMAccountName": "jstiles"
    }
  ],
  "NextToken": "223456"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListGroups

Returns group information for the specified directory.

This operation supports pagination with the use of the `NextToken` request and response parameters. If more results are available, the `ListGroups.NextToken` member contains a token that you pass in the next call to `ListGroups`. This retrieves the next set of items.

You can also specify a maximum number of return results with the `MaxResults` parameter.

Request Syntax

```
POST /Groups/ListGroups?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json

{
  "MaxResults": number,
  "NextToken": "string",
  "Realm": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of results to be returned per request.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 250.

Required: No

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Required: No

Realm

The domain name associated with the directory.

Note

This parameter is optional, so you can return groups outside of your AWS Managed Microsoft AD domain. When no value is defined, only your AWS Managed Microsoft AD groups are returned.

This value is case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $^([a-zA-Z0-9]+[\.\-])+([a-zA-Z0-9])+[\.]? \$$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DirectoryId": "string",
```

```
"Groups": [  
  {  
    "GroupScope": "string",  
    "GroupType": "string",  
    "SAMAccountName": "string",  
    "SID": "string"  
  }  
],  
"NextToken": "string",  
"Realm": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

Groups

The group information that the request returns.

Type: Array of [GroupSummary](#) objects

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Realm

The domain name associated with the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\.\-])?([a-zA-Z0-9])+[.]?$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerError

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of ListGroups.

Sample Request

```
{
  "MaxResults": 123,
  "NextToken": "123456",
  "Realm": "examplecorp.com"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "Groups": [
    {
      "GroupScope": "BuiltinLocal",
      "GroupType": "Security",
      "SAMAccountName": "Administrators",
      "SID": "S-1-5-32-544"
    },
    {
      "GroupScope": "BuiltinLocal",
      "GroupType": "Security",
      "SAMAccountName": "Users",
      "SID": "S-1-5-32-545"
    }
  ],
  "NextToken": "223456"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListGroupsForMember

Returns group information for the specified member.

This operation supports pagination with the use of the `NextToken` request and response parameters. If more results are available, the `ListGroupsForMember.NextToken` member contains a token that you pass in the next call to `ListGroupsForMember`. This retrieves the next set of items.

You can also specify a maximum number of return results with the `MaxResults` parameter.

Request Syntax

```
POST /GroupMemberships/ListGroupsForMember?DirectoryId=DirectoryId HTTP/1.1  
Content-type: application/json
```

```
{  
  "MaxResults": number,  
  "MemberRealm": "string",  
  "NextToken": "string",  
  "Realm": "string",  
  "SAMAccountName": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the member.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of results to be returned per request.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 250.

Required: No

MemberRealm

The domain name that's associated with the group member.

Note

This parameter is optional, so you can limit your results to the group members in a specific domain.

This parameter is case insensitive and defaults to Realm

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $^{\wedge}([a-zA-Z0-9][\.\-])^{+}([a-zA-Z0-9])^{+}[\.]?^{\$}$

Required: No

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Required: No

Realm

The domain name that's associated with the group.

Note

This parameter is optional, so you can return groups outside of your AWS Managed Microsoft AD domain. When no value is defined, only your AWS Managed Microsoft AD groups are returned.

This value is case insensitive and defaults to your AWS Managed Microsoft AD domain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $^([a-zA-Z0-9]+[\.\-])+([a-zA-Z0-9])+[\.]? \$$

Required: No

SAMAccountName

The SAMAccountName of the user, group, or computer that's a member of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: $^[^:;|=+\"*?<>/\ \, \[\] @] + \$$

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DirectoryId": "string",
  "Groups": [
    {
      "GroupScope": "string",
      "GroupType": "string",
      "SAMAccountName": "string",
      "SID": "string"
    }
  ]
}
```

```
    }  
  ],  
  "MemberRealm": "string",  
  "NextToken": "string",  
  "Realm": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DirectoryId

The identifier (ID) of the directory that's associated with the member.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

Groups

The group information that the request returns.

Type: Array of [GroupSummary](#) objects

MemberRealm

The domain that's associated with the member.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9+[\.\-]]+([a-zA-Z0-9]+[.]?)?$`

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Realm

The domain that's associated with the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\.\-])+([a-zA-Z0-9])+[.]?$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerException

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of ListGroupsForMember.

Sample Request

```
{
  "MaxResults": 123,
  "SAMAccountName": "twhitlock",
  "MemberRealm": "example.local",
  "NextToken": "123456",
  "Realm": "examplecorp.com"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "Groups": [
    {
      "GroupScope": "BuiltinLocal",
      "GroupType": "Security",
      "SAMAccountName": "Administrators",
      "SID": "S-1-5-32-544"
    },
    {
      "GroupScope": "BuiltinLocal",
```

```
    "GroupType": "Security",
    "SAMAccountName": "Users",
    "SID": "S-1-5-32-545"
  }
],
"NextToken": "223456"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListUsers

Returns user information for the specified directory.

This operation supports pagination with the use of the `NextToken` request and response parameters. If more results are available, the `ListUsers.NextToken` member contains a token that you pass in the next call to `ListUsers`. This retrieves the next set of items.

You can also specify a maximum number of return results with the `MaxResults` parameter.

Request Syntax

```
POST /Users/ListUsers?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json

{
  "MaxResults": number,
  "NextToken": "string",
  "Realm": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the user.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of results to be returned per request.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 250.

Required: No

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Required: No

Realm

The domain name that's associated with the user.

Note

This parameter is optional, so you can return users outside of your AWS Managed Microsoft AD domain. When no value is defined, only your AWS Managed Microsoft AD users are returned.

This value is case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\.\-])+([a-zA-Z0-9])+[.]?$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```



```
"DirectoryId": "string",
"NextToken": "string",
"Realm": "string",
"Users": [
  {
    "Enabled": boolean,
    "GivenName": "string",
    "SAMAccountName": "string",
    "SID": "string",
    "Surname": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DirectoryId

The identifier (ID) of the directory that's associated with the user.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Realm

The domain that's associated with the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\.\-])+([a-zA-Z0-9])+[.]?$`

Users

The user information that the request returns.

Type: Array of [UserSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerError

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of ListUsers.

Sample Request

```
{
  "MaxResults": 123,
  "NextToken": "123456",
  "Realm": "examplecorp.com"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "NextToken": "223456",
  "Users": [
    {
      "SID": "S-1-5-11-111",
      "SAMAccountName": "twhitlock"
    },
    {
      "SID": "S-1-5-11-112",
      "SAMAccountName": "pcandella"
    },
    {
      "SID": "S-1-5-11-113",
      "SAMAccountName": "jstiles"
    }
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveGroupMember

Removes a member from a group.

Request Syntax

```
POST /GroupMemberships/RemoveGroupMember?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "GroupName": "string",
  "MemberName": "string",
  "MemberRealm": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the member.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

ClientToken

A unique and case-sensitive identifier that you provide to make sure the idempotency of the request, so multiple identical calls have the same effect as one single call.

A client token is valid for 8 hours after the first request that uses it completes. After 8 hours, any request with the same client token is treated as a new request. If the request succeeds, any future uses of that token will be idempotent for another 8 hours.

If you submit a request with the same client token but change one of the other parameters within the 8-hour idempotency window, Directory Service Data returns an `ConflictException`.

Note

This parameter is optional when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[\x00-\x7F]+$`

Required: No

GroupName

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+$`

Required: Yes

MemberName

The SAMAccountName of the user, group, or computer to remove from the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+$`

Required: Yes

MemberRealm

The domain name that's associated with the group member. This parameter defaults to the AWS Managed Microsoft AD domain.

Note

This parameter is optional and case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\\. -])+([a-zA-Z0-9])+[.]?$`

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

ConflictException

This error will occur when you try to create a resource that conflicts with an existing object. It can also occur when adding a member to a group that the member is already in.

This error can be caused by a request sent within the 8-hour idempotency window with the same client token but different input parameters. Client tokens should not be re-used across different requests. After 8 hours, any request with the same client token is treated as a new request.

HTTP Status Code: 409

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerErrorException

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of `RemoveGroupMember`.

Sample Request

```
{
  "ClientToken": "550e8400-e29b-41d4-a716-446655440000",
  "GroupName": "DevOps",
  "MemberName": "Pat Candella",
  "MemberRealm": "example.local"
}
```

Sample Response

```
HTTP/1.1 200
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SearchGroups

Searches the specified directory for a group. You can find groups that match the `SearchString` parameter with the value of their attributes included in the `SearchString` parameter.

This operation supports pagination with the use of the `NextToken` request and response parameters. If more results are available, the `SearchGroups.NextToken` member contains a token that you pass in the next call to `SearchGroups`. This retrieves the next set of items.

You can also specify a maximum number of return results with the `MaxResults` parameter.

Request Syntax

```
POST /Groups/SearchGroups?DirectoryId=DirectoryId HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "MaxResults": number,
  "NextToken": "string",
  "Realm": "string",
  "SearchAttributes": [ "string" ],
  "SearchString": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of results to be returned per request.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 250.

Required: No

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Required: No

Realm

The domain name that's associated with the group.

Note

This parameter is optional, so you can return groups outside of your AWS Managed Microsoft AD domain. When no value is defined, only your AWS Managed Microsoft AD groups are returned.

This value is case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9]+[\\.\-]+([a-zA-Z0-9])+[.]?$`

Required: No

SearchAttributes

One or more data attributes that are used to search for a group. For a list of supported attributes, see [Directory Service Data Attributes](#).

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: Yes

SearchString

The attribute value that you want to search for.

Note

Wildcard (*) searches aren't supported. For a list of supported attributes, see [Directory Service Data Attributes](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DirectoryId": "string",
  "Groups": [
    {
      "DistinguishedName": "string",
      "GroupScope": "string",
      "GroupType": "string",
      "OtherAttributes": {
        "string" : { ... }
      },
      "SAMAccountName": "string",
      "SID": "string"
    }
  ],
}
```

```
"NextToken": "string",  
"Realm": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

Groups

The group information that the request returns.

Type: Array of [Group](#) objects

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Realm

The domain that's associated with the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\.\-])+([a-zA-Z0-9])+[.]?$`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerErrorException

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of `SearchGroups`.

Sample Request

```
{
  "MaxResults": 123,
  "NextToken": "123456",
  "Realm": "examplecorp.com",
  "SearchAttributes":
  [
    "GroupScope"
  ],
  "SearchString": "Security"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "Groups":
  [
    {
      "GroupScope": "BuiltinLocal",
      "GroupType": "Security",
      "SAMAccountName": "Administrators",
      "SID": "S-1-5-32-544"
    },
    {
      "GroupScope": "BuiltinLocal",
      "GroupType": "Security",
      "SAMAccountName": "Users",
      "SID": "S-1-5-32-545"
    }
  ],
  "NextToken": "223456"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SearchUsers

Searches the specified directory for a user. You can find users that match the `SearchString` parameter with the value of their attributes included in the `SearchString` parameter.

This operation supports pagination with the use of the `NextToken` request and response parameters. If more results are available, the `SearchUsers.NextToken` member contains a token that you pass in the next call to `SearchUsers`. This retrieves the next set of items.

You can also specify a maximum number of return results with the `MaxResults` parameter.

Request Syntax

```
POST /Users/SearchUsers?DirectoryId=DirectoryId HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "MaxResults": number,
  "NextToken": "string",
  "Realm": "string",
  "SearchAttributes": [ "string" ],
  "SearchString": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the user.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of results to be returned per request.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 250.

Required: No

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Required: No

Realm

The domain name that's associated with the user.

Note

This parameter is optional, so you can return users outside of your AWS Managed Microsoft AD domain. When no value is defined, only your AWS Managed Microsoft AD users are returned.

This value is case insensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\.\-])+([a-zA-Z0-9])+[.]?$`

Required: No

SearchAttributes

One or more data attributes that are used to search for a user. For a list of supported attributes, see [Directory Service Data Attributes](#).

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: Yes

SearchString

The attribute value that you want to search for.

Note

Wildcard (`*`) searches aren't supported. For a list of supported attributes, see [Directory Service Data Attributes](#).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DirectoryId": "string",
  "NextToken": "string",
  "Realm": "string",
  "Users": [
    {
      "DistinguishedName": "string",
      "EmailAddress": "string",
      "Enabled": boolean,
      "GivenName": "string",
      "OtherAttributes": {
```

```
        "string" : { ... }
    },
    "SAMAccountName": "string",
    "SID": "string",
    "Surname": "string",
    "UserPrincipalName": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DirectoryId

The identifier (ID) of the directory where the address block is added.

Type: String

Pattern: `^d-[0-9a-f]{10}$`

NextToken

An encoded paging token for paginated calls that can be passed back to retrieve the next page.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6144.

Realm

The domain that's associated with the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]+[\\.\-])+([a-zA-Z0-9])+[.]?$`

Users

The user information that the request returns.

Type: Array of [User](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerError

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of SearchUsers.

Sample Request

```
{
  "MaxResults": 123,
  "NextToken": "123456",
  "Realm": "examplecorp.com",
  "SearchAttributes":
  [
    "department"
  ],
  "SearchString": "DevOps"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "NextToken": "223456",
  "Users":
  [
    {
      "SID": "S-1-5-11-111",
      "SAMAccountName": "twhitlock",
      "EmailAddress": "twhitlock@example.local.com",
      "UserPrincipalName": "twhitlock@examplecorp.com"
    },
    {
      "SID": "S-1-5-11-112",
      "SAMAccountName": "pcandella",
      "EmailAddress": "pcandella@example.local.com",
      "UserPrincipalName": "pcandella@examplecorp.com"
    },
    {
      "SID": "S-1-5-11-113",
      "SAMAccountName": "jstiles",
      "EmailAddress": "jstiles@example.local.com",
      "UserPrincipalName": "jstiles@examplecorp.com"
    }
  ]
}
```

```
}  
]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateGroup

Updates group information.

Request Syntax

```
POST /Groups/UpdateGroup?DirectoryId=DirectoryId HTTP/1.1  
Content-type: application/json
```

```
{  
  "ClientToken": "string",  
  "GroupScope": "string",  
  "GroupType": "string",  
  "OtherAttributes": {  
    "string" : { ... }  
  },  
  "SAMAccountName": "string",  
  "UpdateType": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the group.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

ClientToken

A unique and case-sensitive identifier that you provide to make sure the idempotency of the request, so multiple identical calls have the same effect as one single call.

A client token is valid for 8 hours after the first request that uses it completes. After 8 hours, any request with the same client token is treated as a new request. If the request succeeds, any future uses of that token will be idempotent for another 8 hours.

If you submit a request with the same client token but change one of the other parameters within the 8-hour idempotency window, Directory Service Data returns an `ConflictException`.

 **Note**

This parameter is optional when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^\[\x00-\x7F\]+$`

Required: No

GroupScope

The scope of the AD group. For details, see [Active Directory security groups](#).

Type: String

Valid Values: `DomainLocal` | `Global` | `Universal` | `BuiltinLocal`

Required: No

GroupType

The AD group type. For details, see [Active Directory security group type](#).

Type: String

Valid Values: `Distribution` | `Security`

Required: No

OtherAttributes

An expression that defines one or more attributes with the data type and the value of each attribute.

Type: String to [AttributeValue](#) object map

Map Entries: Maximum number of 25 items.

Key Length Constraints: Minimum length of 1. Maximum length of 63.

Key Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: No

[SAMAccountName](#)

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\, \\[\\]@]+$`

Required: Yes

[UpdateType](#)

The type of update to be performed. If no value exists for the attribute, use ADD. Otherwise, use REPLACE to change an attribute value or REMOVE to clear the attribute value.

Type: String

Valid Values: ADD | REPLACE | REMOVE

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

ConflictException

This error will occur when you try to create a resource that conflicts with an existing object. It can also occur when adding a member to a group that the member is already in.

This error can be caused by a request sent within the 8-hour idempotency window with the same client token but different input parameters. Client tokens should not be re-used across different requests. After 8 hours, any request with the same client token is treated as a new request.

HTTP Status Code: 409

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerError

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of UpdateGroup.

Sample Request

```
{
  "ClientToken": "550e8400-e29b-41d4-a716-446655440000",
  "GroupScope": "Global",
  "GroupType": "Security",
  "OtherAttributes":
  {
    "PreferredLanguage":{"S":"English"},
    "Co":{"S":"US"}
  },
  "SAMAccountName": "GuestsLocal",
  "UpdateType": "REPLACE"
}
```

Sample Response

```
{
  "DirectoryId": "112233abcd",
  "SAMAccountName": "GuestsLocal",
  "SID": "S-1-5-44-567"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateUser

Updates user information.

Request Syntax

```
POST /Users/UpdateUser?DirectoryId=DirectoryId HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "EmailAddress": "string",
  "GivenName": "string",
  "OtherAttributes": {
    "string" : { ... }
  },
  "SAMAccountName": "string",
  "Surname": "string",
  "UpdateType": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DirectoryId

The identifier (ID) of the directory that's associated with the user.

Pattern: `^d-[0-9a-f]{10}$`

Required: Yes

Request Body


The request accepts the following data in JSON format.

ClientToken

A unique and case-sensitive identifier that you provide to make sure the idempotency of the request, so multiple identical calls have the same effect as one single call.

A client token is valid for 8 hours after the first request that uses it completes. After 8 hours, any request with the same client token is treated as a new request. If the request succeeds, any future uses of that token will be idempotent for another 8 hours.

If you submit a request with the same client token but change one of the other parameters within the 8-hour idempotency window, Directory Service Data returns an `ConflictException`.

 **Note**

This parameter is optional when using the AWS CLI or SDK.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[\x00-\x7F]+$`

Required: No

EmailAddress

The email address of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

GivenName

The first name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

OtherAttributes

An expression that defines one or more attribute names with the data type and value of each attribute. A key is an attribute name, and the value is a list of maps. For a list of supported attributes, see [Directory Service Data Attributes](#).

Note

Attribute names are case insensitive.

Type: String to [AttributeValue](#) object map

Map Entries: Maximum number of 25 items.

Key Length Constraints: Minimum length of 1. Maximum length of 63.

Key Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: No

SAMAccountName

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[\\w\\-\\.]+$`

Required: Yes

Surname

The last name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

UpdateType

The type of update to be performed. If no value exists for the attribute, use ADD. Otherwise, use REPLACE to change an attribute value or REMOVE to clear the attribute value.

Type: String

Valid Values: ADD | REPLACE | REMOVE

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You don't have permission to perform the request or access the directory. It can also occur when the `DirectoryId` doesn't exist or the user, member, or group might be outside of your organizational unit (OU).

Make sure that you have the authentication and authorization to perform the action. Review the directory information in the request, and make sure that the object isn't outside of your OU.

HTTP Status Code: 403

ConflictException

This error will occur when you try to create a resource that conflicts with an existing object. It can also occur when adding a member to a group that the member is already in.

This error can be caused by a request sent within the 8-hour idempotency window with the same client token but different input parameters. Client tokens should not be re-used across different requests. After 8 hours, any request with the same client token is treated as a new request.

HTTP Status Code: 409

DirectoryUnavailableException

The request could not be completed due to a problem in the configuration or current state of the specified directory.

HTTP Status Code: 400

InternalServerErrorException

The operation didn't succeed because an internal error occurred. Try again later.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second has been exceeded.

HTTP Status Code: 429

ValidationException

The request isn't valid. Review the details in the error message to update the invalid parameters or values in your request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of UpdateUser.

Sample Request

```
{
  "ClientToken": "550e8400-e29b-41d4-a716-446655440000",
  "EmailAddress": "twhitlock@examplecorp.com",
  "GivenName": "Terry",
  "OtherAttributes":
  {
    "telephoneNumber":{"S":"212-555-1111"},
    "homePhone":{"S":"333-333-3333"},
    "physicalDeliveryOfficeName":{"S":"Example Company"},
    "streetAddress":{"S":"123 Any Street"},
  }
}
```

```
"postalCode":{"S":"54321"},
"st":{"S":"WA"},
"co": {"S": "US"}
},
"SAMAccountName": "terrywhitlock",
"Surname": "Whitlock",
"UpdateType": "ADD"
}
```

Sample Response

```
{
  "DirectoryId": "d-926example",
  "SAMAccountName": "terrywhitlock",
  "SID": "1111-2222-3333"
}
```


See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Directory Service Data API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AttributeValue](#)
- [Group](#)
- [GroupSummary](#)
- [Member](#)
- [User](#)
- [UserSummary](#)

AttributeValue

The data type for an attribute. Each attribute value is described as a name-value pair. The name is the AD schema name, and the value is the data itself. For a list of supported attributes, see [Directory Service Data Attributes](#).

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

BOOL

Indicates that the attribute type value is a boolean. For example:

```
"BOOL": true
```

Type: Boolean

Required: No

N

Indicates that the attribute type value is a number. For example:

```
"N": "16"
```

Type: Long

Required: No

S

Indicates that the attribute type value is a string. For example:

```
"S": "S Group"
```

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

SS

Indicates that the attribute type value is a string set. For example:

```
"SS": ["sample_service_class/host.sample.com:1234/  
sample_service_name_1", "sample_service_class/host.sample.com:1234/  
sample_service_name_2"]
```

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 25 items.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Group

A group object that contains identifying information and attributes for a specified group.

Contents

SAMAccountName

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+`

Required: Yes

DistinguishedName

The [distinguished name](#) of the object.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

GroupScope

The scope of the AD group. For details, see [Active Directory security groups](#)

Type: String

Valid Values: DomainLocal | Global | Universal | BuiltinLocal

Required: No

GroupType

The AD group type. For details, see [Active Directory security group type](#).

Type: String

Valid Values: Distribution | Security

Required: No

OtherAttributes

An expression of one or more attributes, data types, and the values of a group.

Type: String to [AttributeValue](#) object map

Map Entries: Maximum number of 25 items.

Key Length Constraints: Minimum length of 1. Maximum length of 63.

Key Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: No

SID

The unique security identifier (SID) of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GroupSummary

A structure containing a subset of fields of a group object from a directory.

Contents

GroupScope

The scope of the AD group. For details, see [Active Directory security groups](#).

Type: String

Valid Values: DomainLocal | Global | Universal | BuiltinLocal

Required: Yes

GroupType

The AD group type. For details, see [Active Directory security group type](#).

Type: String

Valid Values: Distribution | Security

Required: Yes

SAMAccountName

The name of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+`

Required: Yes

SID

The unique security identifier (SID) of the group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Member

A member object that contains identifying information for a specified member.

Contents

MemberType

The AD type of the member object.

Type: String

Valid Values: USER | GROUP | COMPUTER

Required: Yes

SAMAccountName

The name of the group member.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 63.

Pattern: `^[^:;|=+\"*?<>/\\,\\[\\]@]+`

Required: Yes

SID

The unique security identifier (SID) of the group member.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

User

A user object that contains identifying information and attributes for a specified user.

Contents

SAMAccountName

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[\\w\\-\\.]+$`

Required: Yes

DistinguishedName

The [distinguished name](#) of the object.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

EmailAddress

The email address of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Enabled

Indicates whether the user account is active.

Type: Boolean

Required: No

GivenName

The first name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

OtherAttributes

An expression that includes one or more attributes, data types, and values of a user.

Type: String to [AttributeValue](#) object map

Map Entries: Maximum number of 25 items.

Key Length Constraints: Minimum length of 1. Maximum length of 63.

Key Pattern: `^[A-Za-z*][A-Za-z-*]*$`

Required: No

SID

The unique security identifier (SID) of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Surname

The last name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

UserPrincipalName

The UPN that is an internet-style login name for a user and based on the internet standard [RFC 822](#). The UPN is shorter than the distinguished name and easier to remember.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UserSummary

A structure containing a subset of the fields of a user object from a directory.

Contents

Enabled

Indicates whether the user account is active.

Type: Boolean

Required: Yes

SAMAccountName

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `^[\\w\\-\\.]+$`

Required: Yes

SID

The unique security identifier (SID) of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

GivenName

The first name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

Surname

The last name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400