



Welcome

Amazon Nimble Studio



API Version 2020-08-01

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon Nimble Studio: Welcome

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AcceptEulas	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	5
Response Elements	5
Errors	5
See Also	7
CreateLaunchProfile	8
Request Syntax	8
URI Request Parameters	9
Request Body	9
Response Syntax	11
Response Elements	12
Errors	12
See Also	14
CreateStreamingImage	15
Request Syntax	15
URI Request Parameters	15
Request Body	16
Response Syntax	16
Response Elements	17
Errors	17
See Also	19
CreateStreamingSession	20
Request Syntax	20
URI Request Parameters	20
Request Body	21
Response Syntax	22
Response Elements	23
Errors	23
See Also	24

CreateStreamingSessionStream	26
Request Syntax	26
URI Request Parameters	26
Request Body	27
Response Syntax	27
Response Elements	27
Errors	28
See Also	29
CreateStudio	30
Request Syntax	30
URI Request Parameters	31
Request Body	31
Response Syntax	32
Response Elements	33
Errors	33
See Also	34
CreateStudioComponent	36
Request Syntax	36
URI Request Parameters	37
Request Body	37
Response Syntax	40
Response Elements	41
Errors	41
See Also	42
DeleteLaunchProfile	43
Request Syntax	43
URI Request Parameters	43
Request Body	43
Response Syntax	44
Response Elements	45
Errors	45
See Also	46
DeleteLaunchProfileMember	48
Request Syntax	48
URI Request Parameters	48
Request Body	49

Response Syntax	49
Response Elements	49
Errors	49
See Also	50
DeleteStreamingImage	51
Request Syntax	51
URI Request Parameters	51
Request Body	51
Response Syntax	52
Response Elements	52
Errors	53
See Also	54
DeleteStreamingSession	55
Request Syntax	55
URI Request Parameters	55
Request Body	56
Response Syntax	56
Response Elements	57
Errors	57
See Also	58
DeleteStudio	59
Request Syntax	59
URI Request Parameters	59
Request Body	59
Response Syntax	59
Response Elements	60
Errors	60
See Also	61
DeleteStudioComponent	63
Request Syntax	63
URI Request Parameters	63
Request Body	63
Response Syntax	64
Response Elements	65
Errors	65
See Also	66

DeleteStudioMember	67
Request Syntax	67
URI Request Parameters	67
Request Body	67
Response Syntax	68
Response Elements	68
Errors	68
See Also	69
GetEula	70
Request Syntax	70
URI Request Parameters	70
Request Body	70
Response Syntax	70
Response Elements	70
Errors	71
See Also	72
GetLaunchProfile	73
Request Syntax	73
URI Request Parameters	73
Request Body	73
Response Syntax	73
Response Elements	75
Errors	75
See Also	76
GetLaunchProfileDetails	78
Request Syntax	78
URI Request Parameters	78
Request Body	78
Response Syntax	78
Response Elements	81
Errors	81
See Also	82
GetLaunchProfileInitialization	84
Request Syntax	84
URI Request Parameters	84
Request Body	85

Response Syntax	85
Response Elements	86
Errors	86
See Also	87
GetLaunchProfileMember	89
Request Syntax	89
URI Request Parameters	89
Request Body	89
Response Syntax	90
Response Elements	90
Errors	90
See Also	91
GetStreamingImage	93
Request Syntax	93
URI Request Parameters	93
Request Body	93
Response Syntax	93
Response Elements	94
Errors	94
See Also	95
GetStreamingSession	97
Request Syntax	97
URI Request Parameters	97
Request Body	97
Response Syntax	97
Response Elements	98
Errors	99
See Also	100
GetStreamingSessionBackup	101
Request Syntax	101
URI Request Parameters	101
Request Body	101
Response Syntax	101
Response Elements	102
Errors	102
See Also	103

GetStreamingSessionStream	104
Request Syntax	104
URI Request Parameters	104
Request Body	105
Response Syntax	105
Response Elements	105
Errors	105
See Also	106
GetStudio	108
Request Syntax	108
URI Request Parameters	108
Request Body	108
Response Syntax	108
Response Elements	109
Errors	109
See Also	110
GetStudioComponent	112
Request Syntax	112
URI Request Parameters	112
Request Body	112
Response Syntax	112
Response Elements	113
Errors	114
See Also	115
GetStudioMember	116
Request Syntax	116
URI Request Parameters	116
Request Body	116
Response Syntax	116
Response Elements	117
Errors	117
See Also	118
ListEulaAcceptances	120
Request Syntax	120
URI Request Parameters	120
Request Body	120

Response Syntax	120
Response Elements	121
Errors	121
See Also	122
ListEulas	124
Request Syntax	124
URI Request Parameters	124
Request Body	124
Response Syntax	124
Response Elements	125
Errors	125
See Also	126
ListLaunchProfileMembers	128
Request Syntax	128
URI Request Parameters	128
Request Body	129
Response Syntax	129
Response Elements	129
Errors	130
See Also	131
ListLaunchProfiles	132
Request Syntax	132
URI Request Parameters	132
Request Body	133
Response Syntax	133
Response Elements	134
Errors	135
See Also	136
ListStreamingImages	137
Request Syntax	137
URI Request Parameters	137
Request Body	137
Response Syntax	138
Response Elements	138
Errors	139
See Also	140

ListStreamingSessionBackups	141
Request Syntax	141
URI Request Parameters	141
Request Body	141
Response Syntax	141
Response Elements	142
Errors	142
See Also	143
ListStreamingSessions	145
Request Syntax	145
URI Request Parameters	145
Request Body	146
Response Syntax	146
Response Elements	147
Errors	147
See Also	148
ListStudioComponents	150
Request Syntax	150
URI Request Parameters	150
Request Body	151
Response Syntax	151
Response Elements	152
Errors	152
See Also	153
ListStudioMembers	155
Request Syntax	155
URI Request Parameters	155
Request Body	156
Response Syntax	156
Response Elements	156
Errors	157
See Also	158
ListStudios	159
Request Syntax	159
URI Request Parameters	159
Request Body	159

Response Syntax	159
Response Elements	160
Errors	160
See Also	161
ListTagsForResource	163
Request Syntax	163
URI Request Parameters	163
Request Body	163
Response Syntax	163
Response Elements	163
Errors	164
See Also	165
PutLaunchProfileMembers	166
Request Syntax	166
URI Request Parameters	166
Request Body	167
Response Syntax	167
Response Elements	167
Errors	167
See Also	169
PutStudioMembers	170
Request Syntax	170
URI Request Parameters	170
Request Body	171
Response Syntax	171
Response Elements	171
Errors	171
See Also	172
StartStreamingSession	174
Request Syntax	174
URI Request Parameters	174
Request Body	175
Response Syntax	175
Response Elements	176
Errors	176
See Also	177

StartStudioSSOConfigurationRepair	179
Request Syntax	179
URI Request Parameters	179
Request Body	179
Response Syntax	180
Response Elements	180
Errors	181
See Also	182
StopStreamingSession	183
Request Syntax	183
URI Request Parameters	183
Request Body	184
Response Syntax	184
Response Elements	185
Errors	185
See Also	186
TagResource	188
Request Syntax	188
URI Request Parameters	188
Request Body	188
Response Syntax	188
Response Elements	189
Errors	189
See Also	190
UntagResource	191
Request Syntax	191
URI Request Parameters	191
Request Body	191
Response Syntax	191
Response Elements	191
Errors	191
See Also	193
UpdateLaunchProfile	194
Request Syntax	194
URI Request Parameters	195
Request Body	195

Response Syntax	197
Response Elements	198
Errors	198
See Also	199
UpdateLaunchProfileMember	201
Request Syntax	201
URI Request Parameters	201
Request Body	202
Response Syntax	202
Response Elements	202
Errors	203
See Also	204
UpdateStreamingImage	205
Request Syntax	205
URI Request Parameters	205
Request Body	206
Response Syntax	206
Response Elements	207
Errors	207
See Also	208
UpdateStudio	210
Request Syntax	210
URI Request Parameters	210
Request Body	210
Response Syntax	211
Response Elements	212
Errors	212
See Also	213
UpdateStudioComponent	215
Request Syntax	215
URI Request Parameters	216
Request Body	216
Response Syntax	218
Response Elements	219
Errors	220
See Also	221

Data Types	222
ActiveDirectoryComputerAttribute	224
Contents	224
See Also	224
ActiveDirectoryConfiguration	225
Contents	225
See Also	225
ComputeFarmConfiguration	227
Contents	227
See Also	227
Eula	228
Contents	228
See Also	229
EulaAcceptance	230
Contents	230
See Also	231
LaunchProfile	232
Contents	232
See Also	236
LaunchProfileInitialization	237
Contents	237
See Also	239
LaunchProfileInitializationActiveDirectory	240
Contents	240
See Also	241
LaunchProfileInitializationScript	242
Contents	242
See Also	243
LaunchProfileMembership	244
Contents	244
See Also	245
LicenseServiceConfiguration	246
Contents	246
See Also	246
NewLaunchProfileMember	247
Contents	247

See Also	247
NewStudioMember	248
Contents	248
See Also	248
ScriptParameterValue	249
Contents	249
See Also	249
SharedFileSystemConfiguration	250
Contents	250
See Also	251
StreamConfiguration	252
Contents	252
See Also	255
StreamConfigurationCreate	256
Contents	256
See Also	259
StreamConfigurationSessionBackup	260
Contents	260
See Also	260
StreamConfigurationSessionStorage	261
Contents	261
See Also	261
StreamingImage	262
Contents	262
See Also	265
StreamingImageEncryptionConfiguration	266
Contents	266
See Also	266
StreamingSession	267
Contents	267
See Also	272
StreamingSessionBackup	274
Contents	274
See Also	276
StreamingSessionStorageRoot	277
Contents	277

See Also	277
StreamingSessionStream	278
Contents	278
See Also	279
Studio	281
Contents	281
See Also	285
StudioComponent	286
Contents	286
See Also	290
StudioComponentConfiguration	291
Contents	291
See Also	292
StudioComponentInitializationScript	293
Contents	293
See Also	294
StudioComponentSummary	295
Contents	295
See Also	297
StudioEncryptionConfiguration	298
Contents	298
See Also	298
StudioMembership	299
Contents	299
See Also	300
ValidationResult	301
Contents	301
See Also	302
VolumeConfiguration	303
Contents	303
See Also	304
Common Parameters	305
Common Errors	308

Welcome

Welcome to the Amazon Nimble Studio API reference. This API reference provides methods, schema, resources, parameters, and more to help you get the most out of Nimble Studio.

Nimble Studio is a virtual studio that empowers visual effects, animation, and interactive content teams to create content securely within a scalable, private cloud service.

This document was last published on July 2, 2024.

Actions

The following actions are supported:

- [AcceptEulas](#)
- [CreateLaunchProfile](#)
- [CreateStreamingImage](#)
- [CreateStreamingSession](#)
- [CreateStreamingSessionStream](#)
- [CreateStudio](#)
- [CreateStudioComponent](#)
- [DeleteLaunchProfile](#)
- [DeleteLaunchProfileMember](#)
- [DeleteStreamingImage](#)
- [DeleteStreamingSession](#)
- [DeleteStudio](#)
- [DeleteStudioComponent](#)
- [DeleteStudioMember](#)
- [GetEula](#)
- [GetLaunchProfile](#)
- [GetLaunchProfileDetails](#)
- [GetLaunchProfileInitialization](#)
- [GetLaunchProfileMember](#)
- [GetStreamingImage](#)
- [GetStreamingSession](#)
- [GetStreamingSessionBackup](#)
- [GetStreamingSessionStream](#)
- [GetStudio](#)
- [GetStudioComponent](#)
- [GetStudioMember](#)
- [ListEulaAcceptances](#)

- [ListEulas](#)
- [ListLaunchProfileMembers](#)
- [ListLaunchProfiles](#)
- [ListStreamingImages](#)
- [ListStreamingSessionBackups](#)
- [ListStreamingSessions](#)
- [ListStudioComponents](#)
- [ListStudioMembers](#)
- [ListStudios](#)
- [ListTagsForResource](#)
- [PutLaunchProfileMembers](#)
- [PutStudioMembers](#)
- [StartStreamingSession](#)
- [StartStudioSSOConfigurationRepair](#)
- [StopStreamingSession](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateLaunchProfile](#)
- [UpdateLaunchProfileMember](#)
- [UpdateStreamingImage](#)
- [UpdateStudio](#)
- [UpdateStudioComponent](#)

AcceptEulas

Accept EULAs.

⚠ Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/eula-acceptances HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "eulaIdsstring" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

studioId

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

eulaIds

The EULA ID.

Type: Array of strings

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "eulaAcceptances": [
    {
      "acceptedAt": "string",
      "acceptedBy": "string",
      "accepteeId": "string",
      "eulaAcceptanceId": "string",
      "eulaId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

eulaAcceptances

A collection of EULA acceptances.

Type: Array of [EulaAcceptance](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateLaunchProfile

Create a launch profile.

⚠ Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/launch-profiles HTTP/1.1
```

```
X-Amz-Client-Token: clientToken
```

```
Content-type: application/json
```

```
{
  "descriptionec2SubnetIdslaunchProfileProtocolVersionsnamestreamConfigurationautomaticTerminationModeclipboardModeec2InstanceTypesmaxSessionLengthInMinutesmaxStoppedSessionLengthInMinutessessionBackupmaxBackupsToRetainmodesessionPersistenceModesessionStoragemoderootlinuxwindowsstreamingImageIdsvolumeConfigurationiops
```

```
        "size": number,
        "throughput": number
    }
},
"studioComponentIds": [ "string" ],
"tags": {
    "string" : "string"
}
}
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[studioid](#)

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

[description](#)

The description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

ec2SubnetIds

Specifies the IDs of the EC2 subnets where streaming sessions will be accessible from. These subnets must support the specified instance types.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 6 items.

Required: Yes

launchProfileProtocolVersions

The version number of the protocol that is used by the launch profile. The only valid version is "2021-03-31".

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 10.

Pattern: ^2021\-\d{2}\-\d{2}\$

Required: Yes

name

The name for the launch profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

streamConfiguration

A configuration for a streaming session.

Type: [StreamConfigurationCreate](#) object

Required: Yes

studioComponentIds

Unique identifiers for a collection of studio components that can be used with this launch profile.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: Yes

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "launchProfile": {
    "arn": "string",
    "createdAt": "string",
    "createdBy": "string",
    "description": "string",
    "ec2SubnetIds": [ "string" ],
    "launchProfileId": "string",
    "launchProfileProtocolVersions": [ "string" ],
    "name": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "streamConfiguration": {
      "automaticTerminationMode": "string",
      "clipboardMode": "string",
      "ec2InstanceTypes": [ "string" ],
      "maxSessionLengthInMinutes": number,
      "maxStoppedSessionLengthInMinutes": number,
      "sessionBackup": {
        "maxBackupsToRetain": number,
        "mode": "string"
      },
      "sessionPersistenceMode": "string",
      "sessionStorage": {
        "mode": [ "string" ],
        "root": {
          "path": "string"
        }
      }
    }
  }
}
```

```
        "linux": "string",
        "windows": "string"
    },
},
"streamingImageIds": [ "string" ],
"volumeConfiguration": {
    "iops": number,
    "size": number,
    "throughput": number
},
},
"studioComponentIds": [ "string" ],
"tags": {
    "string" : "string"
},
"updatedAt": "string",
"updatedBy": "string",
"validationResults": [
    {
        "state": "string",
        "statusCode": "string",
        "statusMessage": "string",
        "type": "string"
    }
]
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[launchProfile](#)

The launch profile.

Type: [LaunchProfile](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateStreamingImage

Creates a streaming image resource in a studio.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/streaming-images HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "descriptionec2ImageIdnametags
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

studioId

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

[description](#)

A human-readable description of the streaming image.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

[ec2ImageId](#)

The ID of an EC2 machine image with which to create this streaming image.

Type: String

Pattern: ^ami-[0-9A-z]+\$

Required: Yes

[name](#)

A friendly name for a streaming image resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: Yes

[tags](#)

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{  
  "streamingImage": {  
    "arn": "string",  
    "description": "string",  
    "ec2ImageId": "string",  
    "encryptionConfiguration": {  
      "keyArn": "string",  
      "keyType": "string"  
    },  
    "eulaIds": [ "string" ],  
    "name": "string",  
    "owner": "string",  
    "platform": "string",  
    "state": "string",  
    "statusCode": "string",  
    "statusMessage": "string",  
    "streamingImageId": "string",  
    "tags": {  
      "string" : "string"  
    }  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

streamingImage

The streaming image.

Type: [StreamingImage](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateStreamingSession

Creates a streaming session in a studio.

After invoking this operation, you must poll `GetStreamingSession` until the streaming session is in the READY state.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/streaming-sessions HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "ec2InstanceType": "string",
  "launchProfileId": "string",
  "ownedBy": "string",
  "streamingImageId": "string",
  "tags": {
    "string": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

studiod

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

ec2InstanceType

The EC2 Instance type used for the streaming session.

Type: String

Valid Values: g4dn.xlarge | g4dn.2xlarge | g4dn.4xlarge | g4dn.8xlarge | g4dn.12xlarge | g4dn.16xlarge | g3.4xlarge | g3s.xlarge | g5.xlarge | g5.2xlarge | g5.4xlarge | g5.8xlarge | g5.16xlarge

Required: No

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Type: String

Required: Yes

ownedBy

The user ID of the user that owns the streaming session. The user that owns the session will be logging into the session and interacting with the virtual workstation.

Type: String

Required: No

streamingImageId

The ID of the streaming image.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "sessionarnautomaticTerminationModebackupModecreatedAtcreatedByec2InstanceTypelaunchProfileIdmaxBackupsToRetainownedBysessionIdsessionPersistenceModestartedAtstartedBystartedFromBackupIdstatestatusCodestatusMessagestopAtstoppedAtstoppedBystreamingImageIdtags
```

```
        "string" : "string"
    },
    "terminateAt": "string",
    "updatedAt": "string",
    "updatedBy": "string",
    "volumeConfiguration": {
        "iops": number,
        "size": number,
        "throughput": number
    },
    "volumeRetentionMode": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

session

The session.

Type: [StreamingSession](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateStreamingSessionStream

Creates a streaming session stream for a streaming session.

After invoking this API, invoke `GetStreamingSessionStream` with the returned `streamId` to poll the resource until it is in the READY state.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/streaming-sessions/sessionId/streams HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "expirationInSecondsnumber
}
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

sessionId

The streaming session ID.

Required: Yes

studiod

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

expirationInSeconds

The expiration time in seconds.

Type: Integer

Valid Range: Minimum value of 60. Maximum value of 3600.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "stream": {
    "createdAt": "string",
    "createdBy": "string",
    "expiresAt": "string",
    "ownedBy": "string",
    "state": "string",
    "statusCode": "string",
    "streamId": "string",
    "url": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

stream

The stream.

Type: [StreamingSessionStream](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateStudio

Create a new studio.

When creating a studio, two IAM roles must be provided: the admin role and the user role. These roles are assumed by your users when they log in to the Nimble Studio portal.

The user role must have the `AmazonNimbleStudio-StudioUser` managed policy attached for the portal to function properly.

The admin role must have the `AmazonNimbleStudio-StudioAdmin` managed policy attached for the portal to function properly.

You may optionally specify a KMS key in the `StudioEncryptionConfiguration`.

In Nimble Studio, resource names, descriptions, initialization scripts, and other data you provide are always encrypted at rest using an KMS key. By default, this key is owned by AWS and managed on your behalf. You may provide your own KMS key when calling `CreateStudio` to encrypt this data using a key you own and manage.

When providing an KMS key during studio creation, Nimble Studio creates KMS grants in your account to provide your studio user and admin roles access to these KMS keys.

If you delete this grant, the studio will no longer be accessible to your portal users.

If you delete the studio KMS key, your studio will no longer be accessible.

Request Syntax

```
POST /2020-08-01/studios HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "adminRoleArn": "string",
  "displayName": "string",
  "studioEncryptionConfiguration": {
    "keyArn": "string",
    "keyType": "string"
  },
  "studioName": "string",
  "tags": {
```

```
    "string" : "string"
},
"userRoleArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

Request Body

The request accepts the following data in JSON format.

[adminRoleArn](#)

The IAM role that studio admins will assume when logging in to the Nimble Studio portal.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

[displayName](#)

A friendly name for the studio.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: Yes

[studioEncryptionConfiguration](#)

The studio encryption configuration.

Type: [StudioEncryptionConfiguration](#) object

Required: No

studioName

The studio name that is used in the URL of the Nimble Studio portal when accessed by Nimble Studio users.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 64.

Pattern: ^[a-zA-Z0-9]*\$

Required: Yes

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

userRoleArn

The IAM role that studio users will assume when logging in to the Nimble Studio portal.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "studioadminRoleArnarn
```

```
"createdAt": "string",
"displayName": "string",
"homeRegion": "string",
"ssoClientId": "string",
"state": "string",
"statusCode": "string",
"statusMessage": "string",
"studioEncryptionConfiguration": {
    "keyArn": "string",
    "keyType": "string"
},
"studioId": "string",
"studioName": "string",
"studioUrl": "string",
"tags": {
    "string" : "string"
},
"updatedAt": "string",
"userRoleArn": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

studio

Information about a studio.

Type: [Studio object](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateStudioComponent

Creates a studio component resource.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/studio-components HTTP/1.1
```

```
X-Amz-Client-Token: clientToken
```

```
Content-type: application/json
```

```
{
  "configurationdescriptionec2SecurityGroupIdsinitializationScriptslaunchProfileProtocolVersionplatformrunContextscriptnameruntimeRoleArnscriptParameterskeyvaluesecureInitializationRoleArnsubtypetagstype
```

```
}
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[studioid](#)

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

[configuration](#)

The configuration of the studio component, based on component type.

Type: [StudioComponentConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

[description](#)

The description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

[ec2SecurityGroupIds](#)

The EC2 security groups that control access to the studio component.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 30 items.

Required: No

[initializationScripts](#)

Initialization scripts for studio components.

Type: Array of [StudioComponentInitializationScript](#) objects

Required: No

[name](#)

The name for the studio component.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: Yes

[runtimeRoleArn](#)

An IAM role attached to a Studio Component that gives the studio component access to AWS resources at anytime while the instance is running.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

[scriptParameters](#)

Parameters for the studio component scripts.

Type: Array of [ScriptParameterKeyValue](#) objects

Array Members: Minimum number of 0 items. Maximum number of 30 items.

Required: No

secureInitializationRoleArn

An IAM role attached to Studio Component when the system initialization script runs which give the studio component access to AWS resources when the system initialization script runs.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

subtype

The specific subtype of a studio component.

Type: String

Valid Values: AWS_MANAGED_MICROSOFT_AD | AMAZON_FSX_FOR_WINDOWS | AMAZON_FSX_FOR_LUSTRE | CUSTOM

Required: No

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

type

The type of the studio component.

Type: String

Valid Values: ACTIVE_DIRECTORY | SHARED_FILE_SYSTEM | COMPUTE_FARM | LICENSE_SERVICE | CUSTOM

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "studioComponent": {
    "arn": "string",
    "configuration": { ... },
    "createdAt": "string",
    "createdBy": "string",
    "description": "string",
    "ec2SecurityGroupIds": [ "string" ],
    "initializationScripts": [
      {
        "launchProfileProtocolVersion": "string",
        "platform": "string",
        "runContext": "string",
        "script": "string"
      }
    ],
    "name": "string",
    "runtimeRoleArn": "string",
    "scriptParameters": [
      {
        "key": "string",
        "value": "string"
      }
    ],
    "secureInitializationRoleArn": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "studioComponentId": "string",
    "subtype": "string",
    "tags": {
      "string" : "string"
    },
    "type": "string",
    "updatedAt": "string",
    "updatedBy": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[studioComponent](#)

Information about the studio component.

Type: [StudioComponent](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteLaunchProfile

Permanently delete a launch profile.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
DELETE /2020-08-01/studios/studioId/launch-profiles/launchProfileId HTTP/1.1  
X-Amz-Client-Token: clientToken
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[launchProfileId](#)

The ID of the launch profile used to control access from the streaming session.

Required: Yes

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "launchProfile": {
    "arn": "string",
    "createdAt": "string",
    "createdBy": "string",
    "description": "string",
    "ec2SubnetIds": [ "string" ],
    "launchProfileId": "string",
    "launchProfileProtocolVersions": [ "string" ],
    "name": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "streamConfiguration": {
      "automaticTerminationMode": "string",
      "clipboardMode": "string",
      "ec2InstanceTypes": [ "string" ],
      "maxSessionLengthInMinutes": number,
      "maxStoppedSessionLengthInMinutes": number,
      "sessionBackup": {
        "maxBackupsToRetain": number,
        "mode": "string"
      },
      "sessionPersistenceMode": "string",
      "sessionStorage": {
        "mode": [ "string" ],
        "root": {
          "linux": "string",
          "windows": "string"
        }
      },
      "streamingImageIds": [ "string" ],
      "volumeConfiguration": {
        "iops": number,
        "size": number,
        "throughput": number
      }
    },
  }
},
```

```
"studioComponentIds": [ "string" ],
"tags": {
    "string" : "string"
},
"updatedAt": "string",
"updatedBy": "string",
"validationResults": [
    {
        "state": "string",
        "statusCode": "string",
        "statusMessage": "string",
        "type": "string"
    }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[launchProfile](#)

The launch profile.

Type: [LaunchProfile](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteLaunchProfileMember

Delete a user from launch profile membership.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
DELETE /2020-08-01/studios/studioId/launch-profiles/launchProfileId/  
membership/principalId HTTP/1.1  
X-Amz-Client-Token: clientToken
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[launchProfileId](#)

The ID of the launch profile used to control access from the streaming session.

Required: Yes

[principalId](#)

The principal ID. This currently supports a IAM Identity Center UserId.

Required: Yes

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteStreamingImage

Delete streaming image.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
DELETE /2020-08-01/studios/studioId/streaming-images/streamingImageId HTTP/1.1  
X-Amz-Client-Token: clientToken
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[streamingImageId](#)

The streaming image ID.

Required: Yes

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "streamingImage": {
    "arn": "string",
    "description": "string",
    "ec2ImageId": "string",
    "encryptionConfiguration": {
      "keyArn": "string",
      "keyType": "string"
    },
    "eulaIds": [ "string" ],
    "name": "string",
    "owner": "string",
    "platform": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "streamingImageId": "string",
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[streamingImage](#)

The streaming image.

Type: [StreamingImage](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteStreamingSession

Deletes streaming session resource.

After invoking this operation, use `GetStreamingSession` to poll the resource until it transitions to a `DELETED` state.

A streaming session will count against your streaming session quota until it is marked `DELETED`.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
DELETE /2020-08-01/studios/studioId/streaming-sessions/sessionId HTTP/1.1  
X-Amz-Client-Token: clientToken
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[sessionId](#)

The streaming session ID.

Required: Yes

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "session": {
    "arn": "string",
    "automaticTerminationMode": "string",
    "backupMode": "string",
    "createdAt": "string",
    "createdBy": "string",
    "ec2InstanceType": "string",
    "launchProfileId": "string",
    "maxBackupsToRetain": number,
    "ownedBy": "string",
    "sessionId": "string",
    "sessionPersistenceMode": "string",
    "startedAt": "string",
    "startedBy": "string",
    "startedFromBackupId": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "stopAt": "string",
    "stoppedAt": "string",
    "stoppedBy": "string",
    "streamingImageId": "string",
    "tags": {
      "string" : "string"
    },
    "terminateAt": "string",
    "updatedAt": "string",
    "updatedBy": "string",
    "volumeConfiguration": {
      "iops": number,
      "size": number,
      "throughput": number
    }
  }
}
```

```
        "volumeRetentionMode": "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[session](#)

The session.

Type: [StreamingSession](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteStudio

Delete a studio resource.

Request Syntax

```
DELETE /2020-08-01/studios/studioId HTTP/1.1
X-Amz-Client-Token: clientToken
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[studiod](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "studioadminRoleArnstring",
    "arnstring",
```

```
"createdAt": "string",
"displayName": "string",
"homeRegion": "string",
"ssoClientId": "string",
"state": "string",
"statusCode": "string",
"statusMessage": "string",
"studioEncryptionConfiguration": {
    "keyArn": "string",
    "keyType": "string"
},
"studioId": "string",
"studioName": "string",
"studioUrl": "string",
"tags": {
    "string" : "string"
},
"updatedAt": "string",
"userRoleArn": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

studio

Information about a studio.

Type: [Studio object](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteStudioComponent

Deletes a studio component resource.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
DELETE /2020-08-01/studios/studioId/studio-components/studioComponentId HTTP/1.1  
X-Amz-Client-Token: clientToken
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[studioComponentId](#)

The studio component ID.

Required: Yes

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "studioComponent": {
    "arn": "string",
    "configuration": { ... },
    "createdAt": "string",
    "createdBy": "string",
    "description": "string",
    "ec2SecurityGroupIds": [ "string" ],
    "initializationScripts": [
      {
        "launchProfileProtocolVersion": "string",
        "platform": "string",
        "runContext": "string",
        "script": "string"
      }
    ],
    "name": "string",
    "runtimeRoleArn": "string",
    "scriptParameters": [
      {
        "key": "string",
        "value": "string"
      }
    ],
    "secureInitializationRoleArn": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "studioComponentId": "string",
    "subtype": "string",
    "tags": {
      "string" : "string"
    },
    "type": "string",
    "updatedAt": "string",
    "updatedBy": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[studioComponent](#)

Information about the studio component.

Type: [StudioComponent](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteStudioMember

Delete a user from studio membership.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
DELETE /2020-08-01/studios/studioId/membership/principalId HTTP/1.1  
X-Amz-Client-Token: clientToken
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[principalId](#)

The principal ID. This currently supports a IAM Identity Center UserId.

Required: Yes

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEula

Get EULA.

Request Syntax

```
GET /2020-08-01/eulas/eulaId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

eulaId

The EULA ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "eula": {
    "content": "string",
    "createdAt": "string",
    "eulaId": "string",
    "name": "string",
    "updatedAt": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

eula

The EULA.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Type: [Eula](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetLaunchProfile

Get a launch profile.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/launch-profiles/launchProfileId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Required: Yes

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "launchProfile": {
```

```
"arn": "string",
"createdAt": "string",
"createdBy": "string",
"description": "string",
"ec2SubnetIds": [ "string" ],
"launchProfileId": "string",
"launchProfileProtocolVersions": [ "string" ],
"name": "string",
"state": "string",
"statusCode": "string",
"statusMessage": "string",
"streamConfiguration": {
    "automaticTerminationMode": "string",
    "clipboardMode": "string",
    "ec2InstanceTypes": [ "string" ],
    "maxSessionLengthInMinutes": number,
    "maxStoppedSessionLengthInMinutes": number,
    "sessionBackup": {
        "maxBackupsToRetain": number,
        "mode": "string"
    },
    "sessionPersistenceMode": "string",
    "sessionStorage": {
        "mode": [ "string" ],
        "root": {
            "linux": "string",
            "windows": "string"
        }
    },
    "streamingImageIds": [ "string" ],
    "volumeConfiguration": {
        "iops": number,
        "size": number,
        "throughput": number
    }
},
"studioComponentIds": [ "string" ],
"tags": {
    "string" : "string"
},
"updatedAt": "string",
"updatedBy": "string",
"validationResults": [
    {

```

```
        "state": "string",
        "statusCode": "string",
        "statusMessage": "string",
        "type": "string"
    }
]
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[LaunchProfile](#)

The launch profile.

Type: [LaunchProfile](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetLaunchProfileDetails

Launch profile details include the launch profile resource and summary information of resources that are used by, or available to, the launch profile. This includes the name and description of all studio components used by the launch profiles, and the name and description of streaming images that can be used with this launch profile.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/launch-profiles/launchProfileId/details HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Required: Yes

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{  
  "launchProfile": {  
    "arn": "string",  
    "createdAt": "string",  
    "createdBy": "string",  
    "description": "string",  
    "ec2SubnetIds": [ "string" ],  
    "launchProfileId": "string",  
    "launchProfileProtocolVersions": [ "string" ],  
    "name": "string",  
    "state": "string",  
    "statusCode": "string",  
    "statusMessage": "string",  
    "streamConfiguration": {  
      "automaticTerminationMode": "string",  
      "clipboardMode": "string",  
      "ec2InstanceTypes": [ "string" ],  
      "maxSessionLengthInMinutes": number,  
      "maxStoppedSessionLengthInMinutes": number,  
      "sessionBackup": {  
        "maxBackupsToRetain": number,  
        "mode": "string"  
      },  
      "sessionPersistenceMode": "string",  
      "sessionStorage": {  
        "mode": [ "string" ],  
        "root": {  
          "linux": "string",  
          "windows": "string"  
        }  
      },  
      "streamingImageIds": [ "string" ],  
      "volumeConfiguration": {  
        "iops": number,  
        "size": number,  
        "throughput": number  
      }  
    },  
    "studioComponentIds": [ "string" ],  
    "tags": {  
      "string" : "string"  
    },  
  },  
}
```

```
"updatedAt": "string",
"updatedBy": "string",
"validationResults": [
    {
        "state": "string",
        "statusCode": "string",
        "statusMessage": "string",
        "type": "string"
    }
],
},
"streamingImages": [
{
    "arn": "string",
    "description": "string",
    "ec2ImageId": "string",
    "encryptionConfiguration": {
        "keyArn": "string",
        "keyType": "string"
    },
    "eulaIds": [ "string" ],
    "name": "string",
    "owner": "string",
    "platform": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "streamingImageId": "string",
    "tags": {
        "string" : "string"
    }
},
],
"studioComponentSummaries": [
{
    "createdAt": "string",
    "createdBy": "string",
    "description": "string",
    "name": "string",
    "studioComponentId": "string",
    "subtype": "string",
    "type": "string",
    "updatedAt": "string",
    "updatedBy": "string"
}
```

```
    }  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[launchProfile](#)

The launch profile.

Type: [LaunchProfile](#) object

[streamingImages](#)

A collection of streaming images.

Type: Array of [StreamingImage](#) objects

[studioComponentSummaries](#)

A collection of studio component summaries.

Type: Array of [StudioComponentSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetLaunchProfileInitialization

Get a launch profile initialization.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/launch-profiles/launchProfileId/init?  
launchProfileProtocolVersions=launchProfileProtocolVersions&launchPurpose=launchPurpose&platform=platform  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Required: Yes

launchProfileProtocolVersions

The launch profile protocol versions supported by the client.

Required: Yes

launchPurpose

The launch purpose.

Required: Yes

platform

The platform where this Launch Profile will be used, either Windows or Linux.

Required: Yes

studioid

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "launchProfileInitialization": {
    "activeDirectory": {
      "computerAttributes": [
        {
          "name": "string",
          "value": "string"
        }
      ],
      "directoryId": "string",
      "directoryName": "string",
      "dnsIpAddresses": [ "string" ],
      "organizationalUnitDistinguishedName": "string",
      "studioComponentId": "string",
      "studioComponentName": "string"
    },
    "ec2SecurityGroupIds": [ "string" ],
    "launchProfileId": "string",
    "launchProfileProtocolVersion": "string",
    "launchPurpose": "string",
    "name": "string",
    "platform": "string",
    "systemInitializationScripts": [
      {
        "runtimeRoleArn": "string",
        "script": "string",
        "secureInitializationRoleArn": "string",
        "scriptType": "string"
      }
    ]
  }
}
```

```
        "studioComponentId": "string",
        "studioComponentName": "string"
    },
],
"userInitializationScripts": [
{
    "runtimeRoleArn": "string",
    "script": "string",
    "secureInitializationRoleArn": "string",
    "studioComponentId": "string",
    "studioComponentName": "string"
}
]
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[launchProfileInitialization](#)

The launch profile initialization.

Type: [LaunchProfileInitialization](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetLaunchProfileMember

Get a user persona in launch profile membership.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/launch-profiles/launchProfileId/membership/principalId  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Required: Yes

principalId

The principal ID. This currently supports a IAM Identity Center UserId.

Required: Yes

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "member": {
    "identityStoreId": "string",
    "persona": "string",
    "principalId": "string",
    "sid": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[member](#)

The member.

Type: [LaunchProfileMembership](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetStreamingImage

Get streaming image.

⚠ Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/streaming-images/streamingImageId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

streamingImageId

The streaming image ID.

Required: Yes

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"streamingImage": {  
    "arn    "description": "string",  
    "ec2ImageId": "string",  
    "encryptionConfiguration": {  
        "keyArn": "string",  
        "keyType": "string"  
    },  
    "eulaIds": [ "string" ],  
    "name": "string",  
    "owner": "string",  
    "platform": "string",  
    "state": "string",  
    "statusCode": "string",  
    "statusMessage": "string",  
    "streamingImageId": "string",  
    "tags": {  
        "string" : "string"  
    }  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

streamingImage

The streaming image.

Type: [StreamingImage](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetStreamingSession

Gets StreamingSession resource.

Invoke this operation to poll for a streaming session state while creating or deleting a session.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/streaming-sessions/sessionId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

sessionId

The streaming session ID.

Required: Yes

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
    "session": {  
        "arn": "string",  
        "automaticTerminationMode": "string",  
        "backupMode": "string",  
        "createdAt": "string",  
        "createdBy": "string",  
        "ec2InstanceType": "string",  
        "launchProfileId": "string",  
        "maxBackupsToRetain": number,  
        "ownedBy": "string",  
        "sessionId": "string",  
        "sessionPersistenceMode": "string",  
        "startedAt": "string",  
        "startedBy": "string",  
        "startedFromBackupId": "string",  
        "state": "string",  
        "statusCode": "string",  
        "statusMessage": "string",  
        "stopAt": "string",  
        "stoppedAt": "string",  
        "stoppedBy": "string",  
        "streamingImageId": "string",  
        "tags": {  
            "string" : "string"  
        },  
        "terminateAt": "string",  
        "updatedAt": "string",  
        "updatedBy": "string",  
        "volumeConfiguration": {  
            "iops": number,  
            "size": number,  
            "throughput": number  
        },  
        "volumeRetentionMode": "string"  
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

session

The session.

Type: [StreamingSession](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetStreamingSessionBackup

Gets StreamingSessionBackup resource.

Invoke this operation to poll for a streaming session backup while stopping a streaming session.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/streaming-session-backups/backupId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

backupId

The ID of the backup.

Required: Yes

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
  "streamingSessionBackup": {  
    "arn": "string",  
    "backupId": "string",  
    "createdAt": "string",  
    "launchProfileId": "string",  
    "ownedBy": "string",  
    "sessionId": "string",  
    "state": "string",  
    "statusCode": "string",  
    "statusMessage": "string",  
    "tags": {  
      "string" : "string"  
    }  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[streamingSessionBackup](#)

Information about the streaming session backup.

Type: [StreamingSessionBackup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetStreamingSessionStream

Gets a StreamingSessionStream for a streaming session.

Invoke this operation to poll the resource after invoking `CreateStreamingSessionStream`.

After the `StreamingSessionStream` changes to the READY state, the `url` property will contain a stream to be used with the DCV streaming client.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/streaming-sessions/sessionId/streams/streamId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[sessionId](#)

The streaming session ID.

Required: Yes

[streamId](#)

The streaming session stream ID.

Required: Yes

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "stream": {
    "createdAt": "string",
    "createdBy": "string",
    "expiresAt": "string",
    "ownedBy": "string",
    "state": "string",
    "statusCode": "string",
    "streamId": "string",
    "url": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

stream

The stream.

Type: [StreamingSessionStream](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetStudio

Get a studio resource.

Request Syntax

```
GET /2020-08-01/studios/studioId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "studioadminRoleArnarncreatedAtdisplayNamehomeRegionssoClientIdstatestatusCodestatusMessagestudioEncryptionConfigurationkeyArnkeyType
```

```
        },
        "studioId": "string",
        "studioName": "string",
        "studioUrl": "string",
        "tags": {
            "string" : "string"
        },
        "updatedAt": "string",
        "userRoleArn": "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

studio

Information about a studio.

Type: [Studio](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

GetStudioComponent

Gets a studio component resource.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/studio-components/studioComponentId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

studioComponentId

The studio component ID.

Required: Yes

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"studioComponent": {  
    "arn    "configuration": { ... },  
    "createdAt": "string",  
    "createdBy": "string",  
    "description": "string",  
    "ec2SecurityGroupIds": [ "string" ],  
    "initializationScripts": [  
        {  
            "launchProfileProtocolVersion": "string",  
            "platform": "string",  
            "runContext": "string",  
            "script": "string"  
        }  
    ],  
    "name": "string",  
    "runtimeRoleArn": "string",  
    "scriptParameters": [  
        {  
            "key": "string",  
            "value": "string"  
        }  
    ],  
    "secureInitializationRoleArn": "string",  
    "state": "string",  
    "statusCode": "string",  
    "statusMessage": "string",  
    "studioComponentId": "string",  
    "subtype": "string",  
    "tags": {  
        "string" : "string"  
    },  
    "type": "string",  
    "updatedAt": "string",  
    "updatedBy": "string"  
},  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

studioComponent

Information about the studio component.

Type: [StudioComponent](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetStudioMember

Get a user's membership in a studio.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/membership/principalId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

principalId

The principal ID. This currently supports a IAM Identity Center UserId.

Required: Yes

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
  "member": {  
    "identityStoreId": "string",  
    "persona": "string",  
    "principalId": "string",  
    "sid": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[member](#)

The member.

Type: [StudioMembership](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListEulaAcceptances

List EULA acceptances.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/eula-acceptances?eulaIds=eulaIds&nextToken=nextToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

eulaIds

The list of EULA IDs that have been previously accepted.

nextToken

The token for the next set of results, or null if there are no more results.

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{  
    "eulaAcceptances": [  
        {  
            "acceptedAt": "string",  
            "acceptedBy": "string",  
            "accepteeId": "string",  
            "eulaAcceptanceId": "string",  
            "eulaId": "string"  
        }  
    ],  
    "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

eulaAcceptances

A collection of EULA acceptances.

Type: Array of [EulaAcceptance](#) objects

nextToken

The token for the next set of results, or null if there are no more results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListEulas

List EULAs.

⚠ Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/eulas?eulaIds=eulaIds&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

eulaIds

The list of EULA IDs that should be returned

nextToken

The token for the next set of results, or null if there are no more results.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "eulas": [
    {
      "content": "string",
```

```
    "createdAt": "string",
    "eulaId": "string",
    "name": "string",
    "updatedAt": "string"
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

eulas

A collection of EULA resources.

Type: Array of [Eula](#) objects

nextToken

The token for the next set of results, or null if there are no more results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListLaunchProfileMembers

Get all users in a given launch profile membership.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/launch-profiles/launchProfileId/membership?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Required: Yes

maxResults

The max number of results to return in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next set of results, or null if there are no more results.

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "membersidentityStoreIdpersonaprincipalIdsidnextToken
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

members

A list of members.

Type: Array of [LaunchProfileMembership](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

nextToken

The token for the next set of results, or null if there are no more results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListLaunchProfiles

List all the launch profiles a studio.

A Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/launch-profiles?  
maxResults=maxResults&nextToken=nextToken&principalId=principalId&states=states  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The max number of results to return in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next set of results, or null if there are no more results.

principalId

The principal ID. This currently supports a IAM Identity Center UserId.

states

Filter this request to launch profiles in any of the given states.

Valid Values: CREATE_IN_PROGRESS | READY | UPDATE_IN_PROGRESS |
DELETE_IN_PROGRESS | DELETED | DELETE_FAILED | CREATE_FAILED |
UPDATE_FAILED

studiod

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "launchProfiles": [
    {
      "arn": "string",
      "createdAt": "string",
      "createdBy": "string",
      "description": "string",
      "ec2SubnetIds": [ "string" ],
      "launchProfileId": "string",
      "launchProfileProtocolVersions": [ "string" ],
      "name": "string",
      "state": "string",
      "statusCode": "string",
      "statusMessage": "string",
      "streamConfiguration": {
        "automaticTerminationMode": "string",
        "clipboardMode": "string",
        "ec2InstanceTypes": [ "string" ],
        "maxSessionLengthInMinutes": number,
        "maxStoppedSessionLengthInMinutes": number,
        "sessionBackup": {
          "maxBackupsToRetain": number,
          "mode": "string"
        },
        "sessionPersistenceMode": "string",
        "sessionStorage": {
          "mode": [ "string" ],
        }
      }
    }
  ]
}
```

```
        "root": {
            "linux": "string",
            "windows": "string"
        }
    },
    "streamingImageIds": [ "string" ],
    "volumeConfiguration": {
        "iops": number,
        "size": number,
        "throughput": number
    }
},
"studioComponentIds": [ "string" ],
"tags": {
    "string" : "string"
},
"updatedAt": "string",
"updatedBy": "string",
"validationResults": [
    {
        "state": "string",
        "statusCode": "string",
        "statusMessage": "string",
        "type": "string"
    }
]
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[launchProfiles](#)

A collection of launch profiles.

Type: Array of [LaunchProfile](#) objects

nextToken

The token for the next set of results, or null if there are no more results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListStreamingImages

List the streaming image resources available to this studio.

This list will contain both images provided by AWS, as well as streaming images that you have created in your studio.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/streaming-images?nextToken=nextToken&owner=owner  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

nextToken

The token for the next set of results, or null if there are no more results.

owner

Filter this request to streaming images with the given owner

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "nextToken": "string",
    "streamingImages": [
        {
            "arn": "string",
            "description": "string",
            "ec2ImageId": "string",
            "encryptionConfiguration": {
                "keyArn": "string",
                "keyType": "string"
            },
            "eulaIds": [ "string" ],
            "name": "string",
            "owner": "string",
            "platform": "string",
            "state": "string",
            "statusCode": "string",
            "statusMessage": "string",
            "streamingImageId": "string",
            "tags": {
                "string": "string"
            }
        }
    ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[**nextToken**](#)

The token for the next set of results, or null if there are no more results.

Type: String

streamingImages

A collection of streaming images.

Type: Array of [StreamingImage](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListStreamingSessionBackups

Lists the backups of a streaming session in a studio.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/streaming-session-backups?  
nextToken=nextToken&ownedBy=ownedBy HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[nextToken](#)

The token for the next set of results, or null if there are no more results.

[ownedBy](#)

The user ID of the user that owns the streaming session.

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{  
    "nextToken": "string",  
    "streamingSessionBackups": [  
        {  
            "arn": "string",  
            "backupId": "string",  
            "createdAt": "string",  
            "launchProfileId": "string",  
            "ownedBy": "string",  
            "sessionId": "string",  
            "state": "string",  
            "statusCode": "string",  
            "statusMessage": "string",  
            "tags": {  
                "string" : "string"  
            }  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

The token for the next set of results, or null if there are no more results.

Type: String

[streamingSessionBackups](#)

Information about the streaming session backups.

Type: Array of [StreamingSessionBackup](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListStreamingSessions

Lists the streaming sessions in a studio.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/streaming-sessions?  
createdBy=createdBy&nextToken=nextToken&ownedBy=ownedBy&sessionIds=sessionIds HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

createdBy

Filters the request to streaming sessions created by the given user.

nextToken

The token for the next set of results, or null if there are no more results.

ownedBy

Filters the request to streaming session owned by the given user

sessionId

Filters the request to only the provided session IDs.

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextTokensessionsarnautomaticTerminationModebackupModecreatedAtcreatedByec2InstanceTypelaunchProfileIdmaxBackupsToRetainownedBysessionIdsessionPersistenceModestartedAtstartedBystartedFromBackupIdstatestatusCodestatusMessagestopAtstoppedAtstoppedBystreamingImageIdtagsterminateAtupdatedAtupdatedByvolumeConfigurationiopssize
```

```
        "throughput": number
    },
    "volumeRetentionMode": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

The token for the next set of results, or null if there are no more results.

Type: String

[sessions](#)

A collection of streaming sessions.

Type: Array of [StreamingSession](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

ListStudioComponents

Lists the StudioComponents in a studio.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/studio-components?  
maxResults=maxResults&nextToken=nextToken&states=states&types=types HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The max number of results to return in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next set of results, or null if there are no more results.

states

Filters the request to studio components that are in one of the given states.

Valid Values: CREATE_IN_PROGRESS | READY | UPDATE_IN_PROGRESS |
DELETE_IN_PROGRESS | DELETED | DELETE_FAILED | CREATE_FAILED |
UPDATE_FAILED

studioId

The studio ID.

Required: Yes

[types](#)

Filters the request to studio components that are of one of the given types.

Valid Values: ACTIVE_DIRECTORY | SHARED_FILE_SYSTEM | COMPUTE_FARM | LICENSE_SERVICE | CUSTOM

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "studioComponents": [
    {
      "arn": "string",
      "configuration": { ... },
      "createdAt": "string",
      "createdBy": "string",
      "description": "string",
      "ec2SecurityGroupIds": [ "string" ],
      "initializationScripts": [
        {
          "launchProfileProtocolVersion": "string",
          "platform": "string",
          "runContext": "string",
          "script": "string"
        }
      ],
      "name": "string",
      "runtimeRoleArn": "string",
      "scriptParameters": [
        {
          "key": "string",
          "value": "string"
        }
      ],
    }
  ]
}
```

```
  "secureInitializationRoleArn": "string",
  "state": "string",
  "statusCode": "string",
  "statusMessage": "string",
  "studioComponentId": "string",
  "subtype": "string",
  "tags": {
    "string" : "string"
  },
  "type": "string",
  "updatedAt": "string",
  "updatedBy": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token for the next set of results, or null if there are no more results.

Type: String

studioComponents

A collection of studio components.

Type: Array of [StudioComponent](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListStudioMembers

Get all users in a given studio membership.

Note

ListStudioMembers only returns admin members.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
GET /2020-08-01/studios/studioId/membership?maxResults=maxResults&nextToken=nextToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The max number of results to return in the response.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next set of results, or null if there are no more results.

studioId

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "membersidentityStoreId": "string",
            "persona": "string",
            "principalId": "string",
            "sid": "string"
        }
    ],
    "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

members

A list of admin members.

Type: Array of [StudioMembership](#) objects

Array Members: Minimum number of 0 items. Maximum number of 20 items.

nextToken

The token for the next set of results, or null if there are no more results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListStudios

List studios in your AWS accounts in the requested AWS Region.

Request Syntax

```
GET /2020-08-01/studios?nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

nextToken

The token for the next set of results, or null if there are no more results.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextTokenstudiosadminRoleArnarncreatedAtdisplayNamehomeRegionssoClientIdstatestatusCodestatusMessagestudioEncryptionConfigurationkeyArn
```

```
        "keyType": "string"
    },
    "studioId": "string",
    "studioName": "string",
    "studioUrl": "string",
    "tags": {
        "string" : "string"
    },
    "updatedAt": "string",
    "userRoleArn": "string"
}
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

The token for the next set of results, or null if there are no more results.

Type: String

[studios](#)

A collection of studios.

Type: Array of [Studio](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Gets the tags for a resource, given its Amazon Resource Names (ARN).

This operation supports ARNs for all resource types in Nimble Studio that support tags, including studio, studio component, launch profile, streaming image, and streaming session. All resources that can be tagged will contain an ARN property, so you do not have to create this ARN yourself.

Request Syntax

```
GET /2020-08-01/tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource for which you want to list tags.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags" : {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutLaunchProfileMembers

Add or update users with given persona to launch profile membership.

⚠ Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/launch-profiles/launchProfileId/membership HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "identityStoreIdmemberspersonaprincipalId
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Required: Yes

studiod

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

identityStoreId

The ID of the identity store.

Type: String

Required: Yes

members

A list of members.

Type: Array of [NewLaunchProfileMember](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutStudioMembers

Add or update users with given persona to studio membership.

⚠ Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/membership HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "identityStoreIdstring",
  "memberspersonastring",
      "principalIdstring"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

studioId

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

identityStoreId

The ID of the identity store.

Type: String

Required: Yes

members

A list of members.

Type: Array of [NewStudioMember](#) objects

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Required: Yes

Response Syntax

HTTP/1.1 200

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartStreamingSession

Transitions sessions from the STOPPED state into the READY state. The START_IN_PROGRESS state is the intermediate state between the STOPPED and READY states.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/streaming-sessions/sessionId/start HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "backupId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

sessionId

The streaming session ID for the StartStreamingSessionRequest.

Required: Yes

studioId

The studio ID for the StartStreamingSessionRequest.

Required: Yes

Request Body

The request accepts the following data in JSON format.

[backupId](#)

The ID of the backup.

Type: String

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "session": {
    "arn": "string",
    "automaticTerminationMode": "string",
    "backupMode": "string",
    "createdAt": "string",
    "createdBy": "string",
    "ec2InstanceType": "string",
    "launchProfileId": "string",
    "maxBackupsToRetain": number,
    "ownedBy": "string",
    "sessionId": "string",
    "sessionPersistenceMode": "string",
    "startedAt": "string",
    "startedBy": "string",
    "startedFromBackupId": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "stopAt": "string",
    "stoppedAt": "string",
    "stoppedBy": "string",
    "streamingImageId": "string",
  }
}
```

```
"tags": {  
    "string" : "string"  
},  
"terminateAt": "string",  
"updatedAt": "string",  
"updatedBy": "string",  
"volumeConfiguration": {  
    "iops": number,  
    "size": number,  
    "throughput": number  
},  
"volumeRetentionMode": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

session

A streaming session is a virtual workstation created using a particular launch profile.

Type: [StreamingSession](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartStudioSSOConfigurationRepair

Repairs the IAM Identity Center configuration for a given studio.

If the studio has a valid IAM Identity Center configuration currently associated with it, this operation will fail with a validation error.

If the studio does not have a valid IAM Identity Center configuration currently associated with it, then a new IAM Identity Center application is created for the studio and the studio is changed to the READY state.

After the IAM Identity Center application is repaired, you must use the Amazon Nimble Studio console to add administrators and users to your studio.

Request Syntax

```
PUT /2020-08-01/studios/studioId/sso-configuration HTTP/1.1  
X-Amz-Client-Token: clientToken
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "studio": {
    "adminRoleArn": "string",
    "arn": "string",
    "createdAt": "string",
    "displayName": "string",
    "homeRegion": "string",
    "ssoClientId": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "studioEncryptionConfiguration": {
      "keyArn": "string",
      "keyType": "string"
    },
    "studioId": "string",
    "studioName": "string",
    "studioUrl": "string",
    "tags": {
      "string" : "string"
    },
    "updatedAt": "string",
    "userRoleArn": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

studio

Information about a studio.

Type: [Studio](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopStreamingSession

Transitions sessions from the READY state into the STOPPED state. The STOP_IN_PROGRESS state is the intermediate state between the READY and STOPPED states.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
POST /2020-08-01/studios/studioId/streaming-sessions/sessionId/stop HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "volumeRetentionMode
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

sessionId

The streaming session ID for the StopStreamingSessionRequest.

Required: Yes

studioId

The studioId for the StopStreamingSessionRequest.

Required: Yes

Request Body

The request accepts the following data in JSON format.

volumeRetentionMode

Adds additional instructions to a streaming session stop action to either retain the EBS volumes or delete the EBS volumes.

Type: String

Valid Values: RETAIN | DELETE

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "session": {
        "arn": "string",
        "automaticTerminationMode": "string",
        "backupMode": "string",
        "createdAt": "string",
        "createdBy": "string",
        "ec2InstanceType": "string",
        "launchProfileId": "string",
        "maxBackupsToRetain": number,
        "ownedBy": "string",
        "sessionId": "string",
        "sessionPersistenceMode": "string",
        "startedAt": "string",
        "startedBy": "string",
        "startedFromBackupId": "string",
        "state": "string",
        "statusCode": "string",
        "statusMessage": "string",
    }
}
```

```
"stopAt": "string",
"stoppedAt": "string",
"stoppedBy": "string",
"streamingImageId": "string",
"tags": {
    "string" : "string"
},
"terminateAt": "string",
"updatedAt": "string",
"updatedBy": "string",
"volumeConfiguration": {
    "iops": number,
    "size": number,
    "throughput": number
},
"volumeRetentionMode": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

session

A streaming session is a virtual workstation created using a particular launch profile.

Type: [StreamingSession](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Creates tags for a resource, given its ARN.

Request Syntax

```
POST /2020-08-01/tags/resourceArn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource you want to add tags to.

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Deletes the tags for a resource.

Request Syntax

```
DELETE /2020-08-01/tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

Identifies the Amazon Resource Name(ARN) key from which you are removing tags.

Required: Yes

tagKeys

One or more tag keys. Specify only the tag keys, not the tag values.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateLaunchProfile

Update a launch profile.

⚠ Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
PATCH /2020-08-01/studios/studioId/launch-profiles/launchProfileId HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "descriptionlaunchProfileProtocolVersionsnamestreamConfigurationautomaticTerminationModeclipboardModeec2InstanceTypesmaxSessionLengthInMinutesmaxStoppedSessionLengthInMinutessessionBackupmaxBackupsToRetainmodesessionPersistenceModesessionStoragemoderootlinuxwindowsstreamingImageIdsvolumeConfigurationiopssize
```

```
        "throughput": number
    }
},
"studioComponentIds": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[launchProfileId](#)

The ID of the launch profile used to control access from the streaming session.

Required: Yes

[studioid](#)

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

[description](#)

The description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

launchProfileProtocolVersions

The version number of the protocol that is used by the launch profile. The only valid version is "2021-03-31".

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 10.

Pattern: ^2021\-\d{2}\-\d{2}\$

Required: No

name

The name for the launch profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

streamConfiguration

A configuration for a streaming session.

Type: [StreamConfigurationCreate](#) object

Required: No

studioComponentIds

Unique identifiers for a collection of studio components that can be used with this launch profile.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "launchProfile": {
    "arn": "string",
    "createdAt": "string",
    "createdBy": "string",
    "description": "string",
    "ec2SubnetIds": [ "string" ],
    "launchProfileId": "string",
    "launchProfileProtocolVersions": [ "string" ],
    "name": "string",
    "state": "string",
    "statusCode": "string",
    "statusMessage": "string",
    "streamConfiguration": {
      "automaticTerminationMode": "string",
      "clipboardMode": "string",
      "ec2InstanceTypes": [ "string" ],
      "maxSessionLengthInMinutes": number,
      "maxStoppedSessionLengthInMinutes": number,
      "sessionBackup": {
        "maxBackupsToRetain": number,
        "mode": "string"
      },
      "sessionPersistenceMode": "string",
      "sessionStorage": {
        "mode": [ "string" ],
        "root": {
          "linux": "string",
          "windows": "string"
        }
      },
      "streamingImageIds": [ "string" ],
      "volumeConfiguration": {
        "iops": number,
        "size": number,
        "throughput": number
      }
    },
  }
},
```

```
"studioComponentIds": [ "string" ],
"tags": {
    "string" : "string"
},
"updatedAt": "string",
"updatedBy": "string",
"validationResults": [
    {
        "state": "string",
        "statusCode": "string",
        "statusMessage": "string",
        "type": "string"
    }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

launchProfile

The launch profile.

Type: [LaunchProfile](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateLaunchProfileMember

Update a user persona in launch profile membership.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
PATCH /2020-08-01/studios/studioId/launch-profiles/launchProfileId/  
membership/principalId HTTP/1.1  
X-Amz-Client-Token: clientToken  
Content-type: application/json  
  
{  
    "persona": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[launchProfileId](#)

The ID of the launch profile used to control access from the streaming session.

Required: Yes

[principalId](#)

The principal ID. This currently supports a IAM Identity Center UserId.

Required: Yes

studiod

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

persona

The persona.

Type: String

Valid Values: USER

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "member": {
    "identityStoreId": "string",
    "persona": "string",
    "principalId": "string",
    "sid": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

member

The updated member.

Type: [LaunchProfileMembership](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateStreamingImage

Update streaming image.

Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
PATCH /2020-08-01/studios/studioId/streaming-images/streamingImageId HTTP/1.1  
X-Amz-Client-Token: clientToken  
Content-type: application/json  
  
{  
  "description  "name}
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[streamingImageId](#)

The streaming image ID.

Required: Yes

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

name

The name for the streaming image.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
    "streamingImagearnstring",
        "descriptionstring",
        "ec2ImageIdstring",
        "encryptionConfigurationkeyArnstring",
            "keyTypestring"
        },
        "eulaIdsstring" ],
        "namestring",
    }
}
```

```
"owner": "string",
"platform": "string",
"state": "string",
"statusCode": "string",
"statusMessage": "string",
"streamingImageId": "string",
"tags": {
    "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[streamingImage](#)

Represents a streaming image resource.

Streaming images are used by studio users to select which operating system and software they want to use in a Nimble Studio streaming session.

Amazon provides a number of streaming images that include popular 3rd-party software.

You can create your own streaming images using an Amazon EC2 machine image that you create for this purpose. You can also include software that your users require.

Type: [StreamingImage](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateStudio

Update a Studio resource.

Currently, this operation only supports updating the `displayName` of your studio.

Request Syntax

```
PATCH /2020-08-01/studios/studioId HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
    "adminRoleArndisplayNameuserRoleArn
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

adminRoleArn

The IAM role that Studio Admins will assume when logging in to the Nimble Studio portal.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

displayName

A friendly name for the studio.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

userRoleArn

The IAM role that Studio Users will assume when logging in to the Nimble Studio portal.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "studioadminRoleArnarncreatedAtdisplayNamehomeRegionssoClientIdstate
```

```
"statusCode": "string",
"statusMessage": "string",
"studioEncryptionConfiguration": {
    "keyArn": "string",
    "keyType": "string"
},
"studioId": "string",
"studioName": "string",
"studioUrl": "string",
"tags": {
    "string" : "string"
},
"updatedAt": "string",
"userRoleArn": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

studio

Information about a studio.

Type: [Studio](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateStudioComponent

Updates a studio component resource.

⚠ Important

This API is only available to customers who created a Nimble Studio cloud studio before June 19th, 2023. This API won't be accessible after June 19th, 2024.

Request Syntax

```
PATCH /2020-08-01/studios/studioId/studio-components/studioComponentId HTTP/1.1
X-Amz-Client-Token: clientToken
Content-type: application/json

{
  "configurationdescriptionec2SecurityGroupIdsinitializationScriptslaunchProfileProtocolVersionplatformrunContextscriptnameruntimeRoleArnscriptParameterskeyvaluesecureInitializationRoleArnsubtypetype
```

URI Request Parameters

The request uses the following URI parameters.

[clientToken](#)

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request. If you don't specify a client token, the AWS SDK automatically generates a client token and uses it for the request to ensure idempotency.

Length Constraints: Minimum length of 1. Maximum length of 64.

[studioComponentId](#)

The studio component ID.

Required: Yes

[studioId](#)

The studio ID.

Required: Yes

Request Body

The request accepts the following data in JSON format.

[configuration](#)

The configuration of the studio component, based on component type.

Type: [StudioComponentConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

[description](#)

The description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

[ec2SecurityGroupIds](#)

The EC2 security groups that control access to the studio component.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 30 items.

Required: No

[initializationScripts](#)

Initialization scripts for studio components.

Type: Array of [StudioComponentInitializationScript](#) objects

Required: No

[name](#)

The name for the studio component.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

[runtimeRoleArn](#)

An IAM role attached to a Studio Component that gives the studio component access to AWS resources at anytime while the instance is running.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

[scriptParameters](#)

Parameters for the studio component scripts.

Type: Array of [ScriptParameterKeyValue](#) objects

Array Members: Minimum number of 0 items. Maximum number of 30 items.

Required: No

[secureInitializationRoleArn](#)

An IAM role attached to Studio Component when the system initialization script runs which give the studio component access to AWS resources when the system initialization script runs.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

[subtype](#)

The specific subtype of a studio component.

Type: String

Valid Values: AWS_MANAGED_MICROSOFT_AD | AMAZON_FSX_FOR_WINDOWS | AMAZON_FSX_FOR_LUSTRE | CUSTOM

Required: No

[type](#)

The type of the studio component.

Type: String

Valid Values: ACTIVE_DIRECTORY | SHARED_FILE_SYSTEM | COMPUTE_FARM | LICENSE_SERVICE | CUSTOM

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "studioComponent": {
    "arnstring",
    "configuration": { ... },
    "createdAt": "string",
```

```
"createdBy": "string",
"descriptionec2SecurityGroupIds": [ "string" ],
"initializationScripts": [
  {
    "launchProfileProtocolVersion": "string",
    "platform": "string",
    "runContext": "string",
    "script": "string"
  }
],
"name": "string",
"runtimeRoleArn": "string",
"scriptParameters": [
  {
    "key": "string",
    "value": "string"
  }
],
"secureInitializationRoleArn": "string",
"state": "string",
"statusCode": "string",
"statusMessage": "string",
"studioComponentId": "string",
"subtype": "string",
"tags": {
  "string" : "string"
},
"type": "string",
"updatedAt": "string",
"updatedBy": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

studioComponent

Information about the studio component.

Type: [StudioComponent](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

You are not authorized to perform this operation. Check your IAM policies, and ensure that you are using the correct access keys.

HTTP Status Code: 403

ConflictException

Another operation is in progress.

HTTP Status Code: 409

InternalServerErrorException

An internal error has occurred. Please retry your request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

Your current quota does not allow you to perform the request action. You can request increases for some quotas, and other quotas cannot be increased.

Please use AWS Service Quotas to request an increase.

HTTP Status Code: 402

ThrottlingException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

One of the parameters in the request is invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AmazonNimbleStudio API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ActiveDirectoryComputerAttribute](#)
- [ActiveDirectoryConfiguration](#)
- [ComputeFarmConfiguration](#)
- [Eula](#)
- [EulaAcceptance](#)
- [LaunchProfile](#)
- [LaunchProfileInitialization](#)
- [LaunchProfileInitializationActiveDirectory](#)
- [LaunchProfileInitializationScript](#)
- [LaunchProfileMembership](#)
- [LicenseServiceConfiguration](#)
- [NewLaunchProfileMember](#)
- [NewStudioMember](#)
- [ScriptParameterKeyValue](#)
- [SharedFileSystemConfiguration](#)
- [StreamConfiguration](#)
- [StreamConfigurationCreate](#)
- [StreamConfigurationSessionBackup](#)
- [StreamConfigurationSessionStorage](#)
- [StreamingImage](#)

- [StreamingImageEncryptionConfiguration](#)
- [StreamingSession](#)
- [StreamingSessionBackup](#)
- [StreamingSessionStorageRoot](#)
- [StreamingSessionStream](#)
- [Studio](#)
- [StudioComponent](#)
- [StudioComponentConfiguration](#)
- [StudioComponentInitializationScript](#)
- [StudioComponentSummary](#)
- [StudioEncryptionConfiguration](#)
- [StudioMembership](#)
- [ValidationResult](#)
- [VolumeConfiguration](#)

ActiveDirectoryComputerAttribute

An LDAP attribute of an Active Directory computer account, in the form of a name:value pair.

Contents

name

The name for the LDAP attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 40.

Required: No

value

The value for the LDAP attribute.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ActiveDirectoryConfiguration

The configuration for a AWS Directory Service for Microsoft Active Directory studio resource.

Contents

computerAttributes

A collection of custom attributes for an Active Directory computer.

Type: Array of [ActiveDirectoryComputerAttribute](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

directoryId

The directory ID of the AWS Directory Service for Microsoft Active Directory to access using this studio component.

Type: String

Required: No

organizationalUnitDistinguishedName

The distinguished name (DN) and organizational unit (OU) of an Active Directory computer.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

ComputeFarmConfiguration

The configuration for a render farm that is associated with a studio resource.

Contents

activeDirectoryUser

The name of an Active Directory user that is used on ComputeFarm worker instances.

Type: String

Required: No

endpoint

The endpoint of the ComputeFarm that is accessed by the studio component resource.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Eula

Represents a EULA resource.

Contents

content

The EULA content.

Type: String

Required: No

createdAt

The ISO timestamp in seconds for when the resource was created.

Type: Timestamp

Required: No

eulaId

The EULA ID.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

name

The name for the EULA.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

updatedAt

The ISO timestamp in seconds for when the resource was updated.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EulaAcceptance

The acceptance of a EULA, required to use Amazon-provided streaming images.

Contents

acceptedAt

The ISO timestamp in seconds for when the EULA was accepted.

Type: Timestamp

Required: No

acceptedBy

The ID of the person who accepted the EULA.

Type: String

Required: No

accepteeId

The ID of the acceptee.

Type: String

Required: No

eulaAcceptanceId

The EULA acceptance ID.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

eulaId

The EULA ID.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LaunchProfile

A launch profile controls your artist workforce's access to studio components, like compute farms, shared file systems, managed file systems, and license server configurations, as well as instance types and Amazon Machine Images (AMIs).

Studio administrators create launch profiles in the Nimble Studio console. Artists can use their launch profiles to launch an instance from the Nimble Studio portal. Each user's launch profile defines how they can launch a streaming session. By default, studio admins can use all launch profiles.

Contents

arn

The Amazon Resource Name (ARN) that is assigned to a studio resource and uniquely identifies it. ARNs are unique across all Regions.

Type: String

Required: No

createdAt

The ISO timestamp in seconds for when the resource was created.

Type: Timestamp

Required: No

createdBy

The user ID of the user that created the launch profile.

Type: String

Required: No

description

A human-readable description of the launch profile.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

ec2SubnetIds

Unique identifiers for a collection of EC2 subnets.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 6 items.

Required: No

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

launchProfileProtocolVersions

The version number of the protocol that is used by the launch profile. The only valid version is "2021-03-31".

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 10.

Pattern: ^2021\-\d{2}\-\d{2}\$

Required: No

name

A friendly name for the launch profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

state

The current state.

Type: String

Valid Values: CREATE_IN_PROGRESS | READY | UPDATE_IN_PROGRESS |
DELETE_IN_PROGRESS | DELETED | DELETE_FAILED | CREATE_FAILED |
UPDATE_FAILED

Required: No

statusCode

The status code.

Type: String

Valid Values: LAUNCH_PROFILE_CREATED | LAUNCH_PROFILE_UPDATED |
LAUNCH_PROFILE_DELETED | LAUNCH_PROFILE_CREATE_IN_PROGRESS |
LAUNCH_PROFILE_UPDATE_IN_PROGRESS | LAUNCH_PROFILE_DELETE_IN_PROGRESS |
INTERNAL_ERROR | STREAMING_IMAGE_NOT_FOUND | STREAMING_IMAGE_NOT_READY
| LAUNCH_PROFILE_WITH_STREAM_SESSIONS_NOT_DELETED |
ENCRYPTION_KEY_ACCESS_DENIED | ENCRYPTION_KEY_NOT_FOUND |
INVALID_SUBNETS_PROVIDED | INVALID_INSTANCE_TYPES_PROVIDED |
INVALID_SUBNETS_COMBINATION

Required: No

statusMessage

The status message for the launch profile.

Type: String

Required: No

streamConfiguration

A configuration for a streaming session.

Type: [StreamConfiguration](#) object

Required: No

studioComponentIds

Unique identifiers for a collection of studio components that can be used with this launch profile.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: No

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

updatedAt

The ISO timestamp in seconds for when the resource was updated.

Type: Timestamp

Required: No

updatedBy

The user ID of the user that most recently updated the resource.

Type: String

Required: No

validationResults

The list of the latest validation results.

Type: Array of [ValidationResult](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LaunchProfileInitialization

A launch profile initialization contains information required for a workstation or server to connect to a launch profile.

This includes scripts, endpoints, security groups, subnets, and other configuration.

Contents

activeDirectory

A LaunchProfileInitializationActiveDirectory resource.

Type: [LaunchProfileInitializationActiveDirectory](#) object

Required: No

ec2SecurityGroupIds

The EC2 security groups that control access to the studio component.

Type: Array of strings

Array Members: Minimum number of 1 item.

Required: No

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

launchProfileProtocolVersion

The version number of the protocol that is used by the launch profile. The only valid version is "2021-03-31".

Type: String

Length Constraints: Minimum length of 0. Maximum length of 10.

Pattern: ^2021\-\d{3}\-\d{2}\$

Required: No

launchPurpose

The launch purpose.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Pattern: ^[A-Z0-9_]+\$

Required: No

name

The name for the launch profile.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

platform

The platform of the launch platform, either Windows or Linux.

Type: String

Valid Values: LINUX | WINDOWS

Required: No

systemInitializationScripts

The system initialization scripts.

Type: Array of [LaunchProfileInitializationScript](#) objects

Required: No

userInitializationScripts

The user initialization scripts.

Type: Array of [LaunchProfileInitializationScript](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LaunchProfileInitializationActiveDirectory

The launch profile initialization Active Directory contains information required for the launch profile to connect to the Active Directory.

Contents

computerAttributes

A collection of custom attributes for an Active Directory computer.

Type: Array of [ActiveDirectoryComputerAttribute](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

directoryId

The directory ID of the AWS Directory Service for Microsoft Active Directory to access using this launch profile.

Type: String

Required: No

directoryName

The directory name.

Type: String

Required: No

dnsIpAddresses

The DNS IP address.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

organizationalUnitDistinguishedName

The name for the organizational unit distinguished name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Required: No

studioComponentId

The unique identifier for a studio component resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

studioComponentName

The name for the studio component.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LaunchProfileInitializationScript

The launch profile initialization script is used when start streaming session runs.

Contents

runtimeRoleArn

An IAM role attached to a Studio Component that gives the studio component access to AWS resources at anytime while the instance is running.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

script

The initialization script.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 5120.

Required: No

secureInitializationRoleArn

An IAM role attached to Studio Component when the system initialization script runs which give the studio component access to AWS resources when the system initialization script runs.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

studioComponentId

The unique identifier for a studio component resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

studioComponentName

The name for the studio component.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LaunchProfileMembership

Studio admins can use launch profile membership to delegate launch profile access to studio users in the Nimble Studio portal without writing or maintaining complex IAM policies. A launch profile member is a user association from your studio identity source who is granted permissions to a launch profile.

A launch profile member (type USER) provides the following permissions to that launch profile:

- GetLaunchProfile
- GetLaunchProfileInitialization
- GetLaunchProfileMembers
- GetLaunchProfileMember
- CreateStreamingSession
- GetLaunchProfileDetails

Contents

identityStoreId

The ID of the identity store.

Type: String

Required: No

persona

The persona.

Type: String

Valid Values: USER

Required: No

principalId

The principal ID.

Type: String

Required: No

sid

The Active Directory Security Identifier for this user, if available.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LicenseServiceConfiguration

The configuration for a license service that is associated with a studio resource.

Contents

endpoint

The endpoint of the license service that is accessed by the studio component resource.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NewLaunchProfileMember

A new member that is added to a launch profile.

Contents

persona

The persona.

Type: String

Valid Values: USER

Required: Yes

principalId

The principal ID.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NewStudioMember

A new studio user's membership.

Contents

persona

The persona.

Type: String

Valid Values: ADMINISTRATOR

Required: Yes

principalId

The principal ID.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScriptParameterValue

A parameter for a studio component script, in the form of a key-value pair.

Contents

key

A script parameter key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: ^[a-zA-Z_][a-zA-Z0-9_]+\$

Required: No

value

A script parameter value.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SharedFileSystemConfiguration

The configuration for a shared file storage system that is associated with a studio resource.

Contents

endpoint

The endpoint of the shared file system that is accessed by the studio component resource.

Type: String

Required: No

fileSystemId

The unique identifier for a file system.

Type: String

Required: No

linuxMountPoint

The mount location for a shared file system on a Linux virtual workstation.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: ^(/?|(\\$\HOME)?(/[^/\n\s\\]+)*)\$

Required: No

shareName

The name of the file share.

Type: String

Required: No

windowsMountDrive

The mount location for a shared file system on a Windows virtual workstation.

Type: String

Pattern: ^[A-Z]\$

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamConfiguration

A configuration for a streaming session.

Contents

clipboardMode

Allows or deactivates the use of the system clipboard to copy and paste between the streaming session and streaming client.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

ec2InstanceTypes

The EC2 instance types that users can select from when launching a streaming session with this launch profile.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 30 items.

Valid Values: g4dn.xlarge | g4dn.2xlarge | g4dn.4xlarge | g4dn.8xlarge | g4dn.12xlarge | g4dn.16xlarge | g3.4xlarge | g3s.xlarge | g5.xlarge | g5.2xlarge | g5.4xlarge | g5.8xlarge | g5.16xlarge

Required: Yes

streamingImageIds

The streaming images that users can select from when launching a streaming session with this launch profile.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: Yes

automaticTerminationMode

Indicates if a streaming session created from this launch profile should be terminated automatically or retained without termination after being in a STOPPED state.

- When ACTIVATED, the streaming session is scheduled for termination after being in the STOPPED state for the time specified in maxStoppedSessionLengthInMinutes.
- When DEACTIVATED, the streaming session can remain in the STOPPED state indefinitely.

This parameter is only allowed when sessionPersistenceMode is ACTIVATED. When allowed, the default value for this parameter is DEACTIVATED.

Type: String

Valid Values: DEACTIVATED | ACTIVATED

Required: No

maxSessionLengthInMinutes

The length of time, in minutes, that a streaming session can be active before it is stopped or terminated. After this point, Nimble Studio automatically terminates or stops the session. The default length of time is 690 minutes, and the maximum length of time is 30 days.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 43200.

Required: No

maxStoppedSessionLengthInMinutes

Integer that determines if you can start and stop your sessions and how long a session can stay in the STOPPED state. The default value is 0. The maximum value is 5760.

This field is allowed only when sessionPersistenceMode is ACTIVATED and automaticTerminationMode is ACTIVATED.

If the value is set to 0, your sessions can't be STOPPED. If you then call StopStreamingSession, the session fails. If the time that a session stays in the READY state exceeds the maxSessionLengthInMinutes value, the session will automatically be terminated (instead of STOPPED).

If the value is set to a positive number, the session can be stopped. You can call `StopStreamingSession` to stop sessions in the READY state. If the time that a session stays in the READY state exceeds the `maxSessionLengthInMinutes` value, the session will automatically be stopped (instead of terminated).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 5760.

Required: No

sessionBackup

Information about the streaming session backup.

Type: [StreamConfigurationSessionBackup](#) object

Required: No

sessionPersistenceMode

Determine if a streaming session created from this launch profile can configure persistent storage. This means that `volumeConfiguration` and `automaticTerminationMode` are configured.

Type: String

Valid Values: DEACTIVATED | ACTIVATED

Required: No

sessionStorage

The upload storage for a streaming session.

Type: [StreamConfigurationSessionStorage](#) object

Required: No

volumeConfiguration

Custom volume configuration for the root volumes that are attached to streaming sessions.

This parameter is only allowed when `sessionPersistenceMode` is ACTIVATED.

Type: [VolumeConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamConfigurationCreate

Configuration for streaming workstations created using this launch profile.

Contents

clipboardMode

Allows or deactivates the use of the system clipboard to copy and paste between the streaming session and streaming client.

Type: String

Valid Values: ENABLED | DISABLED

Required: Yes

ec2InstanceTypes

The EC2 instance types that users can select from when launching a streaming session with this launch profile.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 30 items.

Valid Values: g4dn.xlarge | g4dn.2xlarge | g4dn.4xlarge | g4dn.8xlarge | g4dn.12xlarge | g4dn.16xlarge | g3.4xlarge | g3s.xlarge | g5.xlarge | g5.2xlarge | g5.4xlarge | g5.8xlarge | g5.16xlarge

Required: Yes

streamingImageIds

The streaming images that users can select from when launching a streaming session with this launch profile.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: Yes

automaticTerminationMode

Indicates if a streaming session created from this launch profile should be terminated automatically or retained without termination after being in a STOPPED state.

- When ACTIVATED, the streaming session is scheduled for termination after being in the STOPPED state for the time specified in maxStoppedSessionLengthInMinutes.
- When DEACTIVATED, the streaming session can remain in the STOPPED state indefinitely.

This parameter is only allowed when sessionPersistenceMode is ACTIVATED. When allowed, the default value for this parameter is DEACTIVATED.

Type: String

Valid Values: DEACTIVATED | ACTIVATED

Required: No

maxSessionLengthInMinutes

The length of time, in minutes, that a streaming session can be active before it is stopped or terminated. After this point, Nimble Studio automatically terminates or stops the session. The default length of time is 690 minutes, and the maximum length of time is 30 days.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 43200.

Required: No

maxStoppedSessionLengthInMinutes

Integer that determines if you can start and stop your sessions and how long a session can stay in the STOPPED state. The default value is 0. The maximum value is 5760.

This field is allowed only when sessionPersistenceMode is ACTIVATED and automaticTerminationMode is ACTIVATED.

If the value is set to 0, your sessions can't be STOPPED. If you then call StopStreamingSession, the session fails. If the time that a session stays in the READY state exceeds the maxSessionLengthInMinutes value, the session will automatically be terminated (instead of STOPPED).

If the value is set to a positive number, the session can be stopped. You can call `StopStreamingSession` to stop sessions in the READY state. If the time that a session stays in the READY state exceeds the `maxSessionLengthInMinutes` value, the session will automatically be stopped (instead of terminated).

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 5760.

Required: No

sessionBackup

Configures how streaming sessions are backed up when launched from this launch profile.

Type: [StreamConfigurationSessionBackup](#) object

Required: No

sessionPersistenceMode

Determine if a streaming session created from this launch profile can configure persistent storage. This means that `volumeConfiguration` and `automaticTerminationMode` are configured.

Type: String

Valid Values: DEACTIVATED | ACTIVATED

Required: No

sessionStorage

The upload storage for a streaming workstation that is created using this launch profile.

Type: [StreamConfigurationSessionStorage](#) object

Required: No

volumeConfiguration

Custom volume configuration for the root volumes that are attached to streaming sessions.

This parameter is only allowed when `sessionPersistenceMode` is ACTIVATED.

Type: [VolumeConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamConfigurationSessionBackup

Configures how streaming sessions are backed up when launched from this launch profile.

Contents

maxBackupsToRetain

The maximum number of backups that each streaming session created from this launch profile can have.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 10.

Required: No

mode

Specifies how artists sessions are backed up.

Configures backups for streaming sessions launched with this launch profile. The default value is DEACTIVATED, which means that backups are deactivated. To allow backups, set this value to AUTOMATIC.

Type: String

Valid Values: AUTOMATIC | DEACTIVATED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamConfigurationSessionStorage

The configuration for a streaming session's upload storage.

Contents

mode

Allows artists to upload files to their workstations. The only valid option is UPLOAD.

Type: Array of strings

Array Members: Minimum number of 1 item.

Valid Values: UPLOAD

Required: Yes

root

The configuration for the upload storage root of the streaming session.

Type: [StreamingSessionStorageRoot](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamingImage

Represents a streaming image resource.

Streaming images are used by studio users to select which operating system and software they want to use in a Nimble Studio streaming session.

Amazon provides a number of streaming images that include popular 3rd-party software.

You can create your own streaming images using an Amazon EC2 machine image that you create for this purpose. You can also include software that your users require.

Contents

arn

The Amazon Resource Name (ARN) that is assigned to a studio resource and uniquely identifies it. ARNs are unique across all Regions.

Type: String

Required: No

description

A human-readable description of the streaming image.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

ec2ImageId

The ID of an EC2 machine image with which to create the streaming image.

Type: String

Pattern: ^ami-[0-9A-z]+\$

Required: No

encryptionConfiguration

The encryption configuration.

Type: [StreamingImageEncryptionConfiguration](#) object

Required: No

eulaIds

The list of EULAs that must be accepted before a Streaming Session can be started using this streaming image.

Type: Array of strings

Required: No

name

A friendly name for a streaming image resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

owner

The owner of the streaming image, either the studioId that contains the streaming image, or amazon for images that are provided by Amazon Nimble Studio.

Type: String

Required: No

platform

The platform of the streaming image, either Windows or Linux.

Type: String

Pattern: ^[a-zA-Z]*\$

Required: No

state

The current state.

Type: String

Valid Values: CREATE_IN_PROGRESS | READY | DELETE_IN_PROGRESS | DELETED | UPDATE_IN_PROGRESS | UPDATE_FAILED | CREATE_FAILED | DELETE_FAILED

Required: No

statusCode

The status code.

Type: String

Valid Values: STREAMING_IMAGE_CREATE_IN_PROGRESS | STREAMING_IMAGE_READY | STREAMING_IMAGE_DELETE_IN_PROGRESS | STREAMING_IMAGE_DELETED | STREAMING_IMAGE_UPDATE_IN_PROGRESS | INTERNAL_ERROR | ACCESS_DENIED

Required: No

statusMessage

The status message for the streaming image.

Type: String

Required: No

streamingImageId

The ID of the streaming image.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamingImageEncryptionConfiguration

Specifies how a streaming image is encrypted.

Contents

keyType

The type of KMS key that is used to encrypt studio data.

Type: String

Valid Values: CUSTOMER_MANAGED_KEY

Required: Yes

keyArn

The ARN for a KMS key that is used to encrypt studio data.

Type: String

Length Constraints: Minimum length of 4.

Pattern: ^arn:.*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamingSession

A streaming session is a virtual workstation created using a particular launch profile.

Contents

arn

The Amazon Resource Name (ARN) that is assigned to a studio resource and uniquely identifies it. ARNs are unique across all Regions.

Type: String

Required: No

automaticTerminationMode

Indicates if a streaming session created from this launch profile should be terminated automatically or retained without termination after being in a STOPPED state.

- When ACTIVATED, the streaming session is scheduled for termination after being in the STOPPED state for the time specified in maxStoppedSessionLengthInMinutes.
- When DEACTIVATED, the streaming session can remain in the STOPPED state indefinitely.

This parameter is only allowed when sessionPersistenceMode is ACTIVATED. When allowed, the default value for this parameter is DEACTIVATED.

Type: String

Valid Values: DEACTIVATED | ACTIVATED

Required: No

backupMode

Shows the current backup setting of the session.

Type: String

Valid Values: AUTOMATIC | DEACTIVATED

Required: No

createdAt

The ISO timestamp in seconds for when the resource was created.

Type: Timestamp

Required: No

createdBy

The user ID of the user that created the streaming session.

Type: String

Required: No

ec2InstanceType

The EC2 Instance type used for the streaming session.

Type: String

Required: No

launchProfileId

The ID of the launch profile used to control access from the streaming session.

Type: String

Required: No

maxBackupsToRetain

The maximum number of backups of a streaming session that you can have. When the maximum number of backups is reached, the oldest backup is deleted.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 10.

Required: No

ownedBy

The user ID of the user that owns the streaming session. The user that owns the session will be logging into the session and interacting with the virtual workstation.

Type: String

Required: No

sessionId

The session ID.

Type: String

Required: No

sessionPersistenceMode

Determine if a streaming session created from this launch profile can configure persistent storage. This means that `volumeConfiguration` and `automaticTerminationMode` are configured.

Type: String

Valid Values: DEACTIVATED | ACTIVATED

Required: No

startedAt

The time the session entered `START_IN_PROGRESS` state.

Type: Timestamp

Required: No

startedBy

The user ID of the user that started the streaming session.

Type: String

Required: No

startedFromBackupId

The backup ID used to restore a streaming session.

Type: String

Required: No

state

The current state.

Type: String

Valid Values: CREATE_IN_PROGRESS | DELETE_IN_PROGRESS | READY | DELETED | CREATE_FAILED | DELETE_FAILED | STOP_IN_PROGRESS | START_IN_PROGRESS | STOPPED | STOP_FAILED | START_FAILED

Required: No

statusCode

The status code.

Type: String

Valid Values: STREAMING_SESSION_READY | STREAMING_SESSION_DELETED | STREAMING_SESSION_CREATE_IN_PROGRESS | STREAMING_SESSION_DELETE_IN_PROGRESS | INTERNAL_ERROR | INSUFFICIENT_CAPACITY | ACTIVE_DIRECTORY_DOMAIN_JOIN_ERROR | NETWORK_CONNECTION_ERROR | INITIALIZATION_SCRIPT_ERROR | DECRYPT_STREAMING_IMAGE_ERROR | NETWORK_INTERFACE_ERROR | STREAMING_SESSION_STOPPED | STREAMING_SESSION_STARTED | STREAMING_SESSION_STOP_IN_PROGRESS | STREAMING_SESSION_START_IN_PROGRESS | AMI_VALIDATION_ERROR

Required: No

statusMessage

The status message for the streaming session.

Type: String

Required: No

stopAt

The time the streaming session will automatically be stopped if the user doesn't stop the session themselves.

Type: Timestamp

Required: No

stoppedAt

The time the session entered STOP_IN_PROGRESS state.

Type: Timestamp

Required: No

stoppedBy

The user ID of the user that stopped the streaming session.

Type: String

Required: No

streamingImageId

The ID of the streaming image.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

terminateAt

The time the streaming session will automatically terminate if not terminated by the user.

Type: Timestamp

Required: No

updatedAt

The ISO timestamp in seconds for when the resource was updated.

Type: Timestamp

Required: No

updatedBy

The user ID of the user that most recently updated the resource.

Type: String

Required: No

volumeConfiguration

Custom volume configuration for the root volumes that are attached to streaming sessions.

This parameter is only allowed when sessionPersistenceMode is ACTIVATED.

Type: [VolumeConfiguration](#) object

Required: No

volumeRetentionMode

Determine if an EBS volume created from this streaming session will be backed up.

Type: String

Valid Values: RETAIN | DELETE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamingSessionBackup

Information about the streaming session backup.

Contents

arn

The Amazon Resource Name (ARN) that is assigned to a studio resource and uniquely identifies it. ARNs are unique across all Regions.

Type: String

Required: No

backupId

The ID of the backup.

Type: String

Required: No

createdAt

The ISO timestamp in for when the resource was created.

Type: Timestamp

Required: No

launchProfileId

The ID of the launch profile which allowed the backups for the streaming session.

Type: String

Required: No

ownedBy

The user ID of the user that owns the streaming session.

Type: String

Required: No

sessionId

The streaming session ID for the StreamingSessionBackup.

Type: String

Required: No

state

The streaming session state.

Type: String

Valid Values: CREATE_IN_PROGRESS | DELETE_IN_PROGRESS | READY | DELETED | CREATE_FAILED | DELETE_FAILED | STOP_IN_PROGRESS | START_IN_PROGRESS | STOPPED | STOP_FAILED | START_FAILED

Required: No

statusCode

The status code.

Type: String

Valid Values: STREAMING_SESSION_READY | STREAMING_SESSION_DELETED | STREAMING_SESSION_CREATE_IN_PROGRESS | STREAMING_SESSION_DELETE_IN_PROGRESS | INTERNAL_ERROR | INSUFFICIENT_CAPACITY | ACTIVE_DIRECTORY_DOMAIN_JOIN_ERROR | NETWORK_CONNECTION_ERROR | INITIALIZATION_SCRIPT_ERROR | DECRYPT_STREAMING_IMAGE_ERROR | NETWORK_INTERFACE_ERROR | STREAMING_SESSION_STOPPED | STREAMING_SESSION_STARTED | STREAMING_SESSION_STOP_IN_PROGRESS | STREAMING_SESSION_START_IN_PROGRESS | AMI_VALIDATION_ERROR

Required: No

statusMessage

The status message for the streaming session backup.

Type: String

Required: No

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamingSessionStorageRoot

The upload storage root location (folder) on streaming workstations where files are uploaded.

Contents

linux

The folder path in Linux workstations where files are uploaded.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^(\${HOME} | /)[/]?([A-Za-z0-9-_]+ /)*([A-Za-z0-9_-]+)$`

Required: No

windows

The folder path in Windows workstations where files are uploaded.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^((\%HOMEPATH\%)|[a-zA-Z]:)[\\\/](?:[a-zA-Z0-9_-]+[\\\/])*[a-zA-Z0-9_-]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StreamingSessionStream

A stream is an active connection to a streaming session, enabling a studio user to control the streaming session using a compatible client. Streaming session streams are compatible with the NICE DCV web client, included in the Nimble Studio portal, or the NICE DCV desktop client.

Contents

createdAt

The ISO timestamp in seconds for when the resource was created.

Type: Timestamp

Required: No

createdBy

The user ID of the user that created the streaming session stream.

Type: String

Required: No

expiresAt

The ISO timestamp in seconds for when the resource expires.

Type: Timestamp

Required: No

ownedBy

The user ID of the user that owns the streaming session. The user that owns the session will be logging into the session and interacting with the virtual workstation.

Type: String

Required: No

state

The current state.

Type: String

Valid Values: READY | CREATE_IN_PROGRESS | DELETE_IN_PROGRESS | DELETED | CREATE_FAILED | DELETE_FAILED

Required: No

statusCode

The streaming session stream status code.

Type: String

Valid Values: STREAM_CREATE_IN_PROGRESS | STREAM_READY | STREAM_DELETE_IN_PROGRESS | STREAM_DELETED | INTERNAL_ERROR | NETWORK_CONNECTION_ERROR

Required: No

streamId

The stream ID.

Type: String

Required: No

url

The URL to connect to this stream using the DCV client.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Studio

Represents a studio resource.

A studio is the core resource used with Nimble Studio. You must create a studio first, before any other resource type can be created. All other resources you create and manage in Nimble Studio are contained within a studio.

When creating a studio, you must provide two IAM roles for use with the Nimble Studio portal. These roles are assumed by your users when they log in to the Nimble Studio portal via IAM Identity Center and your identity source.

The user role must have the `AmazonNimbleStudio-StudioUser` managed policy attached for the portal to function properly.

The admin role must have the `AmazonNimbleStudio-StudioAdmin` managed policy attached for the portal to function properly.

Your studio roles must trust the `identity.nimble.amazonaws.com` service principal to function properly.

Contents

adminRoleArn

The IAM role that studio admins assume when logging in to the Nimble Studio portal.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

arn

The Amazon Resource Name (ARN) that is assigned to a studio resource and uniquely identifies it. ARNs are unique across all Regions.

Type: String

Required: No

createdAt

The ISO timestamp in seconds for when the resource was created.

Type: Timestamp

Required: No

displayName

A friendly name for the studio.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

homeRegion

The AWS Region where the studio resource is located.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 50.

Pattern: [a-z]{2}-?(iso|gov)?-{1}[a-z]*-{1}[0-9]

Required: No

ssoClientId

The IAM Identity Center application client ID used to integrate with IAM Identity Center. This ID allows IAM Identity Center users to log in to Nimble Studio portal.

Type: String

Required: No

state

The current state of the studio resource.

Type: String

Valid Values: CREATE_IN_PROGRESS | READY | UPDATE_IN_PROGRESS | DELETE_IN_PROGRESS | DELETED | DELETE_FAILED | CREATE_FAILED | UPDATE_FAILED

Required: No

statusCode

Status codes that provide additional detail on the studio state.

Type: String

Valid Values: STUDIO_CREATED | STUDIO_DELETED | STUDIO_UPDATED | STUDIO_CREATE_IN_PROGRESS | STUDIO_UPDATE_IN_PROGRESS | STUDIO_DELETE_IN_PROGRESS | STUDIO_WITH_LAUNCH_PROFILES_NOT_DELETED | STUDIO_WITH_STUDIO_COMPONENTS_NOT_DELETED | STUDIO_WITH_STREAMING_IMAGES_NOT_DELETED | AWS_SSO_NOT_ENABLED | AWS_SSO_ACCESS_DENIED | ROLE_NOT OWNED_BY_STUDIO_OWNER | ROLE_COULD_NOT_BE_ASSUMED | INTERNAL_ERROR | ENCRYPTION_KEY_NOT_FOUND | ENCRYPTION_KEY_ACCESS_DENIED | AWS_SSO_CONFIGURATION_REPAIRED | AWS_SSO_CONFIGURATION_REPAIR_IN_PROGRESS | AWS_STS_REGION_DISABLED

Required: No

statusMessage

Additional detail on the studio state.

Type: String

Required: No

studioEncryptionConfiguration

Configuration of the encryption method that is used for the studio.

Type: [StudioEncryptionConfiguration](#) object

Required: No

studiod

The unique identifier for a studio resource. In Nimble Studio, all other resources are contained in a studio resource.

Type: String

Required: No

studioName

The name of the studio, as included in the URL when accessing it in the Nimble Studio portal.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 64.

Pattern: ^[a-zA-Z0-9]*\$

Required: No

studioUrl

The address of the web page for the studio.

Type: String

Required: No

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

updatedAt

The ISO timestamp in seconds for when the resource was updated.

Type: Timestamp

Required: No

userRoleArn

The IAM role that studio users assume when logging in to the Nimble Studio portal.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StudioComponent

A studio component represents a network resource to be used by a studio's users and workflows. A typical studio contains studio components for each of the following: render farm, Active Directory, licensing, and file system.

Access to a studio component is managed by specifying security groups for the resource, as well as its endpoint.

A studio component also has a set of initialization scripts that are returned by `GetLaunchProfileInitialization`. These initialization scripts run on streaming sessions when they start. They provide users with flexibility in controlling how the studio resources are configured on a streaming session.

Contents

arn

The Amazon Resource Name (ARN) that is assigned to a studio resource and uniquely identifies it. ARNs are unique across all Regions.

Type: String

Required: No

configuration

The configuration of the studio component, based on component type.

Type: [StudioComponentConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

createdAt

The ISO timestamp in seconds for when the resource was created.

Type: Timestamp

Required: No

createdBy

The user ID of the user that created the studio component.

Type: String

Required: No

description

A human-readable description for the studio component resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

ec2SecurityGroupIds

The EC2 security groups that control access to the studio component.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 30 items.

Required: No

initializationScripts

Initialization scripts for studio components.

Type: Array of [StudioComponentInitializationScript](#) objects

Required: No

name

A friendly name for the studio component resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

runtimeRoleArn

An IAM role attached to a Studio Component that gives the studio component access to AWS resources at anytime while the instance is running.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

scriptParameters

Parameters for the studio component scripts.

Type: Array of [ScriptParameterKeyValue](#) objects

Array Members: Minimum number of 0 items. Maximum number of 30 items.

Required: No

secureInitializationRoleArn

An IAM role attached to Studio Component when the system initialization script runs which give the studio component access to AWS resources when the system initialization script runs.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

state

The current state.

Type: String

Valid Values: CREATE_IN_PROGRESS | READY | UPDATE_IN_PROGRESS |
DELETE_IN_PROGRESS | DELETED | DELETE_FAILED | CREATE_FAILED |
UPDATE_FAILED

Required: No

statusCode

The status code.

Type: String

Valid Values: ACTIVE_DIRECTORY_ALREADY_EXISTS | STUDIO_COMPONENT_CREATED | STUDIO_COMPONENT_UPDATED | STUDIO_COMPONENT_DELETED | ENCRYPTION_KEY_ACCESS_DENIED | ENCRYPTION_KEY_NOT_FOUND | STUDIO_COMPONENT_CREATE_IN_PROGRESS | STUDIO_COMPONENT_UPDATE_IN_PROGRESS | STUDIO_COMPONENT_DELETE_IN_PROGRESS | INTERNAL_ERROR

Required: No

statusMessage

The status message for the studio component.

Type: String

Required: No

studioComponentId

The unique identifier for a studio component resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

subtype

The specific subtype of a studio component.

Type: String

Valid Values: AWS_MANAGED_MICROSOFT_AD | AMAZON_FSX_FOR_WINDOWS | AMAZON_FSX_FOR_LUSTRE | CUSTOM

Required: No

tags

A collection of labels, in the form of key-value pairs, that apply to this resource.

Type: String to string map

Required: No

type

The type of the studio component.

Type: String

Valid Values: ACTIVE_DIRECTORY | SHARED_FILE_SYSTEM | COMPUTE_FARM | LICENSE_SERVICE | CUSTOM

Required: No

updatedAt

The ISO timestamp in seconds for when the resource was updated.

Type: Timestamp

Required: No

updatedBy

The user ID of the user that most recently updated the resource.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StudioComponentConfiguration

The configuration of the studio component, based on component type.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

activeDirectoryConfiguration

The configuration for a AWS Directory Service for Microsoft Active Directory studio resource.

Type: [ActiveDirectoryConfiguration](#) object

Required: No

computeFarmConfiguration

The configuration for a render farm that is associated with a studio resource.

Type: [ComputeFarmConfiguration](#) object

Required: No

licenseServiceConfiguration

The configuration for a license service that is associated with a studio resource.

Type: [LicenseServiceConfiguration](#) object

Required: No

sharedFileSystemConfiguration

The configuration for a shared file storage system that is associated with a studio resource.

Type: [SharedFileSystemConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StudioComponentInitializationScript

Initialization scripts for studio components.

Contents

launchProfileProtocolVersion

The version number of the protocol that is used by the launch profile. The only valid version is "2021-03-31".

Type: String

Length Constraints: Minimum length of 0. Maximum length of 10.

Pattern: ^2021\-\d{2}\-\d{2}\$

Required: No

platform

The platform of the initialization script, either Windows or Linux.

Type: String

Valid Values: LINUX | WINDOWS

Required: No

runContext

The method to use when running the initialization script.

Type: String

Valid Values: SYSTEM_INITIALIZATION | USER_INITIALIZATION

Required: No

script

The initialization script.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 5120.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StudioComponentSummary

The studio component's summary.

Contents

createdAt

The ISO timestamp in seconds for when the resource was created.

Type: Timestamp

Required: No

createdBy

The user ID of the user that created the studio component.

Type: String

Required: No

description

The description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

name

The name for the studio component.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

studioComponentId

The unique identifier for a studio component resource.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 22.

Pattern: ^[a-zA-Z0-9-_]*\$

Required: No

subtype

The specific subtype of a studio component.

Type: String

Valid Values: AWS_MANAGED_MICROSOFT_AD | AMAZON_FSX_FOR_WINDOWS | AMAZON_FSX_FOR_LUSTRE | CUSTOM

Required: No

type

The type of the studio component.

Type: String

Valid Values: ACTIVE_DIRECTORY | SHARED_FILE_SYSTEM | COMPUTE_FARM | LICENSE_SERVICE | CUSTOM

Required: No

updatedAt

The ISO timestamp in seconds for when the resource was updated.

Type: Timestamp

Required: No

updatedBy

The user ID of the user that most recently updated the resource.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StudioEncryptionConfiguration

Configuration of the encryption method that is used for the studio.

Contents

keyType

The type of KMS key that is used to encrypt studio data.

Type: String

Valid Values: AWS_OWNED_KEY | CUSTOMER_MANAGED_KEY

Required: Yes

keyArn

The ARN for a KMS key that is used to encrypt studio data.

Type: String

Length Constraints: Minimum length of 4.

Pattern: ^arn:.*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StudioMembership

A studio member is an association of a user from your studio identity source to elevated permissions that they are granted in the studio.

When you add a user to your studio using the Nimble Studio console, they are given access to the studio's IAM Identity Center application and are given access to log in to the Nimble Studio portal. These users have the permissions provided by the studio's user IAM role and do not appear in the studio membership collection. Only studio admins appear in studio membership.

When you add a user to studio membership with the ADMIN persona, upon logging in to the Nimble Studio portal, they are granted permissions specified by the Studio's Admin IAM role.

Contents

identityStoreId

The ID of the identity store.

Type: String

Required: No

persona

The persona.

Type: String

Valid Values: ADMINISTRATOR

Required: No

principalId

The principal ID.

Type: String

Required: No

sid

The Active Directory Security Identifier for this user, if available.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationResult

The launch profile validation result.

Contents

state

The current state.

Type: String

Valid Values: VALIDATION_NOT_STARTED | VALIDATION_IN_PROGRESS |
VALIDATION_SUCCESS | VALIDATION_FAILED |
VALIDATION_FAILED_INTERNAL_SERVER_ERROR

Required: Yes

statusCode

The status code. This will contain the failure reason if the state is VALIDATION_FAILED.

Type: String

Valid Values: VALIDATION_NOT_STARTED | VALIDATION_IN_PROGRESS |
VALIDATION_SUCCESS |
VALIDATION_FAILED_INVALID_SUBNET_ROUTE_TABLE_ASSOCIATION |
VALIDATION_FAILED_SUBNET_NOT_FOUND |
VALIDATION_FAILED_INVALID_SECURITY_GROUP_ASSOCIATION
| VALIDATION_FAILED_INVALID_ACTIVE_DIRECTORY |
VALIDATION_FAILED_UNAUTHORIZED | VALIDATION_FAILED_INTERNAL_SERVER_ERROR

Required: Yes

statusMessage

The status message for the validation result.

Type: String

Required: Yes

type

The type of the validation result.

Type: String

Valid Values: VALIDATE_ACTIVE_DIRECTORY_STUDIO_COMPONENT |
VALIDATE_SUBNET_ASSOCIATION | VALIDATE_NETWORK_ACL_ASSOCIATION |
VALIDATE_SECURITY_GROUP_ASSOCIATION

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

VolumeConfiguration

Custom volume configuration for the root volumes that are attached to streaming sessions.

This parameter is only allowed when sessionPersistenceMode is ACTIVATED.

Contents

iops

The number of I/O operations per second for the root volume that is attached to streaming session.

Type: Integer

Valid Range: Minimum value of 3000. Maximum value of 16000.

Required: No

size

The size of the root volume that is attached to the streaming session. The root volume size is measured in GiBs.

Type: Integer

Valid Range: Minimum value of 100. Maximum value of 16000.

Required: No

throughput

The throughput to provision for the root volume that is attached to the streaming session. The throughput is measured in MiB/s.

Type: Integer

Valid Range: Minimum value of 125. Maximum value of 1000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests in the IAM User Guide](#).

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request").

The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400