



API Reference

Amazon WorkDocs



API Version 2016-05-01

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon WorkDocs: API Reference

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	3
AbortDocumentVersionUpload	5
Request Syntax	5
URI Request Parameters	5
Request Body	6
Response Syntax	6
Response Elements	6
Errors	6
See Also	7
ActivateUser	8
Request Syntax	8
URI Request Parameters	8
Request Body	8
Response Syntax	9
Response Elements	9
Errors	10
See Also	10
AddResourcePermissions	12
Request Syntax	12
URI Request Parameters	12
Request Body	13
Response Syntax	13
Response Elements	14
Errors	14
See Also	15
CreateComment	16
Request Syntax	16
URI Request Parameters	16
Request Body	17
Response Syntax	18
Response Elements	19
Errors	19
See Also	21

CreateCustomMetadata	22
Request Syntax	22
URI Request Parameters	22
Request Body	23
Response Syntax	23
Response Elements	23
Errors	23
See Also	24
CreateFolder	26
Request Syntax	26
URI Request Parameters	26
Request Body	26
Response Syntax	27
Response Elements	27
Errors	28
See Also	29
CreateLabels	30
Request Syntax	30
URI Request Parameters	30
Request Body	31
Response Syntax	31
Response Elements	31
Errors	31
See Also	32
CreateNotificationSubscription	33
Request Syntax	33
URI Request Parameters	33
Request Body	34
Response Syntax	34
Response Elements	35
Errors	35
See Also	36
CreateUser	37
Request Syntax	37
URI Request Parameters	37
Request Body	38

Response Syntax	39
Response Elements	40
Errors	40
See Also	41
DeactivateUser	43
Request Syntax	43
URI Request Parameters	43
Request Body	43
Response Syntax	44
Response Elements	44
Errors	44
See Also	45
DeleteComment	46
Request Syntax	46
URI Request Parameters	46
Request Body	47
Response Syntax	47
Response Elements	47
Errors	47
See Also	48
DeleteCustomMetadata	50
Request Syntax	50
URI Request Parameters	50
Request Body	51
Response Syntax	51
Response Elements	51
Errors	51
See Also	52
DeleteDocument	53
Request Syntax	53
URI Request Parameters	53
Request Body	53
Response Syntax	54
Response Elements	54
Errors	54
See Also	55

DeleteDocumentVersion	56
Request Syntax	56
URI Request Parameters	56
Request Body	57
Response Syntax	57
Response Elements	57
Errors	57
See Also	58
DeleteFolder	60
Request Syntax	60
URI Request Parameters	60
Request Body	60
Response Syntax	61
Response Elements	61
Errors	61
See Also	62
DeleteFolderContents	63
Request Syntax	63
URI Request Parameters	63
Request Body	63
Response Syntax	64
Response Elements	64
Errors	64
See Also	65
DeleteLabels	66
Request Syntax	66
URI Request Parameters	66
Request Body	67
Response Syntax	67
Response Elements	67
Errors	67
See Also	68
DeleteNotificationSubscription	69
Request Syntax	69
URI Request Parameters	69
Request Body	69

Response Syntax	70
Response Elements	70
Errors	70
See Also	70
DeleteUser	72
Request Syntax	72
URI Request Parameters	72
Request Body	73
Response Syntax	73
Response Elements	73
Errors	73
See Also	74
DescribeActivities	75
Request Syntax	75
URI Request Parameters	75
Request Body	77
Response Syntax	77
Response Elements	79
Errors	80
See Also	80
DescribeComments	82
Request Syntax	82
URI Request Parameters	82
Request Body	83
Response Syntax	83
Response Elements	84
Errors	85
See Also	85
DescribeDocumentVersions	87
Request Syntax	87
URI Request Parameters	87
Request Body	88
Response Syntax	88
Response Elements	89
Errors	89
See Also	90

DescribeFolderContents	92
Request Syntax	92
URI Request Parameters	92
Request Body	93
Response Syntax	93
Response Elements	95
Errors	95
See Also	96
DescribeGroups	98
Request Syntax	98
URI Request Parameters	98
Request Body	99
Response Syntax	99
Response Elements	99
Errors	100
See Also	101
DescribeNotificationSubscriptions	102
Request Syntax	102
URI Request Parameters	102
Request Body	103
Response Syntax	103
Response Elements	103
Errors	104
See Also	104
DescribeResourcePermissions	105
Request Syntax	105
URI Request Parameters	105
Request Body	106
Response Syntax	106
Response Elements	106
Errors	107
See Also	108
DescribeRootFolders	109
Request Syntax	109
URI Request Parameters	109
Request Body	110

Response Syntax	110
Response Elements	110
Errors	111
See Also	112
DescribeUsers	113
Request Syntax	113
URI Request Parameters	113
Request Body	115
Response Syntax	116
Response Elements	116
Errors	117
See Also	118
GetCurrentUser	119
Request Syntax	119
URI Request Parameters	119
Request Body	119
Response Syntax	119
Response Elements	120
Errors	120
See Also	121
GetDocument	123
Request Syntax	123
URI Request Parameters	123
Request Body	124
Response Syntax	124
Response Elements	125
Errors	125
See Also	126
GetDocumentPath	128
Request Syntax	128
URI Request Parameters	128
Request Body	129
Response Syntax	129
Response Elements	129
Errors	130
See Also	130

GetDocumentVersion	132
Request Syntax	132
URI Request Parameters	132
Request Body	133
Response Syntax	133
Response Elements	134
Errors	134
See Also	135
GetFolder	137
Request Syntax	137
URI Request Parameters	137
Request Body	138
Response Syntax	138
Response Elements	138
Errors	139
See Also	140
GetFolderPath	141
Request Syntax	141
URI Request Parameters	141
Request Body	142
Response Syntax	142
Response Elements	142
Errors	143
See Also	143
GetResources	145
Request Syntax	145
URI Request Parameters	145
Request Body	146
Response Syntax	146
Response Elements	147
Errors	148
See Also	149
InitiateDocumentVersionUpload	150
Request Syntax	150
URI Request Parameters	150
Request Body	151

Response Syntax	152
Response Elements	153
Errors	154
See Also	155
RemoveAllResourcePermissions	157
Request Syntax	157
URI Request Parameters	157
Request Body	157
Response Syntax	158
Response Elements	158
Errors	158
See Also	158
RemoveResourcePermission	160
Request Syntax	160
URI Request Parameters	160
Request Body	161
Response Syntax	161
Response Elements	161
Errors	161
See Also	162
RestoreDocumentVersions	163
Request Syntax	163
URI Request Parameters	163
Request Body	163
Response Syntax	164
Response Elements	164
Errors	164
See Also	165
SearchResources	166
Request Syntax	166
URI Request Parameters	167
Request Body	167
Response Syntax	169
Response Elements	172
Errors	172
See Also	173

UpdateDocument	174
Request Syntax	174
URI Request Parameters	174
Request Body	175
Response Syntax	175
Response Elements	176
Errors	176
See Also	177
UpdateDocumentVersion	178
Request Syntax	178
URI Request Parameters	178
Request Body	179
Response Syntax	179
Response Elements	179
Errors	179
See Also	181
UpdateFolder	182
Request Syntax	182
URI Request Parameters	182
Request Body	183
Response Syntax	183
Response Elements	184
Errors	184
See Also	185
UpdateUser	186
Request Syntax	186
URI Request Parameters	186
Request Body	187
Response Syntax	188
Response Elements	189
Errors	189
See Also	191
Data Types	192
Activity	194
Contents	194
See Also	196

Comment	197
Contents	197
See Also	199
CommentMetadata	200
Contents	200
See Also	201
DateRangeType	202
Contents	202
See Also	202
DocumentMetadata	203
Contents	203
See Also	205
DocumentVersionMetadata	206
Contents	206
See Also	209
Filters	210
Contents	210
See Also	212
FolderMetadata	213
Contents	213
See Also	215
GroupMetadata	217
Contents	217
See Also	217
LongRangeType	219
Contents	219
See Also	219
NotificationOptions	220
Contents	220
See Also	220
Participants	221
Contents	221
See Also	221
PermissionInfo	222
Contents	222
See Also	222

Principal	224
Contents	224
See Also	225
ResourceMetadata	226
Contents	226
See Also	228
ResourcePath	229
Contents	229
See Also	229
ResourcePathComponent	230
Contents	230
See Also	230
ResponseItem	232
Contents	232
See Also	233
SearchPrincipalType	234
Contents	234
See Also	234
SearchSortResult	236
Contents	236
See Also	236
SharePrincipal	238
Contents	238
See Also	239
ShareResult	240
Contents	240
See Also	241
StorageRuleType	242
Contents	242
See Also	242
Subscription	244
Contents	244
See Also	245
UploadMetadata	246
Contents	246
See Also	246

User	248
Contents	248
See Also	251
UserMetadata	252
Contents	252
See Also	253
UserStorageMetadata	254
Contents	254
See Also	254
Common Parameters	255
Common Errors	258

Welcome

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

The Amazon WorkDocs API is designed for the following use cases:

- **File Migration:** File migration applications are supported for users who want to migrate their files from an on-premises or off-premises file system or service. Users can insert files into a user directory structure, as well as allow for basic metadata changes, such as modifications to the permissions of files.
- **Security:** Support security applications are supported for users who have additional security needs, such as anti virus or data loss prevention. The API actions, along with AWS CloudTrail, allow these applications to detect when changes occur in Amazon WorkDocs. Then, the application can take the necessary actions and replace the target file. If the target file violates the policy, the application can also choose to email the user.
- **eDiscovery/Analytics:** General administrative applications are supported, such as eDiscovery and analytics. These applications can choose to mimic or record the actions in an Amazon WorkDocs site, along with AWS CloudTrail, to replicate data for eDiscovery, backup, or analytical applications.

All Amazon WorkDocs API actions are Amazon authenticated and certificate-signed. They not only require the use of the AWS SDK, but also allow for the exclusive use of IAM users and roles to help facilitate access, trust, and permission policies. By creating a role and allowing an IAM user to access the Amazon WorkDocs site, the IAM user gains full administrative visibility into the entire Amazon WorkDocs site (or as set in the IAM policy). This includes, but is not limited to, the ability to modify file permissions and upload any file to any user. This allows developers to perform the three use cases above, as well as give users the ability to grant access on a selective basis using the IAM model.

Note

The pricing for Amazon WorkDocs APIs varies depending on the API call type for these actions:

- DELETE*, CANCEL

- LIST (Describe*)
- READ (Get*)
- SEARCH
- WRITE (Activate*, Add*, Create*, Deactivate*, Initiate*, Update*)

For information about Amazon WorkDocs API pricing, see [Amazon WorkDocs Pricing](#).

This document was last published on July 2, 2024.

Actions

The following actions are supported:

- [AbortDocumentVersionUpload](#)
- [ActivateUser](#)
- [AddResourcePermissions](#)
- [CreateComment](#)
- [CreateCustomMetadata](#)
- [CreateFolder](#)
- [CreateLabels](#)
- [CreateNotificationSubscription](#)
- [CreateUser](#)
- [DeactivateUser](#)
- [DeleteComment](#)
- [DeleteCustomMetadata](#)
- [DeleteDocument](#)
- [DeleteDocumentVersion](#)
- [DeleteFolder](#)
- [DeleteFolderContents](#)
- [DeleteLabels](#)
- [DeleteNotificationSubscription](#)
- [DeleteUser](#)
- [DescribeActivities](#)
- [DescribeComments](#)
- [DescribeDocumentVersions](#)
- [DescribeFolderContents](#)
- [DescribeGroups](#)
- [DescribeNotificationSubscriptions](#)
- [DescribeResourcePermissions](#)
- [DescribeRootFolders](#)

- [DescribeUsers](#)
- [GetCurrentUser](#)
- [GetDocument](#)
- [GetDocumentPath](#)
- [GetDocumentVersion](#)
- [GetFolder](#)
- [GetFolderPath](#)
- [GetResources](#)
- [InitiateDocumentVersionUpload](#)
- [RemoveAllResourcePermissions](#)
- [RemoveResourcePermission](#)
- [RestoreDocumentVersions](#)
- [SearchResources](#)
- [UpdateDocument](#)
- [UpdateDocumentVersion](#)
- [UpdateFolder](#)
- [UpdateUser](#)

AbortDocumentVersionUpload

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Aborts the upload of the specified document version that was previously initiated by [InitiateDocumentVersionUpload](#). The client should make this call only when it no longer intends to upload the document version, or fails to do so.

Request Syntax

```
DELETE /api/v1/documents/DocumentId/versions/VersionId HTTP/1.1
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+- .@]+`

Required: Yes

VersionId

The ID of the version.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConcurrentModificationException

The resource hierarchy is changing.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ActivateUser

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Activates the specified user. Only active users can access Amazon WorkDocs.

Request Syntax

```
POST /api/v1/users/UserId/activation HTTP/1.1
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

UserId

The ID of the user.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [$\&$ \w+- .@]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "User": {
    "CreatedTimestamp": number,
    "EmailAddress": "string",
    "GivenName": "string",
    "Id": "string",
    "Locale": "string",
    "ModifiedTimestamp": number,
    "OrganizationId": "string",
    "RecycleBinFolderId": "string",
    "RootFolderId": "string",
    "Status": "string",
    "Storage": {
      "StorageRule": {
        "StorageAllocatedInBytes": number,
        "StorageType": "string"
      },
      "StorageUtilizedInBytes": number
    },
    "Surname": "string",
    "TimeZoneId": "string",
    "Type": "string",
    "Username": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

User

The user information.

Type: [User](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AddResourcePermissions

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Creates a set of permissions for the specified folder or document. The resource permissions are overwritten if the principals already have different permissions.

Request Syntax

```
POST /api/v1/resources/ResourceId/permissions HTTP/1.1
```

```
Authentication: AuthenticationToken
```

```
Content-type: application/json
```

```
{
  "NotificationOptions": {
    "EmailMessage": "string",
    "SendEmail": boolean
  },
  "Principals": [
    {
      "Id": "string",
      "Role": "string",
      "Type": "string"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

ResourceId

The ID of the resource.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

NotificationOptions

The notification options.

Type: [NotificationOptions](#) object

Required: No

Principals

The users, groups, or organization being granted permission.

Type: Array of [SharePrincipal](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "ShareResults": [
    {
      "InviteePrincipalId": "string",
      "PrincipalId": "string",
      "Role": "string",
      "ShareId": "string",
```

```
    "Status": "string",  
    "StatusMessage": "string"  
  }  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

ShareResults

The share results.

Type: Array of [ShareResult](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateComment

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Adds a new comment to the specified document version.

Request Syntax

```
POST /api/v1/documents/DocumentId/versions/VersionId/comment HTTP/1.1
```

Authentication: *AuthenticationToken*

Content-type: application/json

```
{
  "NotifyCollaborators": boolean,
  "ParentId": "string",
  "Text": "string",
  "ThreadId": "string",
  "Visibility": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

VersionId

The ID of the document version.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

NotifyCollaborators

Set this parameter to TRUE to send an email out to the document collaborators after the comment is created.

Type: Boolean

Required: No

ParentId

The ID of the parent comment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

Text

The text of the comment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

ThreadId

The ID of the root comment in the thread.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+- .@]+`

Required: No

Visibility

The visibility of the comment. Options are either PRIVATE, where the comment is visible only to the comment author and document owner and co-owners, or PUBLIC, where the comment is visible to document owners, co-owners, and contributors.

Type: String

Valid Values: PUBLIC | PRIVATE

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Comment": {
    "CommentId": "string",
    "Contributor": {
      "CreatedTimestamp": number,
      "EmailAddress": "string",
      "GivenName": "string",
      "Id": "string",
      "Locale": "string",
```

```

    "ModifiedTimestamp": number,
    "OrganizationId": "string",
    "RecycleBinFolderId": "string",
    "RootFolderId": "string",
    "Status": "string",
    "Storage": {
      "StorageRule": {
        "StorageAllocatedInBytes": number,
        "StorageType": "string"
      },
      "StorageUtilizedInBytes": number
    },
    "Surname": "string",
    "TimeZoneId": "string",
    "Type": "string",
    "Username": "string"
  },
  "CreatedTimestamp": number,
  "ParentId": "string",
  "RecipientId": "string",
  "Status": "string",
  "Text": "string",
  "ThreadId": "string",
  "Visibility": "string"
}
}

```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

Comment

The comment that has been created.

Type: [Comment](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

DocumentLockedForCommentsException

This exception is thrown when the document is locked for comments and user tries to create or delete a comment on that document.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidCommentOperationException

The requested operation is not allowed on the specified comment object.

HTTP Status Code: 409

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateCustomMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Adds one or more custom properties to the specified resource (a folder, document, or version).

Request Syntax

```
PUT /api/v1/resources/ResourceId/customMetadata?versionid=VersionId HTTP/1.1
```

Authentication: *AuthenticationToken*

Content-type: application/json

```
{
  "CustomMetadata": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

ResourceId

The ID of the resource.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

VersionId

The ID of the version, if the custom metadata is being added to a document version.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Request Body

The request accepts the following data in JSON format.

CustomMetadata

Custom metadata in the form of name-value pairs.

Type: String to string map

Map Entries: Maximum number of 8 items.

Key Length Constraints: Minimum length of 1. Maximum length of 56.

Key Pattern: `[a-zA-Z0-9._+ -/=][a-zA-Z0-9 ._-+ -/=]*`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `[a-zA-Z0-9._+ -/=][a-zA-Z0-9 ._-+ -/=]*`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

CustomMetadataLimitExceededException

The limit has been reached on the number of custom properties for the specified resource.

HTTP Status Code: 429

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateFolder

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Creates a folder with the specified name and parent folder.

Request Syntax

```
POST /api/v1/folders HTTP/1.1
Authentication: AuthenticationToken
Content-type: application/json
```

```
{
  "Name": "string",
  "ParentFolderId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Request Body

The request accepts the following data in JSON format.

Name

The name of the new folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\u0020-\u202D\u202F-\uFFFF]+`

Required: No

ParentFolderId

The ID of the parent folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+-.@]+`

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Metadata": {
    "CreatedTimestamp": number,
    "CreatorId": "string",
    "Id": "string",
    "Labels": [ "string" ],
    "LatestVersionSize": number,
    "ModifiedTimestamp": number,
    "Name": "string",
    "ParentFolderId": "string",
    "ResourceState": "string",
    "Signature": "string",
    "Size": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

Metadata

The metadata of the folder.

Type: [FolderMetadata](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConcurrentModificationException

The resource hierarchy is changing.

HTTP Status Code: 409

ConflictingOperationException

Another operation is in progress on the resource that conflicts with the current operation.

HTTP Status Code: 409

EntityAlreadyExistsException

The resource already exists.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

LimitExceededException

The maximum of 100,000 files and folders under the parent folder has been exceeded.

HTTP Status Code: 409

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateLabels

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Adds the specified list of labels to the given resource (a document or folder)

Request Syntax

```
PUT /api/v1/resources/ResourceId/labels HTTP/1.1
```

```
Authentication: AuthenticationToken
```

```
Content-type: application/json
```

```
{  
  "Labels": [ "string" ]  
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

ResourceId

The ID of the resource.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+- .@]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

Labels

List of labels to add to the resource.

Type: Array of strings

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `[a-zA-Z0-9._+-/=][a-zA-Z0-9._+-/=]*`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

TooManyLabelsException

The limit has been reached on the number of labels for the specified resource.

HTTP Status Code: 429

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateNotificationSubscription

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Configure Amazon WorkDocs to use Amazon SNS notifications. The endpoint receives a confirmation message, and must confirm the subscription.

For more information, see [Setting up notifications for an IAM user or role](#) in the *Amazon WorkDocs Developer Guide*.

Request Syntax

```
POST /api/v1/organizations/OrganizationId/subscriptions HTTP/1.1
Content-type: application/json
```

```
{
  "Endpoint": "string",
  "Protocol": "string",
  "SubscriptionType": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

OrganizationId

The ID of the organization.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [[&\w+- .@](#)]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

Endpoint

The endpoint to receive the notifications. If the protocol is HTTPS, the endpoint is a URL that begins with `https`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

Protocol

The protocol to use. The supported value is `https`, which delivers JSON-encoded messages using HTTPS POST.

Type: String

Valid Values: HTTPS | SQS

Required: Yes

SubscriptionType

The notification type.

Type: String

Valid Values: ALL

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Subscription": {
```

```
"EndPoint": "string",  
"Protocol": "string",  
"SubscriptionId": "string"  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Subscription

The subscription.

Type: [Subscription](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

TooManySubscriptionsException

You've reached the limit on the number of subscriptions for the WorkDocs instance.

HTTP Status Code: 429

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateUser

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Creates a user in a Simple AD or Microsoft AD directory. The status of a newly created user is "ACTIVE". New users can access Amazon WorkDocs.

Request Syntax

```
POST /api/v1/users HTTP/1.1
Authentication: AuthenticationToken
Content-type: application/json

{
  "EmailAddress": "string",
  "GivenName": "string",
  "OrganizationId": "string",
  "Password": "string",
  "StorageRule": {
    "StorageAllocatedInBytes": number,
    "StorageType": "string"
  },
  "Surname": "string",
  "TimeZoneId": "string",
  "Username": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Request Body

The request accepts the following data in JSON format.

EmailAddress

The email address of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z0-9._%+~]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}`

Required: No

GivenName

The given name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

OrganizationId

The ID of the organization.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[&\w+- .@]+`

Required: No

Password

The password of the user.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 32.

Pattern: `[\u0020-\u00FF]+`

Required: Yes

StorageRule

The amount of storage for the user.

Type: [StorageRuleType](#) object

Required: No

Surname

The surname of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: Yes

TimeZoneId

The time zone ID of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Username

The login name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\-\+\.\]+(\@[a-zA-Z0-9.\-]+\.[a-zA-Z]+)?`

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json
```

```
{
  "User": {
    "CreatedTimestamp": number,
    "EmailAddress": "string",
    "GivenName": "string",
    "Id": "string",
    "Locale": "string",
    "ModifiedTimestamp": number,
    "OrganizationId": "string",
    "RecycleBinFolderId": "string",
    "RootFolderId": "string",
    "Status": "string",
    "Storage": {
      "StorageRule": {
        "StorageAllocatedInBytes": number,
        "StorageType": "string"
      },
      "StorageUtilizedInBytes": number
    },
    "Surname": "string",
    "TimeZoneId": "string",
    "Type": "string",
    "Username": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

User

The user information.

Type: [User](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityAlreadyExistsException

The resource already exists.

HTTP Status Code: 409

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeactivateUser

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Deactivates the specified user, which revokes the user's access to Amazon WorkDocs.

Request Syntax

```
DELETE /api/v1/users/UserId/activation HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

UserId

The ID of the user.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [$\&$ \w+- .@]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteComment

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Deletes the specified comment from the document version.

Request Syntax

```
DELETE /api/v1/documents/DocumentId/versions/VersionId/comment/CommentId HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

CommentId

The ID of the comment.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

VersionId

The ID of the document version.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

DocumentLockedForCommentsException

This exception is thrown when the document is locked for comments and user tries to create or delete a comment on that document.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteCustomMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Deletes custom metadata from the specified resource.

Request Syntax

```
DELETE /api/v1/resources/ResourceId/customMetadata?  
deleteAll=DeleteAll&keys=Keys&versionId=VersionId HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DeleteAll

Flag to indicate removal of all custom metadata properties from the specified resource.

Keys

List of properties to remove.

Array Members: Maximum number of 8 items.

Length Constraints: Minimum length of 1. Maximum length of 56.

Pattern: `[a-zA-Z0-9._+-/=][a-zA-Z0-9._+-/=]*`

ResourceId

The ID of the resource, either a document or folder.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

VersionId

The ID of the version, if the custom metadata is being deleted from a document version.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteDocument

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Permanently deletes the specified document and its associated metadata.

Request Syntax

```
DELETE /api/v1/documents/DocumentId HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConcurrentModificationException

The resource hierarchy is changing.

HTTP Status Code: 409

ConflictingOperationException

Another operation is in progress on the resource that conflicts with the current operation.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

LimitExceededException

The maximum of 100,000 files and folders under the parent folder has been exceeded.

HTTP Status Code: 409

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteDocumentVersion

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Deletes a specific version of a document.

Request Syntax

```
DELETE /api/v1/documentVersions/DocumentId/versions/VersionId?  
deletePriorVersions=DeletePriorVersions HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DeletePriorVersions

Deletes all versions of a document prior to the current version.

Required: Yes

DocumentId

The ID of the document associated with the version being deleted.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

VersionId

The ID of the version being deleted.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConcurrentModificationException

The resource hierarchy is changing.

HTTP Status Code: 409

ConflictingOperationException

Another operation is in progress on the resource that conflicts with the current operation.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidOperationException

The operation is invalid.

HTTP Status Code: 405

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteFolder

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Permanently deletes the specified folder and its contents.

Request Syntax

```
DELETE /api/v1/folders/FolderId HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

FolderId

The ID of the folder.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConcurrentModificationException

The resource hierarchy is changing.

HTTP Status Code: 409

ConflictingOperationException

Another operation is in progress on the resource that conflicts with the current operation.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

LimitExceededException

The maximum of 100,000 files and folders under the parent folder has been exceeded.

HTTP Status Code: 409

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteFolderContents

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Deletes the contents of the specified folder.

Request Syntax

```
DELETE /api/v1/folders/FolderId/contents HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

FolderId

The ID of the folder.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConflictingOperationException

Another operation is in progress on the resource that conflicts with the current operation.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteLabels

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Deletes the specified list of labels from a resource.

Request Syntax

```
DELETE /api/v1/resources/ResourceId/labels?deleteAll=DeleteAll&labels=Labels HTTP/1.1
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DeleteAll

Flag to request removal of all labels from the specified resource.

Labels

List of labels to delete from the resource.

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `[a-zA-Z0-9._+-/=][a-zA-Z0-9 ._-+/-=]*`

ResourceId

The ID of the resource.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteNotificationSubscription

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Deletes the specified subscription from the specified organization.

Request Syntax

```
DELETE /api/v1/organizations/OrganizationId/subscriptions/SubscriptionId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

OrganizationId

The ID of the organization.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [$\&$ \w+- .@]+

Required: Yes

SubscriptionId

The ID of the subscription.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [$\&$ \w+- .@]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteUser

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Deletes the specified user from a Simple AD or Microsoft AD directory.

Important

Deleting a user immediately and permanently deletes all content in that user's folder structure. Site retention policies do NOT apply to this type of deletion.

Request Syntax

```
DELETE /api/v1/users/UserId HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Do not set this field when using administrative API actions, as in accessing the API using AWS credentials.

Length Constraints: Minimum length of 1. Maximum length of 8199.

UserId

The ID of the user.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [*&\w+- .@*]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeActivities

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the user activities in a specified time period.

Request Syntax

```
GET /api/v1/activities?  
activityTypes=ActivityTypes&endTime=EndTime&includeIndirectActivities=IncludeIndirectActivities  
HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

ActivityTypes

Specifies which activity types to include in the response. If this field is left empty, all activity types are returned.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\w,]+`

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

EndTime

The timestamp that determines the end time of the activities. The response includes the activities performed before the specified timestamp.

IncludeIndirectActivities

Includes indirect activities. An indirect activity results from a direct activity performed on a parent resource. For example, sharing a parent folder (the direct activity) shares all of the subfolders and documents within the parent folder (the indirect activity).

Limit

The maximum number of items to return.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

The marker for the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 12288.

Pattern: `[\u0000-\u00FF]+`

OrganizationId

The ID of the organization. This is a mandatory parameter when using administrative API (SigV4) requests.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[&\w+- .@]+`

ResourceId

The document or folder ID for which to describe activity types.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[&\w+- .@]+`

StartTime

The timestamp that determines the starting time of the activities. The response includes the activities performed after the specified timestamp.

UserId

The ID of the user who performed the action. The response includes activities pertaining to this user. This is an optional parameter and is only applicable for administrative API (SigV4) requests.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [[&\w+- .@](#)]+

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Marker": "string",
  "UserActivities": [
    {
      "CommentMetadata": {
        "CommentId": "string",
        "CommentStatus": "string",
        "Contributor": {
          "CreatedTimestamp": number,
          "EmailAddress": "string",
          "GivenName": "string",
          "Id": "string",
          "Locale": "string",
          "ModifiedTimestamp": number,
          "OrganizationId": "string",
          "RecycleBinFolderId": "string",
          "RootFolderId": "string",
          "Status": "string",
          "Storage": {
            "StorageRule": {
              "StorageAllocatedInBytes": number,
              "StorageType": "string"
            },
            "StorageUtilizedInBytes": number
          },
          "Surname": "string",
          "TimeZoneId": "string",
          "Type": "string",
          "Username": "string"
        }
      }
    }
  ]
}
```

```
    },
    "ContributorId": "string",
    "CreatedTimestamp": number,
    "RecipientId": "string"
  },
  "Initiator": {
    "EmailAddress": "string",
    "GivenName": "string",
    "Id": "string",
    "Surname": "string",
    "Username": "string"
  },
  "IsIndirectActivity": boolean,
  "OrganizationId": "string",
  "OriginalParent": {
    "Id": "string",
    "Name": "string",
    "OriginalName": "string",
    "Owner": {
      "EmailAddress": "string",
      "GivenName": "string",
      "Id": "string",
      "Surname": "string",
      "Username": "string"
    },
    "ParentId": "string",
    "Type": "string",
    "VersionId": "string"
  },
  "Participants": {
    "Groups": [
      {
        "Id": "string",
        "Name": "string"
      }
    ],
    "Users": [
      {
        "EmailAddress": "string",
        "GivenName": "string",
        "Id": "string",
        "Surname": "string",
        "Username": "string"
      }
    ]
  }
}
```

```
    ]
  },
  "ResourceMetadata": {
    "Id": "string",
    "Name": "string",
    "OriginalName": "string",
    "Owner": {
      "EmailAddress": "string",
      "GivenName": "string",
      "Id": "string",
      "Surname": "string",
      "Username": "string"
    },
    "ParentId": "string",
    "Type": "string",
    "VersionId": "string"
  },
  "TimeStamp": number,
  "Type": "string"
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Marker

The marker for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 12288.

Pattern: `[\u0000-\u00FF]+`

UserActivities

The list of activities for the specified user and time period.

Type: Array of [Activity](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeComments

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

List all the comments for the specified document version.

Request Syntax

```
GET /api/v1/documents/DocumentId/versions/VersionId/comments?limit=Limit&marker=Marker
HTTP/1.1
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Limit

The maximum number of items to return.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

The marker for the next set of results. This marker was received from a previous call.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[\u0000-\u00FF]+`

VersionId

The ID of the document version.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Comments": [
    {
      "CommentId": "string",
      "Contributor": {
        "CreatedTimestamp": number,
        "EmailAddress": "string",
        "GivenName": "string",
        "Id": "string",
        "Locale": "string",
        "ModifiedTimestamp": number,
        "OrganizationId": "string",
        "RecycleBinFolderId": "string",
        "RootFolderId": "string",
        "Status": "string",
        "Storage": {
```

```
    "StorageRule": {
      "StorageAllocatedInBytes": number,
      "StorageType": "string"
    },
    "StorageUtilizedInBytes": number
  },
  "Surname": "string",
  "TimeZoneId": "string",
  "Type": "string",
  "Username": "string"
},
"CreatedTimestamp": number,
"ParentId": "string",
"RecipientId": "string",
"Status": "string",
"Text": "string",
"ThreadId": "string",
"Visibility": "string"
}
],
"Marker": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Comments

The list of comments for the specified document version.

Type: Array of [Comment](#) objects

Marker

The marker for the next set of results. This marker was received from a previous call.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[\u0000-\u00FF]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeDocumentVersions

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Retrieves the document versions for the specified document.

By default, only active versions are returned.

Request Syntax

```
GET /api/v1/documents/DocumentId/versions?  
fields=Fields&include=Include&limit=Limit&marker=Marker HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+- .@]+`

Required: Yes

Fields

Specify "SOURCE" to include initialized versions and a URL for the source document.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w,]+`

Include

A comma-separated list of values. Specify "INITIALIZED" to include incomplete versions.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w,]+`

Limit

The maximum number of versions to return with this call.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

The marker for the next set of results. (You received this marker from a previous call.)

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DocumentVersions": [
    {
      "ContentCreatedTimestamp": number,
      "ContentModifiedTimestamp": number,
      "ContentType": "string",
      "CreatedTimestamp": number,
      "CreatorId": "string",
      "Id": "string",
      "ModifiedTimestamp": number,
      "Name": "string",
      "Signature": "string",
```

```
    "Size": number,
    "Source": {
      "string" : "string"
    },
    "Status": "string",
    "Thumbnail": {
      "string" : "string"
    }
  }
],
"Marker": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DocumentVersions

The document versions.

Type: Array of [DocumentVersionMetadata](#) objects

Marker

The marker to use when requesting the next set of results. If there are no additional results, the string is empty.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

InvalidPasswordException

The password is invalid.

HTTP Status Code: 401

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeFolderContents

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the contents of the specified folder, including its documents and subfolders.

By default, Amazon WorkDocs returns the first 100 active document and folder metadata items. If there are more results, the response includes a marker that you can use to request the next set of results. You can also request initialized documents.

Request Syntax

```
GET /api/v1/folders/FolderId/contents?  
include=Include&limit=Limit&marker=Marker&order=Order&sort=Sort&type=Type HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

FolderId

The ID of the folder.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+- .@]+`

Required: Yes

Include

The contents to include. Specify "INITIALIZED" to include initialized documents.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w,]+`

Limit

The maximum number of items to return with this call.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

The marker for the next set of results. This marker was received from a previous call.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Order

The order for the contents of the folder.

Valid Values: ASCENDING | DESCENDING

Sort

The sorting criteria.

Valid Values: DATE | NAME

Type

The type of items.

Valid Values: ALL | DOCUMENT | FOLDER

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "Documents": [
    {
      "CreatedTimestamp": number,
      "CreatorId": "string",
      "Id": "string",
      "Labels": [ "string" ],
      "LatestVersionMetadata": {
        "ContentCreatedTimestamp": number,
        "ContentModifiedTimestamp": number,
        "ContentType": "string",
        "CreatedTimestamp": number,
        "CreatorId": "string",
        "Id": "string",
        "ModifiedTimestamp": number,
        "Name": "string",
        "Signature": "string",
        "Size": number,
        "Source": {
          "string" : "string"
        },
        "Status": "string",
        "Thumbnail": {
          "string" : "string"
        }
      },
      "ModifiedTimestamp": number,
      "ParentFolderId": "string",
      "ResourceState": "string"
    }
  ],
  "Folders": [
    {
      "CreatedTimestamp": number,
      "CreatorId": "string",
      "Id": "string",
      "Labels": [ "string" ],
      "LatestVersionSize": number,
      "ModifiedTimestamp": number,
      "Name": "string",
      "ParentFolderId": "string",
      "ResourceState": "string",
      "Signature": "string",
      "Size": number
    }
  ]
}
```

```
    }  
  ],  
  "Marker": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Documents

The documents in the specified folder.

Type: Array of [DocumentMetadata](#) objects

Folders

The subfolders in the specified folder.

Type: Array of [FolderMetadata](#) objects

Marker

The marker to use when requesting the next set of results. If there are no additional results, the string is empty.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeGroups

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the groups specified by the query. Groups are defined by the underlying Active Directory.

Request Syntax

```
GET /api/v1/groups?  
limit=Limit&marker=Marker&organizationId=OrganizationId&searchQuery=SearchQuery  
HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Limit

The maximum number of items to return with this call.

Valid Range: Minimum value of 1.

Marker

The marker for the next set of results. (You received this marker from a previous call.)

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[\u0000-\u00FF]+`

OrganizationId

The ID of the organization.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [$\&\backslash w+- \. @$]+

SearchQuery

A query to describe groups by group name.

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: [$\backslash u0020-\backslash uFFFF$]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Groups": [
    {
      "Id": "string",
      "Name": "string"
    }
  ],
  "Marker": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Groups

The list of groups.

Type: Array of [GroupMetadata](#) objects

Marker

The marker to use when requesting the next set of results. If there are no additional results, the string is empty.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[\u0000-\u00FF]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeNotificationSubscriptions

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Lists the specified notification subscriptions.

Request Syntax

```
GET /api/v1/organizations/OrganizationId/subscriptions?limit=Limit&marker=Marker
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

Limit

The maximum number of items to return with this call.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

The marker for the next set of results. (You received this marker from a previous call.)

Length Constraints: Minimum length of 1. Maximum length of 2048.

OrganizationId

The ID of the organization.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [$\&\backslash w+- \. @$]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Marker": "string",
  "Subscriptions": [
    {
      "EndPoint": "string",
      "Protocol": "string",
      "SubscriptionId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Marker

The marker to use when requesting the next set of results. If there are no additional results, the string is empty.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Subscriptions

The subscriptions.

Type: Array of [Subscription](#) objects

Array Members: Maximum number of 256 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeResourcePermissions

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the permissions of a specified resource.

Request Syntax

```
GET /api/v1/resources/ResourceId/permissions?  
limit=Limit&marker=Marker&principalId=PrincipalId HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Limit

The maximum number of items to return with this call.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

The marker for the next set of results. (You received this marker from a previous call)

Length Constraints: Minimum length of 1. Maximum length of 2048.

PrincipalId

The ID of the principal to filter permissions by.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [[&](#)\w+ - .@]+

[ResourceId](#)

The ID of the resource.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [[\](#)w+ - .@]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Marker": "string",
  "Principals": [
    {
      "Id": "string",
      "Roles": [
        {
          "Role": "string",
          "Type": "string"
        }
      ],
      "Type": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Marker

The marker to use when requesting the next set of results. If there are no additional results, the string is empty.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Principals

The principals.

Type: Array of [Principal](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeRootFolders

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the current user's special folders; the `RootFolder` and the `RecycleBin`. `RootFolder` is the root of user's files and folders and `RecycleBin` is the root of recycled items. This is not a valid action for SigV4 (administrative API) clients.

This action requires an authentication token. To get an authentication token, register an application with Amazon WorkDocs. For more information, see [Authentication and Access Control for User Applications](#) in the *Amazon WorkDocs Developer Guide*.

Request Syntax

```
GET /api/v1/me/root?limit=Limit&marker=Marker HTTP/1.1
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Required: Yes

Limit

The maximum number of items to return.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

The marker for the next set of results. (You received this marker from a previous call.)

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Folders": [
    {
      "CreatedTimestamp": number,
      "CreatorId": "string",
      "Id": "string",
      "Labels": [ "string" ],
      "LatestVersionSize": number,
      "ModifiedTimestamp": number,
      "Name": "string",
      "ParentFolderId": "string",
      "ResourceState": "string",
      "Signature": "string",
      "Size": number
    }
  ],
  "Marker": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Folders

The user's special folders.

Type: Array of [FolderMetadata](#) objects

Marker

The marker for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeUsers

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the specified users. You can describe all users or filter the results (for example, by status or organization).

By default, Amazon WorkDocs returns the first 24 active or pending users. If there are more results, the response includes a marker that you can use to request the next set of results.

Request Syntax

```
GET /api/v1/users?  
fields=Fields&include=Include&limit=Limit&marker=Marker&order=Order&organizationId=OrganizationId  
HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Fields

A comma-separated list of values. Specify "STORAGE_METADATA" to include the user storage quota and utilization information.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w,]+`

Include

The state of the users. Specify "ALL" to include inactive users.

Valid Values: ALL | ACTIVE_PENDING

Limit

The maximum number of items to return.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

The marker for the next set of results. (You received this marker from a previous call.)

Length Constraints: Minimum length of 1. Maximum length of 2048.

Order

The order for the results.

Valid Values: ASCENDING | DESCENDING

OrganizationId

The ID of the organization.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [&\w+- .@]+

Query

A query to filter users by user name. Remember the following about the `Userids` and `Query` parameters:

- If you don't use either parameter, the API returns a paginated list of all users on the site.
- If you use both parameters, the API ignores the `Query` parameter.
- The `Userid` parameter only returns the users that match a corresponding user ID.
- Use commas to delimit multiple user IDs. For example:

```
aws workdocs describe-users --region us-west-2 --user-ids  
'S-1-5-21-3987873806-3646240316-3418290641-317967&d-9267750cd0,S-1-5-21-3987
```

- We treat the ID field as a string. We don't limit the number of IDs. The string can be 2000 characters long. Each ID is 59 characters. With the comma delimiter, the caller can supply up to 33 users in one request.
- You don't need a delimiter for `user-query`. For multi-word queries, enclose the query in quotes. For example:

```
aws workdocs describe-users --region us-west-2 --organization-id
d-9267750cd0 --user-query 'First Last'
```

- You can use a maximum of 512 characters in a query. We don't limit the number of query terms as long as the string is less than 512 characters.
- The `Query` parameter runs a "prefix" search for users by the `GivenName`, `SurName`, or `UserName` fields included in a [CreateUser](#) API call. For example, querying on `Ma` returns Márcia Oliveira, María García, and Mateo Jackson. If you use multiple characters, the API only returns data that matches all characters. For example, querying on `Ma J` only returns Mateo Jackson.

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `[\u0020-\uFFFF]+`

Sort

The sorting criteria.

Valid Values: `USER_NAME` | `FULL_NAME` | `STORAGE_LIMIT` | `USER_STATUS` | `STORAGE_USED`

UserIds

The IDs of the users.

Length Constraints: Minimum length of 1. Maximum length of 2000.

Pattern: `[&\w+- .@,]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Marker": "string",
  "TotalNumberOfUsers": number,
  "Users": [
    {
      "CreatedTimestamp": number,
      "EmailAddress": "string",
      "GivenName": "string",
      "Id": "string",
      "Locale": "string",
      "ModifiedTimestamp": number,
      "OrganizationId": "string",
      "RecycleBinFolderId": "string",
      "RootFolderId": "string",
      "Status": "string",
      "Storage": {
        "StorageRule": {
          "StorageAllocatedInBytes": number,
          "StorageType": "string"
        },
        "StorageUtilizedInBytes": number
      },
      "Surname": "string",
      "TimeZoneId": "string",
      "Type": "string",
      "Username": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Marker

The marker to use when requesting the next set of results. If there are no additional results, the string is empty.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

TotalNumberOfUsers

This parameter has been deprecated.

The total number of users included in the results.

Type: Long

Users

The users.

Type: Array of [User](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

RequestedEntityTooLargeException

The response is too large to return. The request must include a filter to reduce the size of the response.

HTTP Status Code: 413

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetCurrentUser

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Retrieves details of the current user for whom the authentication token was generated. This is not a valid action for SigV4 (administrative API) clients.

This action requires an authentication token. To get an authentication token, register an application with Amazon WorkDocs. For more information, see [Authentication and Access Control for User Applications](#) in the *Amazon WorkDocs Developer Guide*.

Request Syntax

```
GET /api/v1/me HTTP/1.1
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "User": {
    "CreatedTimestamp": number,
    "EmailAddress": "string",
    "GivenName": "string",
    "Id": "string",
    "Locale": "string",
    "ModifiedTimestamp": number,
    "OrganizationId": "string",
    "RecycleBinFolderId": "string",
    "RootFolderId": "string",
    "Status": "string",
    "Storage": {
      "StorageRule": {
        "StorageAllocatedInBytes": number,
        "StorageType": "string"
      },
      "StorageUtilizedInBytes": number
    },
    "Surname": "string",
    "TimeZoneId": "string",
    "Type": "string",
    "Username": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

User

Metadata of the user.

Type: [User](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetDocument

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Retrieves details of a document.

Request Syntax

```
GET /api/v1/documents/DocumentId?includeCustomMetadata=IncludeCustomMetadata HTTP/1.1
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+- .@]+`

Required: Yes

IncludeCustomMetadata

Set this to TRUE to include custom metadata in the response.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CustomMetadata": {
    "string" : "string"
  },
  "Metadata": {
    "CreatedTimestamp": number,
    "CreatorId": "string",
    "Id": "string",
    "Labels": [ "string" ],
    "LatestVersionMetadata": {
      "ContentCreatedTimestamp": number,
      "ContentModifiedTimestamp": number,
      "ContentType": "string",
      "CreatedTimestamp": number,
      "CreatorId": "string",
      "Id": "string",
      "ModifiedTimestamp": number,
      "Name": "string",
      "Signature": "string",
      "Size": number,
      "Source": {
        "string" : "string"
      },
      "Status": "string",
      "Thumbnail": {
        "string" : "string"
      }
    },
    "ModifiedTimestamp": number,
    "ParentFolderId": "string",
    "ResourceState": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CustomMetadata

The custom metadata on the document.

Type: String to string map

Map Entries: Maximum number of 8 items.

Key Length Constraints: Minimum length of 1. Maximum length of 56.

Key Pattern: [a-zA-Z0-9._+-/=][a-zA-Z0-9._+-/=]*

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: [a-zA-Z0-9._+-/=][a-zA-Z0-9._+-/=]*

Metadata

The metadata details of the document.

Type: [DocumentMetadata](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

InvalidPasswordException

The password is invalid.

HTTP Status Code: 401

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetDocumentPath

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Retrieves the path information (the hierarchy from the root folder) for the requested document.

By default, Amazon WorkDocs returns a maximum of 100 levels upwards from the requested document and only includes the IDs of the parent folders in the path. You can limit the maximum number of levels. You can also request the names of the parent folders.

Request Syntax

```
GET /api/v1/documents/DocumentId/path?fields=Fields&limit=Limit&marker=Marker HTTP/1.1
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [*&\w+ - .@*]+

Required: Yes

Fields

A comma-separated list of values. Specify NAME to include the names of the parent folders.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w,]+`

Limit

The maximum number of levels in the hierarchy to return.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

This value is not supported.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "Path": {
    "Components": [
      {
        "Id": "string",
        "Name": "string"
      }
    ]
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Path

The path information.

Type: [ResourcePath](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetDocumentVersion

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Retrieves version metadata for the specified document.

Request Syntax

```
GET /api/v1/documents/DocumentId/versions/VersionId?  
fields=Fields&includeCustomMetadata=IncludeCustomMetadata HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Fields

A comma-separated list of values. Specify "SOURCE" to include a URL for the source document.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w,]+`

IncludeCustomMetadata

Set this to TRUE to include custom metadata in the response.

VersionId

The version ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CustomMetadata": {
    "string" : "string"
  },
  "Metadata": {
    "ContentCreatedTimestamp": number,
    "ContentModifiedTimestamp": number,
    "ContentType": "string",
    "CreatedTimestamp": number,
    "CreatorId": "string",
    "Id": "string",
    "ModifiedTimestamp": number,
    "Name": "string",
    "Signature": "string",
    "Size": number,
    "Source": {
      "string" : "string"
    },
  },
}
```

```
    "Status": "string",
    "Thumbnail": {
      "string": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CustomMetadata

The custom metadata on the document version.

Type: String to string map

Map Entries: Maximum number of 8 items.

Key Length Constraints: Minimum length of 1. Maximum length of 56.

Key Pattern: [a-zA-Z0-9._+-/=][a-zA-Z0-9._+-/=]*

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: [a-zA-Z0-9._+-/=][a-zA-Z0-9._+-/=]*

Metadata

The version metadata.

Type: [DocumentVersionMetadata](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidPasswordException

The password is invalid.

HTTP Status Code: 401

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetFolder

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Retrieves the metadata of the specified folder.

Request Syntax

```
GET /api/v1/folders/FolderId?includeCustomMetadata=IncludeCustomMetadata HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

FolderId

The ID of the folder.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+- .@]+`

Required: Yes

IncludeCustomMetadata

Set to TRUE to include custom metadata in the response.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CustomMetadata": {
    "string" : "string"
  },
  "Metadata": {
    "CreatedTimestamp": number,
    "CreatorId": "string",
    "Id": "string",
    "Labels": [ "string" ],
    "LatestVersionSize": number,
    "ModifiedTimestamp": number,
    "Name": "string",
    "ParentFolderId": "string",
    "ResourceState": "string",
    "Signature": "string",
    "Size": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CustomMetadata

The custom metadata on the folder.

Type: String to string map

Map Entries: Maximum number of 8 items.

Key Length Constraints: Minimum length of 1. Maximum length of 56.

Key Pattern: [a-zA-Z0-9._+~/=][a-zA-Z0-9._+~/=]*

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: [a-zA-Z0-9._+~/=][a-zA-Z0-9._+~/=]*

Metadata

The metadata of the folder.

Type: [FolderMetadata](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetFolderPath

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Retrieves the path information (the hierarchy from the root folder) for the specified folder.

By default, Amazon WorkDocs returns a maximum of 100 levels upwards from the requested folder and only includes the IDs of the parent folders in the path. You can limit the maximum number of levels. You can also request the parent folder names.

Request Syntax

```
GET /api/v1/folders/FolderId/path?fields=Fields&limit=Limit&marker=Marker HTTP/1.1
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Fields

A comma-separated list of values. Specify "NAME" to include the names of the parent folders.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w,]+`

FolderId

The ID of the folder.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [[&\w+- .@](#)]+

Required: Yes

Limit

The maximum number of levels in the hierarchy to return.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

This value is not supported.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Path": {
    "Components": [
      {
        "Id": "string",
        "Name": "string"
      }
    ]
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Path

The path information.

Type: [ResourcePath](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetResources

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Retrieves a collection of resources, including folders and documents. The only `CollectionType` supported is `SHARED_WITH_ME`.

Request Syntax

```
GET /api/v1/resources?  
collectionType=CollectionType&limit=Limit&marker=Marker&userId=UserId HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

The Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

CollectionType

The collection type.

Valid Values: `SHARED_WITH_ME`

Limit

The maximum number of resources to return.

Valid Range: Minimum value of 1. Maximum value of 999.

Marker

The marker for the next set of results. This marker was received from a previous call.

Length Constraints: Minimum length of 1. Maximum length of 2048.

UserId

The user ID for the resource collection. This is a required field for accessing the API operation using IAM credentials.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [[&\w+- .@](#)]+

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Documents": [
    {
      "CreatedTimestamp": number,
      "CreatorId": "string",
      "Id": "string",
      "Labels": [ "string" ],
      "LatestVersionMetadata": {
        "ContentCreatedTimestamp": number,
        "ContentModifiedTimestamp": number,
        "ContentType": "string",
        "CreatedTimestamp": number,
        "CreatorId": "string",
        "Id": "string",
        "ModifiedTimestamp": number,
        "Name": "string",
        "Signature": "string",
        "Size": number,
        "Source": {
          "string": "string"
        },
      },
      "Status": "string",
    }
  ]
}
```

```
        "Thumbnail": {
            "string": "string"
        }
    },
    "ModifiedTimestamp": number,
    "ParentFolderId": "string",
    "ResourceState": "string"
}
],
"Folders": [
    {
        "CreatedTimestamp": number,
        "CreatorId": "string",
        "Id": "string",
        "Labels": [ "string" ],
        "LatestVersionSize": number,
        "ModifiedTimestamp": number,
        "Name": "string",
        "ParentFolderId": "string",
        "ResourceState": "string",
        "Signature": "string",
        "Size": number
    }
],
"Marker": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Documents

The documents in the specified collection.

Type: Array of [DocumentMetadata](#) objects

Folders

The folders in the specified folder.

Type: Array of [FolderMetadata](#) objects

Marker

The marker to use when requesting the next set of results. If there are no additional results, the string is empty.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

InitiateDocumentVersionUpload

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Creates a new document object and version object.

The client specifies the parent folder ID and name of the document to upload. The ID is optionally specified when creating a new version of an existing document. This is the first step to upload a document. Next, upload the document to the URL returned from the call, and then call [UpdateDocumentVersion](#).

To cancel the document upload, call [AbortDocumentVersionUpload](#).

Request Syntax

```
POST /api/v1/documents HTTP/1.1
Authentication: AuthenticationToken
Content-type: application/json

{
  "ContentCreatedTimestamp": number,
  "ContentModifiedTimestamp": number,
  "ContentType": "string",
  "DocumentSizeInBytes": number,
  "Id": "string",
  "Name": "string",
  "ParentFolderId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[AuthenticationToken](#)

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Request Body

The request accepts the following data in JSON format.

ContentCreatedTimestamp

The timestamp when the content of the document was originally created.

Type: Timestamp

Required: No

ContentModifiedTimestamp

The timestamp when the content of the document was modified.

Type: Timestamp

Required: No

ContentType

The content type of the document.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

DocumentSizeInBytes

The size of the document, in bytes.

Type: Long

Required: No

Id

The ID of the document.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

Name

The name of the document.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\u0020-\u202D\u202F-\uFFFF]+`

Required: No

ParentFolderId

The ID of the parent folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Metadata": {
    "CreatedTimestamp": number,
    "CreatorId": "string",
    "Id": "string",
    "Labels": [ "string" ],
    "LatestVersionMetadata": {
      "ContentCreatedTimestamp": number,
      "ContentModifiedTimestamp": number,
      "ContentType": "string",
```

```
    "CreatedTimestamp": number,
    "CreatorId": "string",
    "Id": "string",
    "ModifiedTimestamp": number,
    "Name": "string",
    "Signature": "string",
    "Size": number,
    "Source": {
      "string" : "string"
    },
    "Status": "string",
    "Thumbnail": {
      "string" : "string"
    }
  },
  "ModifiedTimestamp": number,
  "ParentFolderId": "string",
  "ResourceState": "string"
},
"UploadMetadata": {
  "SignedHeaders": {
    "string" : "string"
  },
  "UploadUrl": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

Metadata

The document metadata.

Type: [DocumentMetadata](#) object

UploadMetadata

The upload metadata.

Type: [UploadMetadata](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

DraftUploadOutOfSyncException

This exception is thrown when a valid checkout ID is not presented on document version upload calls for a document that has been checked out from Web client.

HTTP Status Code: 409

EntityAlreadyExistsException

The resource already exists.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

InvalidPasswordException

The password is invalid.

HTTP Status Code: 401

LimitExceededException

The maximum of 100,000 files and folders under the parent folder has been exceeded.

HTTP Status Code: 409

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ResourceAlreadyCheckedOutException

The resource is already checked out.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

StorageLimitExceededException

The storage limit has been exceeded.

HTTP Status Code: 409

StorageLimitWillExceedException

The storage limit will be exceeded.

HTTP Status Code: 413

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveAllResourcePermissions

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Removes all the permissions from the specified resource.

Request Syntax

```
DELETE /api/v1/resources/ResourceId/permissions HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

ResourceId

The ID of the resource.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveResourcePermission

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Removes the permission for the specified principal from the specified resource.

Request Syntax

```
DELETE /api/v1/resources/ResourceId/permissions/PrincipalId?type=PrincipalType HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

PrincipalId

The principal ID of the resource.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [$\&\backslash w+- \. @$]+

Required: Yes

PrincipalType

The principal type of the resource.

Valid Values: USER | GROUP | INVITE | ANONYMOUS | ORGANIZATION

ResourceId

The ID of the resource.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RestoreDocumentVersions

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Recovers a deleted version of an Amazon WorkDocs document.

Request Syntax

```
POST /api/v1/documentVersions/restore/DocumentId HTTP/1.1  
Authentication: AuthenticationToken
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConcurrentModificationException

The resource hierarchy is changing.

HTTP Status Code: 409

ConflictingOperationException

Another operation is in progress on the resource that conflicts with the current operation.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidOperationException

The operation is invalid.

HTTP Status Code: 405

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SearchResources

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Searches metadata and the content of folders, documents, document versions, and comments.

Request Syntax

```
POST /api/v1/search HTTP/1.1
```

```
Authentication: AuthenticationToken
```

```
Content-type: application/json
```

```
{
  "AdditionalResponseFields": [ "string" ],
  "Filters": {
    "AncestorIds": [ "string" ],
    "ContentCategories": [ "string" ],
    "CreatedRange": {
      "EndValue": number,
      "StartValue": number
    },
    "Labels": [ "string" ],
    "ModifiedRange": {
      "EndValue": number,
      "StartValue": number
    },
    "Principals": [
      {
        "Id": "string",
        "Roles": [ "string" ]
      }
    ],
    "ResourceTypes": [ "string" ],
    "SearchCollectionTypes": [ "string" ],
    "SizeRange": {
      "EndValue": number,
      "StartValue": number
    }
  },
}
```

```
    "TextLocales": [ "string" ]
  },
  "Limit": number,
  "Marker": "string",
  "OrderBy": [
    {
      "Field": "string",
      "Order": "string"
    }
  ],
  "OrganizationId": "string",
  "QueryScopes": [ "string" ],
  "QueryText": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

Request Body

The request accepts the following data in JSON format.

AdditionalResponseFields

A list of attributes to include in the response. Used to request fields that are not normally returned in a standard response.

Type: Array of strings

Valid Values: WEBURL

Required: No

Filters

Filters results based on entity metadata.

Type: [Filters](#) object

Required: No

Limit

Max results count per page.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

Marker

The marker for the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[\d]+`

Required: No

OrderBy

Order by results in one or more categories.

Type: Array of [SearchSortResult](#) objects

Array Members: Maximum number of 1 item.

Required: No

OrganizationId

Filters based on the resource owner OrgId. This is a mandatory parameter when using Admin SigV4 credentials.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [$\&\backslash w+ - . @$]+

Required: No

QueryScopes

Filter based on the text field type. A Folder has only a name and no content. A Comment has only content and no name. A Document or Document Version has a name and content

Type: Array of strings

Array Members: Maximum number of 2 items.

Valid Values: NAME | CONTENT

Required: No

QueryText

The String to search for. Searches across different text fields based on request parameters. Use double quotes around the query string for exact phrase matches.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: [$\backslash u0020 - \backslash uFFFF$]+

Required: No

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "Items": [
    {
      "CommentMetadata": {
        "CommentId": "string",
        "CommentStatus": "string",
        "Contributor": {
          "CreatedTimestamp": number,
          "EmailAddress": "string",
          "GivenName": "string",
```



```
"Id": "string",
"Locale": "string",
"ModifiedTimestamp": number,
"OrganizationId": "string",
"RecycleBinFolderId": "string",
"RootFolderId": "string",
"Status": "string",
"Storage": {
  "StorageRule": {
    "StorageAllocatedInBytes": number,
    "StorageType": "string"
  },
  "StorageUtilizedInBytes": number
},
"Surname": "string",
"TimeZoneId": "string",
"Type": "string",
"Username": "string"
},
"ContributorId": "string",
"CreatedTimestamp": number,
"RecipientId": "string"
},
"DocumentMetadata": {
  "CreatedTimestamp": number,
  "CreatorId": "string",
  "Id": "string",
  "Labels": [ "string" ],
  "LatestVersionMetadata": {
    "ContentCreatedTimestamp": number,
    "ContentModifiedTimestamp": number,
    "ContentType": "string",
    "CreatedTimestamp": number,
    "CreatorId": "string",
    "Id": "string",
    "ModifiedTimestamp": number,
    "Name": "string",
    "Signature": "string",
    "Size": number,
    "Source": {
      "string" : "string"
    },
  },
  "Status": "string",
  "Thumbnail": {
```

```
        "string" : "string"
      }
    },
    "ModifiedTimestamp": number,
    "ParentFolderId": "string",
    "ResourceState": "string"
  },
  "DocumentVersionMetadata": {
    "ContentCreatedTimestamp": number,
    "ContentModifiedTimestamp": number,
    "ContentType": "string",
    "CreatedTimestamp": number,
    "CreatorId": "string",
    "Id": "string",
    "ModifiedTimestamp": number,
    "Name": "string",
    "Signature": "string",
    "Size": number,
    "Source": {
      "string" : "string"
    },
    "Status": "string",
    "Thumbnail": {
      "string" : "string"
    }
  },
  "FolderMetadata": {
    "CreatedTimestamp": number,
    "CreatorId": "string",
    "Id": "string",
    "Labels": [ "string" ],
    "LatestVersionSize": number,
    "ModifiedTimestamp": number,
    "Name": "string",
    "ParentFolderId": "string",
    "ResourceState": "string",
    "Signature": "string",
    "Size": number
  },
  "ResourceType": "string",
  "WebUrl": "string"
}
],
"Marker": "string"
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Items

List of Documents, Folders, Comments, and Document Versions matching the query.

Type: Array of [ResponseItem](#) objects

Array Members: Maximum number of 100 items.

Marker

The marker to use when requesting the next set of results. If there are no additional results, the string is empty.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[\d]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateDocument

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Updates the specified attributes of a document. The user must have access to both the document and its parent folder, if applicable.

Request Syntax

```
PATCH /api/v1/documents/DocumentId HTTP/1.1
Authentication: AuthenticationToken
Content-type: application/json
```

```
{
  "Name": "string",
  "ParentFolderId": "string",
  "ResourceState": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

DocumentId

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

Name

The name of the document.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\u0020-\u202D\u202F-\uFFFF]+`

Required: No

ParentFolderId

The ID of the parent folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

ResourceState

The resource state of the document. Only ACTIVE and RECYCLED are supported.

Type: String

Valid Values: ACTIVE | RESTORING | RECYCLING | RECYCLED

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConcurrentModificationException

The resource hierarchy is changing.

HTTP Status Code: 409

ConflictingOperationException

Another operation is in progress on the resource that conflicts with the current operation.

HTTP Status Code: 409

EntityAlreadyExistsException

The resource already exists.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

LimitExceededException

The maximum of 100,000 files and folders under the parent folder has been exceeded.

HTTP Status Code: 409

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateDocumentVersion

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Changes the status of the document version to ACTIVE.

Amazon WorkDocs also sets its document container to ACTIVE. This is the last step in a document upload, after the client uploads the document to an S3-presigned URL returned by [InitiateDocumentVersionUpload](#).

Request Syntax

```
PATCH /api/v1/documents/DocumentId/versions/VersionId HTTP/1.1
```

```
Authentication: AuthenticationToken
```

```
Content-type: application/json
```

```
{  
  "VersionStatus": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

[AuthenticationToken](#)

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

[DocumentId](#)

The ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

VersionId

The version ID of the document.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

VersionStatus

The status of the version.

Type: String

Valid Values: ACTIVE

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConcurrentModificationException

The resource hierarchy is changing.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

InvalidOperationException

The operation is invalid.

HTTP Status Code: 405

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateFolder

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Updates the specified attributes of the specified folder. The user must have access to both the folder and its parent folder, if applicable.

Request Syntax

```
PATCH /api/v1/folders/FolderId HTTP/1.1
Authentication: AuthenticationToken
Content-type: application/json
```

```
{
  "Name": "string",
  "ParentFolderId": "string",
  "ResourceState": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

FolderId

The ID of the folder.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

Name

The name of the folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\u0020-\u202D\u202F-\uFFFF]+`

Required: No

ParentFolderId

The ID of the parent folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

ResourceState

The resource state of the folder. Only ACTIVE and RECYCLED are accepted values from the API.

Type: String

Valid Values: ACTIVE | RESTORING | RECYCLING | RECYCLED

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ConcurrentModificationException

The resource hierarchy is changing.

HTTP Status Code: 409

ConflictingOperationException

Another operation is in progress on the resource that conflicts with the current operation.

HTTP Status Code: 409

EntityAlreadyExistsException

The resource already exists.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

LimitExceededException

The maximum of 100,000 files and folders under the parent folder has been exceeded.

HTTP Status Code: 409

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateUser

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Updates the specified attributes of the specified user, and grants or revokes administrative privileges to the Amazon WorkDocs site.

Request Syntax

```
PATCH /api/v1/users/UserId HTTP/1.1
Authentication: AuthenticationToken
Content-type: application/json

{
  "GivenName": "string",
  "GrantPoweruserPrivileges": "string",
  "Locale": "string",
  "StorageRule": {
    "StorageAllocatedInBytes": number,
    "StorageType": "string"
  },
  "Surname": "string",
  "TimeZoneId": "string",
  "Type": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

AuthenticationToken

Amazon WorkDocs authentication token. Not required when using AWS administrator credentials to access the API.

Length Constraints: Minimum length of 1. Maximum length of 8199.

UserId

The ID of the user.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+-.\@`]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

GivenName

The given name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

GrantPoweruserPrivileges

Boolean value to determine whether the user is granted Power user privileges.

Type: String

Valid Values: `TRUE` | `FALSE`

Required: No

Locale

The locale of the user.

Type: String

Valid Values: `en` | `fr` | `ko` | `de` | `es` | `ja` | `ru` | `zh_CN` | `zh_TW` | `pt_BR` | `default`

Required: No

StorageRule

The amount of storage for the user.

Type: [StorageRuleType](#) object

Required: No

Surname

The surname of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

TimeZoneId

The time zone ID of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Type

The type of the user.

Type: String

Valid Values: USER | ADMIN | POWERUSER | MINIMALUSER | WORKSPACESUSER

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "User": {
    "CreatedTimestamp": number,
```

```
"EmailAddress": "string",
"GivenName": "string",
"Id": "string",
"Locale": "string",
"ModifiedTimestamp": number,
"OrganizationId": "string",
"RecycleBinFolderId": "string",
"RootFolderId": "string",
"Status": "string",
"Storage": {
  "StorageRule": {
    "StorageAllocatedInBytes": number,
    "StorageType": "string"
  },
  "StorageUtilizedInBytes": number
},
"Surname": "string",
"TimeZoneId": "string",
"Type": "string",
"Username": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

User

The user information.

Type: [User](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

DeactivatingLastSystemUserException

The last user in the organization is being deactivated.

HTTP Status Code: 409

EntityNotExistsException

The resource does not exist.

HTTP Status Code: 404

FailedDependencyException

The AWS Directory Service cannot reach an on-premises instance. Or a dependency under the control of the organization is failing, such as a connected Active Directory.

HTTP Status Code: 424

IllegalUserStateException

The user is undergoing transfer of ownership.

HTTP Status Code: 409

InvalidArgumentException

The pagination marker or limit fields are not valid.

HTTP Status Code: 400

ProhibitedStateException

The specified document version is not in the INITIALIZED state.

HTTP Status Code: 409

ServiceUnavailableException

One or more of the dependencies is unavailable.

HTTP Status Code: 503

UnauthorizedOperationException

The operation is not permitted.

HTTP Status Code: 403

UnauthorizedResourceAccessException

The caller does not have access to perform the action on the resource.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Amazon WorkDocs API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [Activity](#)
- [Comment](#)
- [CommentMetadata](#)
- [DateRangeType](#)
- [DocumentMetadata](#)
- [DocumentVersionMetadata](#)
- [Filters](#)
- [FolderMetadata](#)
- [GroupMetadata](#)
- [LongRangeType](#)
- [NotificationOptions](#)
- [Participants](#)
- [PermissionInfo](#)
- [Principal](#)
- [ResourceMetadata](#)
- [ResourcePath](#)
- [ResourcePathComponent](#)
- [ResponseItem](#)
- [SearchPrincipalType](#)
- [SearchSortResult](#)

- [SharePrincipal](#)
- [ShareResult](#)
- [StorageRuleType](#)
- [Subscription](#)
- [UploadMetadata](#)
- [User](#)
- [UserMetadata](#)
- [UserStorageMetadata](#)

Activity

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the activity information.

Contents

CommentMetadata

Metadata of the commenting activity. This is an optional field and is filled for commenting activities.

Type: [CommentMetadata](#) object

Required: No

Initiator

The user who performed the action.

Type: [UserMetadata](#) object

Required: No

IsIndirectActivity

Indicates whether an activity is indirect or direct. An indirect activity results from a direct activity performed on a parent resource. For example, sharing a parent folder (the direct activity) shares all of the subfolders and documents within the parent folder (the indirect activity).

Type: Boolean

Required: No

OrganizationId

The ID of the organization.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [[&\w+- .@](#)]+

Required: No

OriginalParent

The original parent of the resource. This is an optional field and is filled for move activities.

Type: [ResourceMetadata](#) object

Required: No

Participants

The list of users or groups impacted by this action. This is an optional field and is filled for the following sharing activities: DOCUMENT_SHARED, DOCUMENT_SHARED, DOCUMENT_UNSHARED, FOLDER_SHARED, FOLDER_UNSHARED.

Type: [Participants](#) object

Required: No

ResourceMetadata

The metadata of the resource involved in the user action.

Type: [ResourceMetadata](#) object

Required: No

TimeStamp

The timestamp when the action was performed.

Type: Timestamp

Required: No

Type

The activity type.

Type: String

Valid Values: DOCUMENT_CHECKED_IN | DOCUMENT_CHECKED_OUT | DOCUMENT_RENAMED
| DOCUMENT_VERSION_UPLOADED | DOCUMENT_VERSION_DELETED |
DOCUMENT_VERSION_VIEWED | DOCUMENT_VERSION_DOWNLOADED |
DOCUMENT_RECYCLED | DOCUMENT_RESTORED | DOCUMENT_REVERTED |
DOCUMENT_SHARED | DOCUMENT_UNSHARED | DOCUMENT_SHARE_PERMISSION_CHANGED
| DOCUMENT_SHAREABLE_LINK_CREATED | DOCUMENT_SHAREABLE_LINK_REMOVED
| DOCUMENT_SHAREABLE_LINK_PERMISSION_CHANGED | DOCUMENT_MOVED
| DOCUMENT_COMMENT_ADDED | DOCUMENT_COMMENT_DELETED |
DOCUMENT_ANNOTATION_ADDED | DOCUMENT_ANNOTATION_DELETED | FOLDER_CREATED
| FOLDER_DELETED | FOLDER_RENAMED | FOLDER_RECYCLED | FOLDER_RESTORED
| FOLDER_SHARED | FOLDER_UNSHARED | FOLDER_SHARE_PERMISSION_CHANGED
| FOLDER_SHAREABLE_LINK_CREATED | FOLDER_SHAREABLE_LINK_REMOVED |
FOLDER_SHAREABLE_LINK_PERMISSION_CHANGED | FOLDER_MOVED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Comment

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes a comment.

Contents

CommentId

The ID of the comment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+- .@]+`

Required: Yes

Contributor

The details of the user who made the comment.

Type: [User](#) object

Required: No

CreatedTimestamp

The time that the comment was created.

Type: Timestamp

Required: No

ParentId

The ID of the parent comment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

RecipientId

If the comment is a reply to another user's comment, this field contains the user ID of the user being replied to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[&\w+ - .@]+`

Required: No

Status

The status of the comment.

Type: String

Valid Values: DRAFT | PUBLISHED | DELETED

Required: No

Text

The text of the comment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

ThreadId

The ID of the root comment in the thread.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

Visibility

The visibility of the comment. Options are either `PRIVATE`, where the comment is visible only to the comment author and document owner and co-owners, or `PUBLIC`, where the comment is visible to document owners, co-owners, and contributors.

Type: String

Valid Values: `PUBLIC` | `PRIVATE`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CommentMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the metadata of a comment.

Contents

CommentId

The ID of the comment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+- .@]+`

Required: No

CommentStatus

The status of the comment.

Type: String

Valid Values: DRAFT | PUBLISHED | DELETED

Required: No

Contributor

The user who made the comment.

Type: [User](#) object

Required: No

ContributorId

The ID of the user who made the comment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: No

CreatedTimestamp

The timestamp that the comment was created.

Type: Timestamp

Required: No

RecipientId

The ID of the user being replied to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DateRangeType

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Filters results based on timestamp range (in epochs).

Contents

EndValue

Timestamp range end value (in epochs).

Type: Timestamp

Required: No

StartValue

Timestamp range start value (in epochs)

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DocumentMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the document.

Contents

CreatedTimestamp

The time when the document was created.

Type: Timestamp

Required: No

CreatorId

The ID of the creator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: No

Id

The ID of the document.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [`\w+- .@`]+

Required: No

Labels

List of labels on the document.

Type: Array of strings

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `[a-zA-Z0-9._+~/=][a-zA-Z0-9._+~/=]*`

Required: No

LatestVersionMetadata

The latest version of the document.

Type: [DocumentVersionMetadata](#) object

Required: No

ModifiedTimestamp

The time when the document was updated.

Type: Timestamp

Required: No

ParentFolderId

The ID of the parent folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

ResourceState

The resource state.

Type: String

Valid Values: ACTIVE | RESTORING | RECYCLING | RECYCLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DocumentVersionMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes a version of a document.

Contents

ContentCreatedTimestamp

The timestamp when the content of the document was originally created.

Type: Timestamp

Required: No

ContentModifiedTimestamp

The timestamp when the content of the document was modified.

Type: Timestamp

Required: No

ContentType

The content type of the document.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

CreatedTimestamp

The timestamp when the document was first uploaded.

Type: Timestamp

Required: No

CreatorId

The ID of the creator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: No

Id

The ID of the version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [`\w+- .@`]+

Required: No

ModifiedTimestamp

The timestamp when the document was last uploaded.

Type: Timestamp

Required: No

Name

The name of the version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [`\u0020-\u202D\u202F-\uFFFF`]+

Required: No

Signature

The signature of the document.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: [`&\w+ - .@`]+

Required: No

Size

The size of the document, in bytes.

Type: Long

Required: No

Source

The source of the document.

Type: String to string map

Valid Keys: ORIGINAL | WITH_COMMENTS

Value Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

Status

The status of the document.

Type: String

Valid Values: INITIALIZED | ACTIVE

Required: No

Thumbnail

The thumbnail of the document.

Type: String to string map

Valid Keys: SMALL | SMALL_HQ | LARGE

Value Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Filters

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Filters results based on entity metadata.

Contents

AncestorIds

Filter based on resource's path.

Type: Array of strings

Array Members: Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

ContentCategories

Filters by content category.

Type: Array of strings

Array Members: Maximum number of 9 items.

Valid Values: IMAGE | DOCUMENT | PDF | SPREADSHEET | PRESENTATION | AUDIO | VIDEO | SOURCE_CODE | OTHER

Required: No

CreatedRange

Filter based on resource's creation timestamp.

Type: [DateRangeType](#) object

Required: No

Labels

Filter by labels using exact match.

Type: Array of strings

Array Members: Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: No

ModifiedRange

Filter based on resource's modified timestamp.

Type: [DateRangeType](#) object

Required: No

Principals

Filter based on UserIds or GroupIds.

Type: Array of [SearchPrincipalType](#) objects

Array Members: Maximum number of 10 items.

Required: No

ResourceTypes

Filters based on entity type.

Type: Array of strings

Array Members: Maximum number of 4 items.

Valid Values: FOLDER | DOCUMENT | COMMENT | DOCUMENT_VERSION

Required: No

SearchCollectionTypes

Filter based on file groupings.

Type: Array of strings

Array Members: Maximum number of 2 items.

Valid Values: OWNED | SHARED_WITH_ME

Required: No

SizeRange

Filter based on size (in bytes).

Type: [LongRangeType](#) object

Required: No

TextLocales

Filters by the locale of the content or comment.

Type: Array of strings

Array Members: Maximum number of 1 item.

Valid Values: AR | BG | BN | DA | DE | CS | EL | EN | ES | FA | FI | FR | HI
| HU | ID | IT | JA | KO | LT | LV | NL | NO | PT | RO | RU | SV | SW |
TH | TR | ZH | DEFAULT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FolderMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes a folder.

Contents

CreatedTimestamp

The time when the folder was created.

Type: Timestamp

Required: No

CreatorId

The ID of the creator.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: No

Id

The ID of the folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [`\w+- .@`]+

Required: No

Labels

List of labels on the folder.

Type: Array of strings

Array Members: Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `[a-zA-Z0-9._+~/=][a-zA-Z0-9 ._-+~/=]*`

Required: No

LatestVersionSize

The size of the latest version of the folder metadata.

Type: Long

Required: No

ModifiedTimestamp

The time when the folder was updated.

Type: Timestamp

Required: No

Name

The name of the folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\u0020-\u202D\u202F-\uFFFF]+`

Required: No

ParentFolderId

The ID of the parent folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

ResourceState

The resource state of the folder.

Type: String

Valid Values: ACTIVE | RESTORING | RECYCLING | RECYCLED

Required: No

Signature

The unique identifier created from the subfolders and documents of the folder.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 128.

Pattern: `[&\w+ - .@]+`

Required: No

Size

The size of the folder metadata.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

GroupMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the metadata of a user group.

Contents

Id

The ID of the user group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+ - .@`]+

Required: No

Name

The name of the group.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LongRangeType

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Filter based on size (in bytes).

Contents

EndValue

The size end range (in bytes).

Type: Long

Required: No

StartValue

The size start range (in bytes).

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationOptions

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Set of options which defines notification preferences of given action.

Contents

EmailMessage

Text value to be included in the email body.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

SendEmail

Boolean value to indicate an email notification should be sent to the recipients.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Participants

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the users or user groups.

Contents

Groups

The list of user groups.

Type: Array of [GroupMetadata](#) objects

Required: No

Users

The list of users.

Type: Array of [UserMetadata](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PermissionInfo

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the permissions.

Contents

Role

The role of the user.

Type: String

Valid Values: VIEWER | CONTRIBUTOR | OWNER | COOWNER

Required: No

Type

The type of permissions.

Type: String

Valid Values: DIRECT | INHERITED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Principal

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes a resource.

Contents

Id

The ID of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [$\&\backslash w+- .@$]+

Required: No

Roles

The permission information for the resource.

Type: Array of [PermissionInfo](#) objects

Required: No

Type

The type of resource.

Type: String

Valid Values: USER | GROUP | INVITE | ANONYMOUS | ORGANIZATION

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourceMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the metadata of a resource.

Contents

Id

The ID of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

Name

The name of the resource.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\u0020-\u202D\u202F-\uFFFF]+`

Required: No

OriginalName

The original name of the resource before a rename operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[\u0020-\u202D\u202F-\uFFFF]+`

Required: No

Owner

The owner of the resource.

Type: [UserMetadata](#) object

Required: No

ParentId

The parent ID of the resource before a rename operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

Type

The type of resource.

Type: String

Valid Values: FOLDER | DOCUMENT

Required: No

VersionId

The version ID of the resource. This is an optional field and is filled for action on document version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourcePath

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the path information of a resource.

Contents

Components

The components of the resource path.

Type: Array of [ResourcePathComponent](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResourcePathComponent

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the resource path.

Contents

Id

The ID of the resource path.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: No

Name

The name of the resource path.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [`\u0020-\u202D\u202F-\uFFFF`]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResponseItem

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

List of Documents, Folders, Comments, and Document Versions matching the query.

Contents

CommentMetadata

The comment that matches the query.

Type: [CommentMetadata](#) object

Required: No

DocumentMetadata

The document that matches the query.

Type: [DocumentMetadata](#) object

Required: No

DocumentVersionMetadata

The document version that matches the metadata.

Type: [DocumentVersionMetadata](#) object

Required: No

FolderMetadata

The folder that matches the query.

Type: [FolderMetadata](#) object

Required: No

ResourceType

The type of item being returned.

Type: String

Valid Values: DOCUMENT | FOLDER | COMMENT | DOCUMENT_VERSION

Required: No

WebUrl

The webUrl of the item being returned.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `[\u0020-\uFFFF]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SearchPrincipalType

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Filter based on UserIds or GroupIds.

Contents

Id

UserIds or GroupIds.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: Yes

Roles

The Role of a User or Group.

Type: Array of strings

Array Members: Maximum number of 4 items.

Valid Values: VIEWER | CONTRIBUTOR | OWNER | COOWNER

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SearchSortResult

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

The result of the sort operation.

Contents

Field

Sort search results based on this field name.

Type: String

Valid Values: RELEVANCE | NAME | SIZE | CREATED_TIMESTAMP |
MODIFIED_TIMESTAMP

Required: No

Order

Sort direction.

Type: String

Valid Values: ASC | DESC

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

SharePrincipal

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the recipient type and ID, if available.

Contents

Id

The ID of the recipient.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: Yes

Role

The role of the recipient.

Type: String

Valid Values: VIEWER | CONTRIBUTOR | OWNER | COOWNER

Required: Yes

Type

The type of the recipient.

Type: String

Valid Values: USER | GROUP | INVITE | ANONYMOUS | ORGANIZATION

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ShareResult

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the share results of a resource.

Contents

InviteePrincipalId

The ID of the invited user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [&\w+- .@]+

Required: No

PrincipalId

The ID of the principal.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [&\w+- .@]+

Required: No

Role

The role.

Type: String

Valid Values: VIEWER | CONTRIBUTOR | OWNER | COOWNER

Required: No

ShareId

The ID of the resource that was shared.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

Status

The status.

Type: String

Valid Values: SUCCESS | FAILURE

Required: No

StatusMessage

The status message.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StorageRuleType

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the storage for a user.

Contents

StorageAllocatedInBytes

The amount of storage allocated, in bytes.

Type: Long

Valid Range: Minimum value of 0.

Required: No

StorageType

The type of storage.

Type: String

Valid Values: UNLIMITED | QUOTA

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Subscription

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes a subscription.

Contents

EndPoint

The endpoint of the subscription.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Protocol

The protocol of the subscription.

Type: String

Valid Values: HTTPS | SQS

Required: No

SubscriptionId

The ID of the subscription.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UploadMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the upload.

Contents

SignedHeaders

The signed headers.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[\w-]+`

Value Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

UploadUrl

The URL of the upload.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

User

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes a user.

Contents

CreatedTimestamp

The time when the user was created.

Type: Timestamp

Required: No

EmailAddress

The email address of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}`

Required: No

GivenName

The given name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

Id

The ID of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: No

Locale

The locale of the user.

Type: String

Valid Values: `en` | `fr` | `ko` | `de` | `es` | `ja` | `ru` | `zh_CN` | `zh_TW` | `pt_BR` | `default`

Required: No

ModifiedTimestamp

The time when the user was modified.

Type: Timestamp

Required: No

OrganizationId

The ID of the organization.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [`&\w+- .@`]+

Required: No

RecycleBinFolderId

The ID of the recycle bin folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

RootFolderId

The ID of the root folder.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[\w+ - .@]+`

Required: No

Status

The status of the user.

Type: String

Valid Values: ACTIVE | INACTIVE | PENDING

Required: No

Storage

The storage for the user.

Type: [UserStorageMetadata](#) object

Required: No

Surname

The surname of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

TimeZoneld

The time zone ID of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

Type

The type of user.

Type: String

Valid Values: USER | ADMIN | POWERUSER | MINIMALUSER | WORKSPACESUSER

Required: No

Username

The login name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\-\+\.\]+(\@[a-zA-Z0-9.\-\]+\.[a-zA-Z]+)?`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UserMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the metadata of the user.

Contents

EmailAddress

The email address of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}`

Required: No

GivenName

The given name of the user before a rename operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

Id

The ID of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[&\w+-.@]+`

Required: No

Surname

The surname of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

Username

The name of the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[\w\-\+\.\]+(\@[a-zA-Z0-9.\-\]+\.[a-zA-Z]+)?`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UserStorageMetadata

Important

Notice: New customer sign-ups and account upgrades are no longer available for Amazon WorkDocs. Learn about migration steps here: [How to migrate data from Amazon WorkDocs](#).

Describes the storage for a user.

Contents

StorageRule

The storage for a user.

Type: [StorageRuleType](#) object

Required: No

StorageUtilizedInBytes

The amount of storage used, in bytes.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400